

## 40 Fab Projects

Kaffe Fassett Knits Again Exclusive Interview!

Spring/Summer '08 Fashion Forecast


Going Round & Round Circular Knitting Tutorial





Lace OVe/

P. Knir 'N Sryle • April 200



J Diane Zangl Instructions begin on page 77

Natural 9SSIC

Coats & Clark
Instructions begin on page 78

Knit Cardi









Caron International
Instructions begin on page 86


Elegant Cabled

Knit 'N Style . April 2008. +1














Conjoined Creations
Instructions begin on page 85





Plymouth Yarn Co

## Center Cable Paglan Pullover

Knie 'N Style • April 2008 49



Instructions begin on page 8



The Madeleine Hat



Bamboo


Peck-A-Boo

N Stile • April 2008-51




## Maddie's Boler C

52 Kma N Style • April 2008










22 Fiesta Yams

Instructions begin on page 93

Swoon Cable Pardigan

















Hand-Painted Cable Coal with Belt

















Cabled Bag

Kuit 'N Style • April 2008 69



Ruffle Wrap Sweater

Baby Entrelac Bunting







# The BagSmith Summer Tango

72 Knit 'N Style • April 2006



Entrelac Bags



# 1 KNIT Lace

---- (E)

(Medium, Large, X-Large).



#### FINISHED MEASUREMENTS · Bust 35 (41, 48, 54)\*

MATERIALS.

 10 (11, 12, 13) 50g (164 yd) balls South West Trading Co Pure Size 3 US (3.25mm) needles

DALIDE 26 sts x 32 rows = 4" with larger ndis in Lace Patt TO SAVE TIME, TAKE TIME TO CHECK GAUGE

BORDER PATTERN /multiple of 6 + 7 stl (26, 32, 35) sts rem each side). Row 1 (RS): K1. 'yo. SSK, K1, K2tog, yo. K1. Row 2: Knit

LACE PATTERN /multiple of 6 a 1 art Row 1 (RS); K1, 'yo, SSK, K1, K2tox, yo, K1. Row 2 and all WS rows: Puri Row 3: K1. 'vo. K1. slip payt 2 sts ut nece.

Bow 5: K1. "K2ton un K1 un SSK K1. Dan Row 7: K2tog. \*(K1, yo) twice, K1, slip next 2. sts at once knihwse. K1. n2ssn. Ben from " across; and row with (K1 un) twice K1 SSK

#### With smaller ridis, CO 115 (133, 157, 175) sts.

Change to larger ndls, beg Lace Patt and BO 12 (18, 24, 30) sts at beg of next 2 rows.

91 (97, 109, 115) sts remi. Cont even until piece Shape Neck Work across first 24 (27, 33, 36) sts. join sec-

---- (II)

SIZES (Madium Large V.) arred

LACE PATTERN Foundation Row (RS): Sc into second ch

Row 1 (WS): Sc into first sc. \*3 sc into next

balls of varn until piece meas approx 24" from FRONT

Shape Neck Work across first 35 /38 44 47) etc inin sonand ball of yarn, BO middle 21 sts, and work

across to end row. Work both sides at once knitwise, K1, p2sso, K1, yo, K1. Rep from \* neck edge once, 3 sts each neck edge once, 2 meas approx 24" from CO. BO all sts.

Change to larger ndis, beg Lace Patt, and FINISHING

Neckline Edging

Assembly

Set in sloeves. Sew side seams. Weave in at Knit 'N Style.





FINISHED MEASUREMENTS

 Upper Arm 173 (17%, 19%, 19%)\* MATERIAL C. 10 (11, 12, 13) 500 (164 vd) balls South West Tradien Co Pure

GAUGE . Each 10-stitch repeat = 11/1: 16 rows = 41 in Lace Putt

TO SAVE TIME, TAKE TIME TO CHECK GAUGE ch-3 sp. 5 sc into next ch-3 sp. 3 sc into next sc. Rep from \* across, end row with dc into

rh-3 sn. Ran from " arress anding row with Row 2: Skip first 4 sc. "lide, ch 1) into next

Row 3: Skip first 3 do \*so into next ch-1 so

sp. ch 3, sc into next ch-1 sp. ch 3, skip next 2 dc, dc into top of turning-ch-3. Ch 1, turn. Row 4: Sc into first sc, \*ch 3, skip next ch-3

sp. (dc, ch 3, dc) into next ch-3 sp, ch 3, sc into next dc. Rep from \* across, end row with sc into third ch of turning-ch-6. Ch 1, turn. Rep Rows 1-4 for Lace Patt

#### BACK

Ch 102 (122, 142, 162). Beg Lace Patt, and work even until piece meas approx 15% (15%, 14%, 14%)" from beg, end after Row 1 of patt. Do not ch 3. Turn.

#### Shape Armholes

Slip st into first 11 (11, 21, 21) sts, ch 3, work Row 2 of patt across until 10 (10, 20, 20) sts rem. Ch 3, turn, leaving rest of row unworked. Cont even until piece meas approx 231/8 from beg, ending after Row 4 of patt. Ch 1, turn.

#### Shape Neck

Next Row (WS): Sc into first sc. \*3 sc into next ch-3 sp, 5 sc into next ch-3 sp, 3 sc into next ch-3 sp. Rep from \* 1 (2, 2, 3) more times. sc into next dc. Ch 3, turn, leaving rest of row unworked. Cont even on this side until piece meas approx 23%" from beg, end after Row 2 of patt. Next Row: Skip first 3 dc, "sc into next ch-1 sp. ch 1, sc into next ch-1 sp. ch 3, skip next 2 dc, dc into next dc, ch 3, skip next 2 dc. Rep from \* across, ending row with sc into next ch-1 sp, ch 1, sc into next ch-1 sp, ch 3, skip next 2 dc, dc into top of turning-ch-3. Fasten off. For other side of neck, with WS facing, attach varn to fourth sc, and ch 1. Complete same as first side.

#### FRONT Work same as Back until piece meas approx

19" from beg, end after Row 4 of patt. Ch 1, turn. Shape Neck Next Row (WS): Sc into first sc. \*3 sc into

next ch-3 sp, 5 sc into next ch-3 sp, 3 sc into next ch-3 sp. Rep from \* 1 (2, 2, 3) more times, sc into next sc. Ch 3, turn, leaving rest

of row unworked. Cont even on this side until piece meas approx 23%" from beg, end after Row 2 of patt. Next Row: Skip first 3 dc, \*sc. into next ch-1 sp, ch 1, sc into next ch-1 sp, ch 3, skip next 2 dc, dc into next dc, ch 3, skip next 2 dc. Rep from \* across, end row with sc into next ch-1 sp, ch 1, sc into next ch-1 sp, ch 3, skip next 2 dc, dc into top of turning-ch-3. Fasten off

For other side of neck, with WS facing, attach varn to fourth sc. and ch 1. Complete same as

#### SLEEVES

Ch 102 (102, 112, 112). Beg Lace Patt, and work even until piece meas approx 21% (20%, 20%, 19)" from beg, end after Row 2 of patt. Next Row: Skip first 3 dc, \*sc into next ch-1 sp, ch 1, sc into next ch-1 sp, ch 3, skip next 2 dc, dc into next dc, ch 3. Rep from \* across, end row with sc into next ch-1 sp, ch 1, sc into next ch-1 sp. ch 3, skip next 2 dc, dc into top of turning-ch-3. Fasten off. FINISHING

#### Sew shoulder seams. Set in sleeves. Sew side seams.

## Neckline Edging

With RS facing and crochet hook, attach varn with a slip st to neck edge of right shoulder seam and ch 1. Work 98 sc evenly spaced around neck opening. Join with slip st to first sc. Next Rnd: \*Ch 3, dc into same st as slip st, skip next sc, slip st into next sc. Rep from \* around. Join with slip st to first sc. Fasten off. Lower Hem Edging

#### With RS facing, join yarn with slip st at right

bottom side seam, and ch 1. Work 140 (168, 116, 224) sc evenly spaced along lower edge. Join with slip st to first sc. Next Rnd: \*Ch 3, dc into same st as slip st, skip next sc, slip st into next sc. Repeat from \* around. Join with slip st to first sc. Fasten off. Sleeve Edging

With RS facing, join yarn with slip st at sleeve

15% (15%, 14%, 14%)" 8% (8%, 9%, 9%)" 17½ (21, 24½, 28)\*

cuff seam, and ch 1. Work 70 (70, 76, 76) sc evenly spaced along lower edge of sleeve. Join with slip st to first sc. Next Rnd: \*Ch 3, dc into same st as slip st, skip next sc, slip st into next sc. Rep from \* around. Join with slip st to first sc. Fasten off. Repeat for other

17½ (17½, 19½, 19½)"

Designed by Melissa Leapman exclusively for Knit 'N Style.

# Natural Classic

Continued from page 38

# ---

#### Jacket is sized to fit Women's Small (Medium, Large, X-Large)

- FINISHED MEASUREMENTS · Bust 36 (40, 44, 48)
- · Length 21% (22, 23%, 24)"
- DESIGNER NOTES
- · Sleeves and side panels are worked from the bottom up. Contrasting front band and front panels are picked up and worked outwards. I-cord color is matched to color of each body section.

# SEED STITCH

All rows: \*K1, \*p1, k1; rep from \* across row.

# BACK

With MC, CO 90 (100, 110, 120) sts. Work



end after WSR

Shape Neck and Shoulders

 Upper Arm 14 (15, 16, 17)" MATERIALS

- 9 (11, 13, 15) 50g (86 vd) balls Plymouth Yarn Co Linen Isle (50%) cotton, 30% rayon, 20% linen) color #7009 Tan (MC)
- 3 (4, 4, 5) 50g (86 yd) balls Plymouth Yarn Co Linen Isle (50%) cotton, 30% rayon, 20% linen) color #9966 Dk Mix (A)
- 1, 50g (137 yd) ball Plymouth Yarn Co Wildflower (51% cotton, 49% acrylic) color #47 Black (B)
- · Size 5 US (3.75mm) needle OR SIZE TO OBTAIN GAUGE · Size 5 US (3.75mm) 24" circular needle OR SIZE TO OBTAIN GAUGE

## GAUGE

- 20 sts x 26 rows = 4" in St st 18 sts x 28 rows = 4" in Seed st
  - TO SAVE TIME. TAKE TIME TO CHECK GAUGE

even in St st until Back meas 13 (13, 14, 14)" for Back neck, K19 (21, 22, 23). Working on

from CO, end after WSR. both sides of neck with separate balls of yarn, Shape Armhole dec 1 st at each neck edge every row 3 times BO 7 (8, 11, 13) sts at beg of next 2 rows. while at the same time BO at each arm edge Dec 1 st each end every RSR 3 (4, 4, 5) times 5 (6, 6, 7) sts twice, then 6 (6, 7, 6) sts once. [70 (76, 80, 84) sts]. Work even until armhole

#### meas 7% (8, 8%, 9)" above BO underarm sts. LEFT FRONT Side Panel

With MC, CO 20 (22, 26, 29) sts. Work even Next row (RS); K19 (21, 22, 23), join second in St st until Front meas same as for Back to ball of yarn and BO next 32 (34, 36, 38) sts underarm, end after WSR. BO 7 (8, 11, 13)

#### Knit 'N Style • April 2008 77

sts at beg of next row. Dec 1 st at arm edge every RSR 3 (4, 4, 5) times [10 (10, 11, 11) sts]. Work even until armhole meas same as for Back above BO underarm sts.

Shape Shoulder BO at arm edge 5 (6, 6, 7) sts twice, then 5 (4, 5. 4) sts once

Front Panel With RS facing and B, pick up and K101 (105, 109, 113) sts along front edge. Note: This will be a ratio of approx 3 sts for every 4 rows. Knit 1 row, purl 1 row. Change to A. Next row (WS): Purl, dec 10 sts evenly [91 (95, 99, 103) sts]. Work even in Seed st for 8 (10, 10, 12)

#### rows Shape Neck

Next row (RS): BO 11 (11, 12, 12) sts, work to end of row. Dec 1 st at neck edge every RSR 3 (3, 4, 4) times [77 (81, 83, 87) sts]. Work neck edge even while at the same time dec 1 st at lower edge every RSR 9 (10, 10, 11) times [68 (71, 73, 76) sts]. BO in pat.

#### RIGHT FRONT Work as for Left Front, reversing all shaping.

SLEEVES With MC. CO 80 (85, 90, 95) sts. Working in St. st, dec 1 st each end every 10 rows 5 times [70 (75, 80, 85) stsl. Work even until sleeve meas 14 (14%, 14%, 15)" from CO, end after WSR.

Shape Sleeve Cap BO 7 (8, 11, 13) sts at beg of next 2 rows. Dec 1 st each end every RSR 3 (3, 4, 5)

times. Work even for 11/4 (11/4, 2, 21/4)" above last dec. Dec 1 st each end every RSR 3 times. BO 6 (6, 5, 5) sts at beg of next 4 rows, then BO 5 (6, 6, 5) sts at beg of foll 2 rows. BO rem 10 (11, 12, 13) sts.

#### FINISHING Sleeve Edging

With B and circular ndl, pick up and K 1 st in every CO st at lower sleeve edge. CO 3 sts to LH ndl. \*K2, ssk, replace 3 sts to LH ndl\*; rep from \* to \* until all picked-up sts have been worked, BO

#### **Body Edging**

Sew shoulder seams. Beg at left shoulder with circular ndl and separate strand of A. \*\*pick up and K 1 st in every st, and 3 sts for every 4 rows ending at black stripe at lower left front edge. Cut yarn, return to first picked-up st\*\*. CO 3 sts to LH ndl. Rep from \* to \* of sleeve edging until all picked up sts have been worked, leaving final 3 sts on RH ndl.\*\* Join a separate strand of MC and rep from \*\* to \*\*. Cont to work I-cord around body opening, matching color of cord to that of body. BO. Sew BO and CO edges tog at left shoulder.

#### Sew sleeves into armholes. Sew sleeve and side seams. Weave in all ends.

Designed by Diane Zangl exclusively for Knit 'N Style.



16 (17, 18, 19)\*

Continued from base 39

## amoo (II)

#### SIZES

· Cardigan is sized to fit Women's Small (Medium, Large, X-Large). FINISHED MEASUREMENTS

· Bust 38 (42, 46, 50)

# PATTERN STITCH

Row 1 (WS): P2. \*K2. P2: rep from \* across. Row 2: Knit

Rep Rows 1&2 for Patt St.

#### BACK

Beg at lower edge. CO 114 (122, 134, 146) sts. Work 15 rows in Patt St. Dec Row: K2, ssk, K across to last 4 sts. K2tog, K2. Work 13 rows even. Rep last 14 rows 3 times more [106 (114, 126, 138) sts]. Work in Patt St until piece meas approx 17" from CO, end after a WSR.

#### Shape Armholes

BO 6 (7, 8, 10) sts beg next 2 rows. Dec Row (RS): K2, ssk, K to last 4 sts, K2tog, K2. Work 1 row even. Rep last 2 rows 7 (7, 9, 9) times more [78 (84, 90, 98) sts]. Work even until 24½ (25, 25½, 26)" from CO, end after a WSR. Shape Neck & Shoulders

K25 (27, 29, 31) sts, join a new ball of yarn, BO center 28 (30, 32, 36) sts. and K to end of row. Working both sides at the same time with separate balls of varn, BO 3 sts at each



Length 25 (25%, 26, 26%)"

Upper Arm 14½ (15, 16, 17)\*

#### MATERIALS

- 10 (11, 12, 13) 80q (138 yd) balls Moda Dea / Coats & Clark Silk 'N Wool Blend (85% wool, 15% silk) color #4275 Pewter
- Size 7 US (4.5mm) needle OR SIZE TO OBTAIN GAUGE
- · Size 7 US (4.5mm) 36" circular needle
- · Size G/6 US (4.0mm) crochet hook · yarn needle, stitch markers
- GALIGE
- · 22 sts x 32 rows = 4" in Patt St

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

#### neck edge once. Work even on 22 (24, 26, 28) sts until 25 (25%, 26, 26%)" from CO, end after a WSR. BO rem sts in pattern. RIGHT FRONT

Beg at lower edge, CO 58 (66, 70, 78) sts. Work 15 rows in Patt St. Dec Row: K across to last 4 sts, K2tog, K2. Work 13 rows even. Rep last 14 rows 3 times more while at the same time, when piece meas approx 13% (14, 14%, 15)" from CO, end after a WSR and beg neck shaping.

#### Shape V-Neck

Dec Row (RS): K2, ssk, cont in Patt St as est to end. Rep Dec Row EOR 0 (5, 4, 9) times more, every 4 rows 13 (17, 17, 16) times, and every 6 rows 4 (0, 0, 0) times, while at the same time, when piece meas approx 17" from CO, end after a WSR and beg armhole shaping. Shape Armhole

Next row (RS): At armhole edge, BO 6 (7, 8, 10) sts. Work 1 WSB even. Dec Row (RS): Work in est Patt St across to last 4 sts. end K2tog, K2. Rep last 2 rows 7 (7, 9, 9) times more. After neck and armhole shaping, work even on rem 22 (24, 26, 28) sts until piece meas same length as Back, end after a WSR. BO off rem sts, loosely in pattern.

## LEFT FRONT

Beg at lower edge, CO 58 (66, 70, 78) sts. Work 15 Rows in Patt St. Dec Row: K2, ssk, K across. Work 13 rows even. Rep last 14 rows 3 times more hile at the same time, when piece meas approx 13% (14, 14%, 15)" from CO, end after a WSR and beg neck shaping. Shape V-Neck

Dec Row (RS): K across to last 4 sts. K2tog. K2. Rep Dec Row EOR 0 (5, 4, 9) times more. every 4 rows 13 (17, 17, 16) times, and every 6 rows 4 (0, 0, 0) times, while at the same time, when piece meas approx 17" from CO. end after a WSR and beg armhole shaping.

## Shape Armhole

Next row (RS): At armhole edge, BO 6 (7, 8, 10) sts. Work 1 WSR even. Dec Row (RS): K2, ssk. work in pattern across. Rep last 2 rows 7 (7, 9. 9) times more. Complete as for Right Front.

#### SLEEVES

Beg at lower edge, CO 54 (58, 58, 62) sts. Beg Patt St and when piece meas approx 5: from CO, end after a WSR. Inc Row: Incorporate new sts into pattern as they appear, inc 1 st each edge this row and every 6 rows 1 (1, 14, 14) times more then every 8 rows 10 (10, 0, 0) times [78 (82, 88, 94) sts]. Work even until piece meas approx 18 (18%, 18%, 19)" from CO, end after a WSR,

#### Shape Sleeve Cap

BO 6 (7, 8, 10) sts beg next 2 rows [66 (68, 72, 74) stsl. Next row (RS); Dec 1 st each edge. Work 1 WSR even. Rep last 2 rows 19 (20, 21, 22) times more. BO 3 sts beg next 4 rows. BO rem 14 (14, 16, 16) sts.

#### **FINISHING**

Join shoulder seams. Set in sleeves. Join underarm and side seams.

#### Front Rand

PM at center of Back neck and on each Front at beg of V-neck. With RS facing of Left Front, beg at center Back neck marker with circular ndl, pick up and K22 (24, 26, 28) to shoulder, pick up and K90 sts to V-neck marker, and pick up and K53 (55, 57, 59) sts to

lower edge [165 (169, 173, 177) sts]. Working back and forth in rows, work 3 rows in Garter st. BO all sts. With RS facing of Right Front and circ ndl, beg at lower hem edge and pick up and K53 (55, 57, 59) sts to V-neck marker, pick up and K90 sts to shoulder and pick up and K22 (24, 26, 28) sts to center Back neck marker. Working back and forth in rows, work 3 rows in Garter St. BO all sts.

#### Assembly

Sew bands tog at Back neck. With RS facing and crochet hook, join varn at lower hem edge. Work 1 slip st in every other Garter st up entire front band edge, across back neck. and return to opposite lower hem edge. Fasten off. Weave in all ends.

Designed by Ann Smith exclusively for Coats & Clark.





# 5 Sojabama

Continued from page 40

# camp (E)

# SIZES

#### · Camisole is sized to fit Women's Medium (Large) FINISHED MEASUREMENTS

## · Bust 38 (41%)"

Length 21% (22%)\*\*

#### **DESIGNER NOTES** · Body pieces of garment are worked first with a picot edging. Once this edging has been secured, all body measurements are made from the end of this section, NOT the bottom of the picot edging.

#### BACK Picot Edging

With waste varn and larger ndls, CO 104 (114) sts using a provisional cast on. Change to smaller ndls and with Sojobama, purl 1 row (WS). Work even in St st until piece meas 1" from CO, ending on a RS row. Eyelet row (WS): P1, \*P2tog, yo; rep from \* to last st, P1. Work even in St st until piece meas 3" from CO end after a WSB

#### Secure Edging

Remove waste yarn from CO and sI sts onto a spare ndl. With RS facing and holding CO sts and edging sts parallel with CO sts at back of work, fold fabric at eyelet row and secure edging as foll: \*Insert RH ndl through 1st st on front ndl and 1st st on back ndl, wrap varn around RH ndl, pull RH ndl through both sts and slide sts off LH ndl; rep from \* across row. Next row (WS): Purl 1 row.



#### Upper Arm 13½" MATERIALS

- 9 (10) 50g (120 vd) balls Schulana / Skacel Collection Sciabama (55% bamboo, 45% sov) color #7
- Size 6 US (4mm) needles OR SIZE TO OBTAIN GAUGE
- · Size 6 US (4mm) 32" circular needles
- · Size 7 US (4.5mm) needles OR SIZE TO OBTAIN GAUGE
- · cable needle, waste varn (for provisional cast on)
- · (4) 1/2" (14mm) buttons

# GAUGE

- · 24 sts x 27 rows = 4" with larger ndls in Cable Patt
- · 22 sts x 29 rows = 4" with smaller ndls in St st TO SAVE TIME. TAKE TIME TO CHECK GAUGE.

#### Waist

With smaller ndls, work even in St st until piece meas 3%" from end of Picot Edging section, end after a WSR.

#### Hourglass Shaping

Dec row (RS): K18 (21), \*K2toa; rep from \* 11 more times, K20 (24), \*K2tog; rep from \* 11 more times, K18 (21). [80 (90) sts rem]. Purl 1 row. Next row (RS); K18 (21), work Row 1 of Cable Eyelet Motif Chart once through, K20 (24) sts, rep Row 1 of Cable Eyelet Motif Chart once through, K18 (21) sts. Cont as charted, working Rows 1-30 once through and inc as charted on Rows 19-23. [102 (112) sts]. Work even in St st until piece meas 12" from beg of Waist, end after a WSR. Shape Armhole

#### At beg of next 2 rows, BO 4 sts and work to

end. Dec row (RS): K3, K2tog, K to last 5 sts, sl 1 kwise, K1, psso, K3 [2 sts dec'd]. Purl 1 row. Rep these two rows, 6 more times [80 (90) sts rem]. Work even in St st until armhole meas 74 (7%)", end after a WSR. Shape Neck and Shoulder

Next row (RS): K25 (30), join new ball and BO 30 sts, work to end. Working Left shoulder only (WS): BO 7 (8) sts, P to end. Next row (RS): BO 2 sts. K to end. Next row (WS): BO 7 (9)

sts. P to end. Next row (RS): BO 2 sts, K to end. BO rem 7 (9) sts. Rep for Right Shoulder, rev all shapings.

#### LEFT FRONT Picot Edging

With waste varn and larger ndls, CO 54 (60) sts using provisional cast on. Work Picot Edging as for Back. Waist

Next row (RS): With smaller ndls, K1, Inc 1 (0) st, K to end [55 (60) sts]. Cont in St st until piece meas 3%" from end of Picot Edging section, end after a WSR.

# Hourglass Shaping

Dec row (RS): K18 (20) sts, \*K2tog; rep from \* 11 more times, K13 (15) sts [43 (48) sts]. Purl 1 row. Next row (RS): K18 (20), work Row 1 of Cable Evelet Motif Chart once through, K13 (15) sts. Cont as charted, working Rows 1-30 once through and inc as charted on Rows 19-23 [53 (59) sts]. Work even in St st until piece meas 10% (10%)" from beg of waist, end after a RSR

#### Shape Neck and Armhole

Dec row (RS): K to last 3 sts. sl 1 kwise, K1. psso, K1 [1 st dec'd]. Purl 1 row. Rep these two rows, 20 more times while at the same time, when piece meas 12" from beg of waist, shape armhole as foll: at beg of next RSR, BO 4 sts and work to end in patt as est. Purl 1 row. At beg of next row, K3, K2tog, work to end in patt as est. Purl 1 row. Rep these two rows 6 more times. Work even until armhole meas 7% (7%)", end after a WSR [21 (27) sts roml

Shape Shoulder

At beg of next row (RS), BO 7 (9) sts. Purl 1 row. Rep these two rows, once more. BO rem 7 (9) sts. RIGHT FRONT

Work as for Left Front, rev all shapings. SI FEVES

Picot Edging

With waste varn and larger ndls. CO 88 sts. using provisional cast on. Work Picot Edging ge for Back

Cuff With smaller ndls CO 88 sts with larger ndls. work even in St st until piece meas 41/1 from beg of cuff, end after a WSR. Next row (RS): K1, \*K2tog: rep from \* to last 3 sts. K3 [46 sts rem]. Change to larger ndls and work next row as foll: K1, work Row 1 of Cable Motif Chart, rep chart across row, K1. Cont as charted working Rows 1-24 once through. Next row (RS): K1, work Row 1 of Lace Motif Chart, rep. chart across row inc 27 sts across row as charted, K1 [73 sts]. Cont as charted, working Rows 1-24 once and rep Rows 9-24 until piece meas 19%" from Cuff, end after a WSR. Shape Cap

At beg of next 2 rows, BO 3 sts and work to end in patt. At beg of foll 4 rows, BO 2 sts and work to end in patt. Dec row (BS): K1, K2tog. work to last 3 sts in patt as est, SI 1 kwise, K1, psso. K1 [2 sts dec'd]. Work 1 WSR. Rep. these 2 rows 9 (10) more times, end after a WSR. At beg of next 2 rows, BO 2 sts and work to end in patt. At beg of foll 2 rows. BO 3 sts and work to end in patt. At beg of foll 2 rows, BO 4 sts and work to end in patt. BO rem 21 (19) sts. FINISHING

Block pieces to measurements, cover with a damp cloth and leave to dry. Join shoulder seams. Border and Buttonholes



With circ ndl and BS facing, beg at corner of Right Front, pick up and K27 (30) sts, \*CO 2 sts for buttonhole, pick up and K9 sts; rep from \* twice more, CO 2 sts, pick up and K47 sts from beg of Right Front Neck shaping to Back Neck, pick up and K45 sts across Back Neck nick up and K47 sts down Left Front Neck shaping, and pick up and K62 (65) sts along Left Front edge [263 (269) sts]. Purl 2 rows. BO all sts loosely.

#### Assembly

Set in sleeves. Sew side and sleeve seams. Sew on buttons opposite buttonholes. Weave in all ends



Continued from page 41

#### SIZES

- · Wrap is one size to fit most Women.
- FINISHED MEASUREMENTS · Lenath 40"
- Width 20"

#### STITCH GLOSSARY

C6B SI 3 sts to cn. hold to back, K3, K3 from cn. C6F SI 3 sts to cn. hold to front, K3, K3 from cn. C8B SI 4 sts to cn, hold to back, K4, K4 from cn. C8F SI 4 sts to cn. hold to front, K4, K4 from cn. C12B SI 6 sts to cn. hold to back. K6 K6 from cn. C12F SI 6 sts to cn, hold to front, K6, K6 from cn. M1 Inc 1 st by kf&b.

T2L SI 1 st to cn, hold to front, K1, K1 from cn. T2R SI 1 st to cn. hold to back, K1, K1 from cn. T3B SI 1 st to cn, hold to back, K2, P1 from cn. T3F SI 2 sts to cn. hold to front, P1, K2 from cn.

WRAP CABLE PATTERN (panel of 118 sts) Row 1 (RS): P3, [C6F, P1] twice; [P2, C12F] twice; P4; K4, [C8F] twice; P4; [C12B, P2] twice, IP1, C6Bl twice, P3,

Rows 2-6: Knit the knit sts and purl the purl sts as they face you. Row 7: P3. [C6F. P1] twice: [P2. C12F] twice:

P4; [C8B] twice, K4; P4; [C12B, P2] twice, IP1, C6Bl twice, P3,



sts as they face you.

 Note: The knitted fabric is flexible – measurements are approx. MATERIALS

6, 170g (315 yd) skeins Caron International Simply Soft (100% acrylic) color #9702 Off White

Size 10 US (6.0mm) 29" circular needle OR SIZE TO OBTAIN GAUGE

Size 8 US (5.0mm) 29" circular needles

Size 8 US (5.0mm) needles

Size J/10 US (6.0mm) crochet hook

cable needle, yarn needle, stitch markers, row counter (optional)

GALIGE 16 sts x 20 rows = 4" in St st with larger ndls

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

Rep Rows 1-12 for Wrap Cable patt. SLEEVE CABLE PATTERN (panel of 95 sts) Row 24: Rep Row 2.

Row 1 (RS): P3, [P3, T3B] 6 times; [K2, P2, C6F, K3, P2, K2] across center 17 sts; [T3F, P31 6 times, P3

Rows 8-12: Knit the knit sts and purl the purl

Row 2 and all WSRs: Knit the knit sts and purl the purl sts as they face you. Rows 3 and 15: P2. [P3, T3B] 6 times, P1:

K2, P2, K9, P2, K2; P1, [T3F, P3] 6 times, P2. Row 5: P1. [P3. T3B] 6 times. P2: K2. P2. K3. C6B, P2, K2; P2, [T3F, P3) 6 times, P1 Rows 7 and 19: [P3, T3B] 6 times, P3; K2, P2, K9, P2, K2; P3, [T3F, P3] 6 times

Row 9: P2, [T3B, P3] 6 times, P1; K2, P2, C6F, K3, P2, K2; P1, [P3, T3F,] 6 times, P2. Row 11 and 23: P1, [T3B, P3] 6 times, T2R; K2, P2, K9, P2, K2; T2L, [P3, T3F) 6 times, P1. Row 13: P3, [P3, T3B] 6 times; K2, P2, K3, C6B, P2, K2; [T3F, P3] 6 times, P3.

Row 17: P1, [p3, T3B] 6 times, P2; K2, P2, C6F, K3, P2, K2; P2, [T3F, P3] 6 times, P1. Row 21: P2, [T3B, P3] 6 times, P1; K2, P2, K3, C6B, P2, K2; P1 [P3, T3F] 6 times, P2.

Rep Rows 1-24 for Sleeve Cable patt.

#### **DESIGNERS NOTES**

· Place markers between Cable sections.

Using smaller circ ndl. loosely CO 90 sts. Next row (RS): Bea Rev St st; work even for 3 rows, end after RSR.

Increase Row (WS): K3, [P1, M1 in each of next 2 sts, P1, K1] 2 times; [K2, (P1, M1 in each of next 2 st, P1) 2 times] 2 times; K4, [P2, M1 in next st] 4 times, P4, K4; [(P1, M1 in each of next 2 sts, P1) 2 times, K2] 2 times; [K1, P1, M1 in each of next 2 sts, P1] 2 times, K3 [118 sts].

Establish Wrap Cable Pattern

Next row (RS): Beg Wrap Cable patt; work even until piece meas 40" from CO, end after (BS) Row 1 of Cable patt.

Decrease Row (WS): K3 [P1, P2tog twice, P1, K1] 2 times; [K2, (P1, P2tog twice, P1) 2 times! 2 times: K4. [P2. P2toq] 4 times, P4, K4; [(P1, P2tog twice, P1) 2 times, K2] 2 times; [K1, P1, P2tog twice, P1] 2 times. K3 190 sts reml. Next row (RS): P45 nm P45. BO all sts

inosely SI FEVES (make 2)

Using smaller ndls, CO 62 sts. Next row (RS): Beg 2x2 Rib; work even until piece meas 31/2" from beg, end after RSR. Increase Row (WS): Change to larger circ ndl; cont in 2x2 Rib, inc 33 sts evenly across

Establish Sleeve Cable Pattern

Next row (RS): Beg Sleeve Cable patt; work even until piece meas 12" from CO of Cable natt (11/4" from CO) BO in pattern.

FINISHING


Sew sleeves between center marker and corner of Wrap (see schematic). Beg at lowed edge of rib. sew sleeve seam 6" up from lower edge.

Edging With RS facing and using crochet hook, work 1

row sc evenly around Front and sleeve edges. Fasten off. Using varn needle, weave in ends.

Designed by Susan Shildmyer exclusively for Caron international. Chart(s) for Project 6 can be

found on page 112.



/ Sea Flower

Continued from page 42

#### FINISHED MEASUREMENTS

· Length 30"

[95 sts].

· Width 64"

#### DESIGNER NOTES

· Shawl is worked in the round, starting on dons (switch to circular needle when it becomes necessary) for back; then a section is bound off to work rest of shawl and lower

· Shark's Tooth Edging from Barbara Walker's Second Treasury, modified to knit and join onto live stitches simultaneously

#### Shawl Body

Make a slip knot and place it on 1 dpn. Working with a second ndl, \*K1, P1; rep from \* 6 times into slipknot [12 sts]. Divide these 12 sts among other two dpns, and join for working in the round, placing a stitch marker to mark beg of the md, and 1 marker every second st to mark patt reps. Rnd 1: Knit. Rnd 2: "YO, K1; rep from " to end. [24 sts]. Rnd 3 (and all odd rnds): Knit. Rnd 4: \*K2, (K1, YO, K1) into same stitch, K1; rep from \* to end [36 sts]. Rnd 6: \*K3, (K1, YO, K1) into same stitch, K2; rep from \* to end [48 sts]. Rnd 8: \*K4. (K1, YO, K1) into same stitch, K3; rep from \* to end [60 sts]. Rnd 10: \*K5, (K1, YO, K1) into same stitch, K4; rep from to end [72 sts]. Rnd 12: \*K6, (K1, YO, K1) into same stitch, K5; rep from \* to end [84 sts]. Rnd 14: \*K7, (K1, YO, K1) into same stitch, K6: rep from \* to end [96 sts]. Rnd 16: \*K1, YO, SSK, K11, K2tog, YO; rep from \* to end [96 sts]. Rnd 18: \*[(K1, YO) twice], SSK,

# MATERIALS

- · 3, 50g (290 vd) skeins Tilli Tomas Voile de la Mer (70% silk, 30% Seacell) color Whisper
  - Size 5 US (3.75mm) 36" circular needles OR SIZE TO OBTAIN GALIGE
- Size 5 US (3.75) double pointed needles
- · stitch markers
- GAUGE . 16 sts x 20 rows = 4" in blocked Garter St

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

STITCH GLOSSARY s2kp slip 2 sts. K1 st, pass 2 slipped sts over

K9, K2tog, YO, K1, YO; rep from \* to end [108 stsl Rnd 20: \*K1, YO, K3, SSK, YO, K7, K2tog, YO, K3, YO; rep from \* to end [120 sts]. Rnd 22: \*K1, YO, K5, YO, SSK, K5, K2tog, YO, K5, YO; rep from \* to end [132 sts]. Rnd 24: \*K1, YO, K7, YO, SSK, K3, K2tog, YO, K7, YO; rep from \* to end [144 stsl. Rnd 26: \*K1, YO, K9, YO, SSK, K1, K2tog, YO, K9, YO; rep from \* to end [156] sts]. Rnd 28: \*K1, YO, K11, YO, S2KP, YO, K11, YO; rep from \* to end [168 sts]. Rnd 30: \*K1 [(YO k2tog) 13 times], YO, K1, YO; rep from \* to end [180 sts]. Rnd 31: Knit. Remove markers. Row 32: BO 30 sts, knit to end [150 sts]. Row 33: Working back and forth, "Kfb; rep from " to end [300 sts]. Rows 34-39: Knit. Rows 40-41: \*YO, K2tog; rep from \* to end. Rows 42-50: Knit. Rows 51-52: "YO, K2tog; rep from " to end. Rep Rows 42-52, 7 more times. Leave sts on needle. Do not break yarn.

#### **FDGING**

Note: Edging is knit and joined to live sts at lower edge of shawl simultaneously. On all even rows, the last st of the edging and next st of the body of shawl are attached by knitting the 2 sts tog.

CO 8 sts onto end of circular ndl. Row 1: K8. Row 2: K7, K2tog, knitting 1 st from edging and 1 st from body of shawl together. Turn [8 sts]. Row 3: K2, [(YO, K2tog) twice], YO, K2 [9 sts]. Row 4: K2, YO, K2, [(YO, K2tog) twice], K2tog as in Row 2 [10sts]. Row 5: K2, [(YO, K2tog) twice], K2, YO, K2. [11 sts] Row 6: K2, YO, K4, [(YO, K2tog) twice], K2tog as in Row 2 [12 sts]. Row 7: K2, [(YO, K2tog) twice], K4, YO, K2 [13sts]. Row 8: K2, YO, K6, [(YO, K2tog) twice], K2tog as in Row 2 [14 sts]. Row 9: K2, [(YO, K2tog) twice], K6, YO, K2. [15 sts] Row 10: K2, YO, K8, [(YO, K2tog) twicel, K2tog as in Row 2 [16 sts]. Row 11: K2, [(YO, K2tog) twice], K8, YO, K2 [17 sts]. Row 12: K2, YO, K10, [(YO, K2tog) twice], K2tog as in Row 2 [18 sts]. Row 13: K2, [(YO, K2tog) twice], K10, YO, K2 [19sts]. Row 14: BO 12 sts, K2, [(YO, K2tog) twice], K2tog as in Row 2. Rep Rows 3-14 across rem live sts. BO edging sts.

#### **FINISHING**

Weave in loose ends. Block to finished measurements.

Designed by Kristin Omdahl exclusively for Tilli Tomas

> Chart(s) for Project 7 can be found on page 113.

# **8** Little Lace Cardi

Continued from page 43

## ----

#### SIZES

 Cardi is sized to fit Women's X-Small (Small, Medium, Large, X-Large).



#### FINISHED MEASUREMENTS

Bust 35 (37, 39%, 41, 43%)"
 Length 16% (16%, 17, 17, 17%)"

Length 16% (16%, 17, 17, 17%)
 Upper Arm 13% (14, 14%, 14%, 15%)

#### MATERIALS

 5 (6, 6, 6, 7) 25g (232 yd) balls S. R. Kertzer Ovation (75% kid mohair, 25% silk) color #2145 China Blue

mohair, 25% silk) color #2145 China Blue
Size 7 US (4.5mm) needle OR SIZE TO OBTAIN GAUGE

· Size 8/H US (5.0mm) crochet hook

· 1 button (optional)

#### GAUGE

19 sts x 25 rows = 4" in St st using yarn doubled
TO SAVE TIME TAKE TIME TO CHECK GAUGE.

#### DESIGNER NOTES

· Yarn is used double throughout.

#### BACK

With yarn doubled, CO 78 (82, 88, 92, 98) sts. Starting with a knit row, work 40 rows in St st, inc 1 st at each end of Row 11, Row 21 and Row 31 [84 (88, 94, 98, 104) sts].

## Shape Armhole

BO 4 (5, 5, 6, 6) sts at beg of next 2 rows. Dec 1 st at each end of next 3 (3, 5, 5, 7) rows, then EOR twice, then every 4 rows 1 time [64 (66, 68, 70, 72) sts]. Work even in St st until armhole meas 8 (8, 8%, 8%, 9)", end after WSR.

#### Shape Neck and Shoulder

Bind off 7 (7, 7, 8) sts at beg of next 2 rows, BO 7 (7, 8, 8, 8) sts at beg of next 2 rows while at the same time, BO center 24 (26, 26, 28, 28) sts, then 6 sts at each neck edge once.

With yarn doubled, CO 8 (10, 13, 15, 18) sts. While shaping side edge (inc. 1 st at beg of Row 11, Row 21, Row 31) as given for Back, shape center front edge at the same time as (bit. Knit 1 row. CO 2 sts at beg of next 3 WSRs. Work 1 row even. Inc. 1 st at center front edge on next 11 rows, then EOR 9 times, then every 4 rows once [38 (40, 43, 45, 48) sts]. Front should mean same as Back to armhole shaping.

#### Shape Neck and Armhole

BO 4 (5, 5, 6, 6) sits at beg of next row. Work 1 row even. Dec 1 st at armhole edge of next 3 (3, 5, 5, 7) rows, then EOR twice, then every 4 rows once, while at the same time, shape neck edge by dec 1 st at neck edge of 5 row and every foll 3 rows 13 (14, 14, 15, 15) times [14 (14, 15, 15) sits]. Work even until armhole meas 8 (8, 8/k, 8/k, 9)\*, ending after WSR.

BO 7 (7, 7, 7, 8) sts at beg of next RSR. Work 1 row even. BO rem 7 (7, 8, 8, 8) sts. RIGHT FRONT

#### Work as given for Left Front, reversing shapings. SLEEVES

With yarn doubled, CO 58 (60, 62, 64, 66) sts.

Starting with a knit row, in St st, inc 1 st at each end of Row 5, Row 11 and Row 17 [64 (66, 68, 70, 72) sts]. Work even until piece meas 4" from CO, end after WSR.

Shape Sleeve Cap
BO 4 (5, 5, 6, 6) sts at beg of next 2 rows.
Dec 1 st at each end of next 3 rows, then EOR
3 (3, 3, 3, 4) times, every 4 rows 3 (3, 4, 4, 4)
times, EOR 5 times, every row 5 times. BO
rem 18 sts.

#### FINISHING Sew shoulder seams.

Sleeve Edging

With RS facing, crochet hook and yarn doubled, pick up and sc 57 (57, 61, 61, 65) sts. Ch 2 turn

Row 1: Skip 2 sc, [2dc, ch 1, 2 dc] into next st, skip 3 sc; rep from \* to last 3 sts, [2 dc, ch 1, 2 dc] in next st. Skip last 2 sc. Ch 2, turn.

Row 2: \*[2 dc, ch 1, 2 dc] in ch 1 sp; rep from \* to end of row. Ch 2, turn. Row 3: As Row 2

Row 4: \*[2 dc, ch 2, 2 dc] in ch 1 sp; rep from \* to end of row. Fasten off.

# Assembly Set in sleeves. Sew left side and sleeve seam. Jacket Edging

With RS facing, crochet hook and yarn doubled, starting at Right Front bottom side seam, work 1 row so evenly around entire jacket edging, ensuring there is a multiple of 4 sts plus 1 st.

Row 1: Skip 2 sc, [2dc, ch 1, 2 dc] into next st, skip 3 sc; rep from \* to last 3 sts, [2 dc, ch 1, 2 dc] in next st. Skip last 2 sc. Ch 2, turn. Row 2: \*[2 dc, ch 1, 2 dc] in ch 1 sp; rep from

\* to end of row. Ch 2, turn. Row 3: As row 2.

Row 4: "[2 dc, ch 2, 2 dc] in ch 1 sp; rep from to end of row. Fasten off. Sew right side and sleeve seam, including

#### edging. Optional Button

Sew button to Left Front edging as illustrated, using ch 1 sp on Right Front edging as buttonhole.

Designed by Sandi Prosser exclusively for S. R. Kertzer.









Continued from page 44



Cardigan is sized to fit Women's Small (Medium, Large, X-Large, XX-Large).



## FINISHED MEASUREMENTS

- Bust 36 (39, 42, 46, 50)\*
- Length 19 (20, 21, 22, 23)"
- Upper Arm 16 (17, 18, 18, 19)"
- MATERIALS · 6(7, 8, 9, 10), 50g (110 yd) skeins Ornaghifilati / Aurora Yarns
- Elba (100% mercerized cotton) color #8921 Size 5 US (3.75mm) needles OR SIZE TO OBTAIN GAUGE
- Size E/4 US (3.5mm) crochet hook stitch holders, varn needle, (1) %" shank button
- GAUGE 20 sts x 27 rows = 4" in Cable Pattern
- TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

## Shape Sleeve

Cont in Cable Patt as est, inc 1 st at each end every 2 (3, 4, 4, 4) rows 8 (8, 7, 7, 8) times, incorporating new sts into pattern as they appear [82 (86, 90, 90, 96) sts], end after a WSR. BO 2 sts at beg of next 8 rows [66 (70. 76, 76, 80) sts]. BO all sts.

#### FINISHING


Join shoulder seams using 3-needle BO method. Set in sleeves. Sew side and sleeve coame

#### Sleeve Edging

With crochet hook and RS facing, slip-stitch in CO of sleeve at seam. Work 3 sc in every 4 CO sts around. Ch 1. Work 1 rev sc in every sc around. Join with slip-stitch and fasten off. Front Bands and Bottom Band Edging

With crochet hook and RS facing, slip-stitch in CO of right side seam. Work 3 sc in every 4 CO sts and 3 sc in every 4 rows around, working 3 sc in one st at corners. Ch 1. Work 1 rev sc in every sc around, and at right neck edge, make one button loop as foll: ch 5, skip 4 sc. rev sc into next sc. Cont around in rev sc. Join with slip-stitch and fasten off. Sew button on opposite loop.

#### Designed by Cynthia Yanok Rich exclusively for Hither & Yarn.



= K on RS; P on WS

= SI 1 st to cn.hold in front, K2. K1 from cn









# 16 (17, 18, 18, 19)" SIFEVE 13 (14, 15, 15, 16)"

## BACK

CO 92 (98, 106, 116, 126) sts. Purl 1 row. Establish Cable Pattern Row 1 (RS): K4 (7, 3, 8, 5), work Row 1 of

Cable Pattern Chart across to last 0 (3, 4, 1, 1) sts. K0 (3, 4, 1, 1). Cont in Cable Patt until piece meas 11 (11%, 12, 13, 13%)" from CO, end after WSR.

#### Shape Armhole

BO 2 sts at beg of next 8 rows [76 (82, 90, 100, 110) sts rem]. Cont in patt as est until piece meas 18% (19%, 20%, 21%, 22%)" from CO, end after WSR.

#### Shape Neck Next Row (RS): Work 17 (20, 24, 28, 33) sts

in patt as est, join new ball of yarn and BO 42 (42, 42, 44, 44) sts, working to end in patt. Working both sides simultaneously, BO 2 sts at each neck edge EOR one time. Place rem 15 (18, 22, 26, 31) shoulder sts on st holders. RIGHT FRONT

CO 46 (49, 53, 58, 63) sts. Purl 1 row. Establish Cable Pattern

## Row 1 (RS): K6, work Row 1 of Cable

Pattern Chart across to last 0 (3, 4, 1, 1) sts. K0 (3, 4, 1, 1). Cont in Cable Patt until piece meas 11 (11%, 12, 13, 13%)" from CO, end after RSR.

#### Shape Armhole

BO 2 sts at armhole edge EOR 4 times [38 (41, 45, 50, 55) sts reml. Cont in patt as est until piece meas 16% (17%, 18%, 19, 20)" from CO, end after WSR.

## Shape Neck

At neck edge on RSRs, BO 8 sts 1 time, BO 4 sts 1 time. BO 3 sts 1 time. BO 2 sts 2 times. BO 1 st 1 time, BO 2 sts 1 time, BO 1 st 1 (1, 1, 1, 2) times. Work until piece meas same as Back. Place rem 23 (23, 23, 24, 24) sts on a st holder.

#### LEFT FRONT

CO 46 (49, 53, 58, 63) sts. Purl 1 row.

## Establish Cable Pattern

Row 1 (RS): K4 (7, 3, 8, 5), work Row 1 of Cable Pattern Chart across to last 2 sts. K2. Cont in Cable Patt, rev shaping for armhole and neck.

#### SLEEVES

CO 66 (70, 76, 76, 80) sts. Purl 1 row. Establish Cable Pattern

Row 1 (RS): K7 (1, 4, 4, 6), work Row 1 of Cable Pattern Chart across to last 3 (2, 0, 0, 2) sts, K3 (2, 0, 0, 2).

Continued from page 45

#### 

#### SIZES

· Cardigan is sized to fit Women's Small (Medium, Large, X-Large, XX-Large).

FINISHED MEASUREMENTS Bust 35 (38 41 44 48)\*

## DESIGNER NOTES

· Cardinan is worked back and forth in rows on a circular needle in one piece from the neck down.

#### 2x2 Rib

Row 1: \*K2, P2; rep from \*, ending K2. Row 2: K the knit sts and P the purl sts. Ben Bow 2 for 2x2 Bib.

#### BODY

With smaller ndl, CO 86 (90, 98, 102, 106) sts. Beg 2x2 Rib for 2", inc 2 (4, 2, 4, 6) sts evenly spaced on last WSR [88 (94, 100, 106, 112). sts). Change to larger ndl

#### Shape Body

Row 1 (RS): K14 (15, 16, 17, 18), vo. K1 and pm for Right Front, vo. K14 (15, 16, 17, 18), vo. K1 and pm for Sleeve, vo. K28 (30, 32, 34, 36), vo. K1 and pm for Back, vo. K14 (15, 16, 17 18) vo. K1 and pm for Sleeve, vo. K14 (15, 16, 17, 18) for Left Front [96 (102, 108, 114 120) stsl.

Row 2 and all WSRs: Purl, moving markers as you come to them.

Row 3 (RS): K15 (16, 17, 18, 19), vo. K1 and move marker, vo. K16 (17, 18, 19, 20), vo. K1 and move marker, yo, K30 (32, 34, 36, 38). vo. K1 and move marker, vo. K16 (17, 18, 19, 20), vo. K1 and move marker, vo. K15 (16, 17, 18, 19) [104 (110, 116, 122, 128) sts].



· Length 14 (15% 17% 19 20%)" Upper Arm 16 (17, 19, 20, 21)"

#### MATERIALS

6 (7 9 11 13) 50g (82 vd) banks Lion Brand Yarn Lion Organic Cotton (100% organic cotton) color #680-003 Bark

Size 8 US (5.0mm) 29" circular needle OR SIZE TO OBTAIN

 Size 7 US (4.5mm) 29" circular needles 4 solit stitch markers 2 stitch holders, varn needle

GAUGE 18 sts x 24 rows = 4" in St st with larger ndls TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

#### Row 5 (RS): K16 (17, 18, 19, 20), yo, K1 and move marker, vo. K18 (19, 20, 21, 22), vo. K1 and move marker, yo, K32 (34, 36, 38, 40), yo, K1 and move marker, vo. K18 (19, 20, 21, 22),

vo. K1 and move marker, vo. K16 (17, 18, 19, 20) [112 (118, 124, 130, 136) sts]. Continue in St st. working vo before and after

marked K1 st as est on every RSR for a total of 24 (26, 28, 30, 32) times [280 (302, 324, 346, 368) sts]

#### Divide For Body

Next Row (RS): K37 (40, 43, 46, 49) sts for Right Front, BO next 3 sts (the yo, K1, yo), K60 (65, 70, 75, 80) sts for Sleeve and slip sts to stitch holder, BO next 3 sts (the yo, K1, yo), K74 (80, 86, 92, 98) sts for Back, BO next 3 sts (the yo, K1, yo), K60 (65, 70, 75, 80) sts for Sleeve and slip sts to stitch holder, BO next 3 sts (the yo, K1, yo), K37 (40, 43, 46, 49) sts for Left Front.

Next Row (WS): Purl across all sts on ndl, joining Left Front, Back and Right Front sections [148 (160, 172, 184, 196) sts].

Work in St st until piece meas 3% (4%, 5%, 6 %, 7½)" from under arm bound off stitches, end after a WSR, dec 2 sts evenly spaced on last row [146 (158, 170, 182, 194) sts]. Change to smaller ndls and work in 2x2 Rib for 21/11. BO all sts loosely.

#### SLEEVES

Slip 60 (65, 70, 75, 80) sts from stitch holder to

smaller ndls. Work in 2x2 Rib, dec 2 (3. 0. 1. 2) sts evenly spaced across first row [58 (62) 70, 74, 78) sts]. Work in 2x2 Rib for 8 (10, 10, 12, 12) rows. BO all stitches loosely. FINISHING

#### Sew sleeve and underarm seams. Front Bands

With RS facing and using smaller ndls, pick up and K78 (86, 94, 106, 114) sts along Front edge. Work in 2x2 Rib for 8 (10, 10, 12, 12) rows. BO all sts loosely. Rep on opposite



# 1 Chic & Easy Shrug

Continued from page 46

#### SIZES

- · Shrug is sized to fit Women's Small/ Medium (Medium/Large, Large/X-Large).

# FINISHED MEASUREMENTS · Small/Medium approx 16" back length x 48" cuff-to-cuff

DROP STITCH

blended) and Giotto be used in the drop stitch

pattern. Below is the way the sample was knitted.

Bow 1: K Row 2: \*K1, vo: rep from \* across to last st;

· Medium/Large approx 19" back length x 52" cuff-to-cuff Large/X-Large approx 22" back length x 56" cuff-to-cuff MATERIALS 1, 8 yarn kit Colinette / Unique Kolours Mini Pak Kit color #1

Monet consisting of Tagliatelli color #101 (A), Silky Chic color #101 (B), Giotto color #101 (C), Firecracker color #101 (D), Isis color #101 (E), Enigma color #101 (F), Silky Chic color #99 (G) Size 11 US (8.0mm) 36" circular needle OR SIZE TO OBTAIN

GAUGE Size 13 US (9.0mm) 36" circular needle for cast on/off

#### CALIGE Approx 12 sts x 16 rows = 4"

· Gauge Swatch: Rep Rows B-F = 3" Gauge not critical due to various yarn types and stitches.

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

Row 3: \*K1, drop the prev row yo; rep from \* across to last st; K1. Bow 4: K.

#### SHRUG

With larger ndls and Tagliatelli, CO 121 (131. 141) sts. Change to smaller ndls.

#### DESIGNER NOTES · This pattern is knitted in a combination of

- garter stitch and a drop stitch pattern. · The colors are worked in a random yarn
- pattern · It is recommended that Silky Chic be knit-
- ted doubled (use one color or use 2 colors

Section 1: With Tagliatelli (A), work 4 rows Garter st

Section 2: With Silky Chic (first time use 2 strands of G, otherwise hold 1 strand each (B) & (G) tog), work 4 rows Garter st. Section 3: With Giotto (C), work Rows 1-4

Drop St pat

Section 4: With Firecracker (D), work 2 rows Garter st.

Section 5: With Isis (E), work 4 rows Garter Section 6: With Enigma (F), work 2 rows

Garter st. Rep Sections 2-6, 3 (4, 5) more times. Section 7: With Silky Chic (hold 1 strand each

B & G tog), work 4 rows Garter st. Section 8: With Giotto (C), work Rows 1-4 Dron St nat

Section 9: With Silky Chic (hold 1 strand each B & G tog), work 2 rows Garter st.


Section 10: With Tagliatelli (A), work 2 rows Garter st

#### Change to larger ndls and Tagliatelli (A). BO all sts loosely. **FINISHING**

Fold in half length wise and seam cast on/cast off edge 10 (11, 12)" from point A to B. Try it

on to see if the armhole is correct for your body type. You may need to adjust the seam length. Weave in all ends.

Designed originally by Carol Porter with modifications by Tani Micoan exclusively for Colinette.



# GAUGE

· 14 sts x 21 rows = 4" in Candle Flame St, blocked TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

#### DESIGNER NOTES

- · Shawl is worked in one piece, starting at the neck and working down to the hem edge.
- · When working Body, Charts 1 & 3 are used on either side of Chart 2. Charts 1 & 3 are worked from Right to Left in the first instance of the Chart in the row, but should be worked in reverse (from Left to Right), when working the second instance of the Chart in the Row to
- create a mirror effect on either side of the center panel. · A "K5 border" is worked on both ends of every row. This Garter border is NOT shown on Charts 1 & 3.
- All even numbered rows are worked as foll: K5. P to last 5 sts. K5. · After completing Chart 3, stitches are cast on and worked to form the bottom border, which is attached to the main body of the shawl as it's worked.



#### FINISHED MEASUREMENTS Triangle shape, 26" x 96"

- 3, 60g (550 yd) skeins Conjoined Creations Pastimes (100% Soysilk®)
- color Magenta Size 3 US (3.25mm) 24" circular needles
- OR SIZE TO OBTAIN GAUGE stitch markers, waste varn (for provisional cast on)

## SHAWL

Body CO 5 sts using a provisional cast on and waste varn. With Pastimes, K5. Rep this row 90 more times. Do not turn, PM and pick up and K45 sts along length of Garter Border, pm, remove waste varn and K across 5 CO sts. Next row (WS): K5 Border sts, P45, K5 Border sts. Row 1 (RS): K5 Border sts, Work Row 1 of Chart 1 (working Chart from Right to Left), PM, work Row 1 of Chart 2, PM, rep Row 1 of Chart 1 (working Chart from Left to Right), end K5. Row 2 (and all even rows): K5, purl to last 5 sts, K5. Cont as charted, working next row of first rep of Chart 1 from Right to Left, working next row of Chart 2, and working second rep of Chart 1 from Left to Right, through Row 132, noting stopping point on Chart 2. Next row (RS): K5. Work Row 1. of Chart 3 (working Chart from Right to Left); work next Row of Chart 2 cont from stopping point above, rep Row 1 of Chart 3 (working Chart from Left to Right), K5. Cont as charted. working next row of first rep of Chart 3 from Right to Left, working next row of Chart 2, and working second rep of Chart 3 from Left to Right, through Row 188. Do not break yarn.

Edging

CO 29 sts onto end of ndl. Border Row 1 (RS): K28, attach last st to shawl by slipping last st kwise, slipping first st of body kwise, and knitting both sts tog tbl (SSK). Border Row 2 (WS): K29. Rep Rows 1-2, 4 more times. Edging Row 1: work Row 1 of Chart, attaching last st to shawl body as in Border Row 1 above. Edging Row 2 (and all even rows): K1, P23, K5, Cont as charted, rep Rows 1-22 of Chart 4, until Edging has been worked across Hem of Shawl, to last 5 sts (border sts). Attach these sts as in Border Bow 1 and Border Row 2, above, rep these 2 rows 4 times. BO all sts.

## FINISHING

Weave in ends and block.

Designed by Cyndi McCorsley exclusively for Conjoined Creations.

Chart(s) for Project 12 can be found on page 113 & 114.

Continued from page 48

# 

#### SIZES

· Pullover is sized to fit Women's Sizes Small (Medium, Large, X-Large). FINISHED MEASUREMENTS

· Bust 38% (42%, 47%, 50%)"



With smaller ndls, CO 77 (85, 95, 101) sts. Row 1: \*K1, P1; rep from \* to last st, end K1. Rep Row 1 until piece meas 1%", end after a WSR. Change to larger ndls and beg Row 1 of Pattern Chart starting with st number 1 (15, 11. 7) rep patt 3 (4, 4, 5) times across row, end after st number 7 (11, 17, 1) of last rep. Cont as charted until piece meas 13 (14, 15, 15%)" from CO, end after a WSR.

Shape Armholes

At beg of next 2 rows, BO 5 sts. At beg of foll 2 rows, BO 3 sts. Dec 1 st at each edge every RSR 3 (4, 5, 6) times [55, 61, 69, 73 sts]. Cont in patt as est until armhole meas 9 (9%, 10, 10%)"

#### Shape Shoulders

At beg of next 2 rows BO 7 (8, 9, 9) sts. Beg of foll 2 rows, BO 6 (7, 8, 9) sts. BO rem 29 (31, 35, 37) sts. FRONT

Work as for Back, until armhole meas 7 (7%, 8. 8%)", end after a WSR. Work 20 (22, 24, 25) sts in patt for left shoulder, BO 15 (17, 21, 23) sts for neck front, and work to end in patt.

#### Right Neck & Shoulder

Work 1 WSR in patt as est. At beg of next RS row, BO 2 sts. Work 1 WSR in patt as est. Rep these 2 rows once more. At beg of next RSR, dec 1 st and work to end in patt. Work 1 WSR in patt as est. Rep last 2 rows twice more [13 (15, 17, 18) sts]. Work until armhole meas 9 (91/4, 10, 101/4)", end after a WSR. At beg of next WSR, BO 7 (8, 9, 9) sts. At beg of foll WSR, BO rem 6 (7, 8, 9) sts.

#### Left Neck & Shoulder

With RS facing, join new ball of yarn at armhole edge and work 1 RSR in patt as est. Work as for Right Shoulder, rev all shapings. SLEEVES

With smaller ndls, CO 38 (40, 44, 44) sts.



Lenath 22½ (24, 25½, 26½)"

#### Upper Arm 16½ (17, 18, 19)\* MATERIALS

· 4 (5, 6, 7) 100g (218 yd) skeins Wagtail Yarns 8-ply (60% kid mohair 40% wool) color Dark Salmon

Size 6 US (4 mm) needles OR SIZE NEEDED TO OBTAIN GAUGE

· Size 4 US (3.5 mm) needles

· Size 4 US (3.5mm) 16" circular needles (for neck)

## · stitch marker

#### GAUGE

· 16 sts and 23 rows = 4" in St st with larger needles

18 sts x 40 rows = 4½" x 5½" = 1 pattern block of 4 squares with

TO SAVE TIME, TAKE TIME TO CHECK GAUGE

Row 1: \*K1, P1; rep from \* to end. Rep this row unti piece meas 21/8" from CO, end after a WSR. Change to larger ndls. Next row: K1, inc 1, knit to last st, inc 1, K1 [2 sts inc'd]. Work 5 rows even in St st. Rep these 6 rows 9 (13, 13, 12) more times.

Size Small Only: Next row: K1, inc 1, knit to last st. inc 1, K1, Work 3 rows even in St st. Rep these 4 rows, 3 more times.


Size X-Large Only: Next row: K1, inc 1, knit to last st, inc 1, K1. Work 3 rows even in St st. Rep these 4 rows, 2 more times

All Sizes: Work even on 66 (68, 72, 76) sts until sleeve meas 16% (17%, 18, 18%)". Shape Sleeve Cap

At beg of next 2 rows, BO 5 sts. Beg of foll 2 rows, BO 3 sts. Dec row (RS): K1, SSK, knit to last 3 sts, K2tog, K1 [2 sts dec'd]. Work 1 WSR. Rep these 2 rows, 2 (3, 4, 5) more times [44, 44, 46, 48 sts], Next row (RS): Work Dec row. Work 3 rows even. Rep these 4 rows 1 (2, 2, 4) more times. Next row (RS): Work Dec row. Work 1 WSR. Rep these 2 rows 1 (1, 1, 2) more times. At beg of next 4 (2, 2, 2) rows, BO 2 sts. At beg of foll 2 (2, 2, 0) rows, BO 3 sts. At beg of foll 2 rows, BO 4 sts. BO rem 14 (16, 18, 20) sts. FINISHING

Sew shoulder seams. Set in sleeves. Sew body and sleeve seams.

With smaller circ ndl and with RS facing, beg at right edge of Back neck, pick up and K29 (31, 35, 37) sts across Back neck, pick up and K16 sts along Left Shoulder and Left Front Neck, pick up and K15 (17, 19, 21) sts across Front Neck, and pick up and K16 sts along Right Front Neck and Right Shoulder [76 (80, 86, 90) stsl. PM. Row 1; "K1, P1; rep from " to end. Rep this rnd 6 more times. BO all sts in patt.



3% (3%, 4%, 4%)" 6% (7%, 8%, 8%)"

Weave in all ends. Block pullover by lying flat, misting lightly, and pinning to measurements according to schematic.

9% (10, 11, 11)"

Designed by Lois S Young exclusively for Knit 'N Style.

> Chart(s) for Project 13 can be found on page 115.

# Center Cable Ragian Pullover Continued from page 49

---

· Pullover is sized to fit Women's Small (Medium, Large, X-Large, XX-Large). FINISHED MEASUREMENTS

· Bust 37 (41, 45, 49, 53)" 86 Knit 'N Style . April 2008



 Length 22 (23½, 26, 27, 28)" Upper Arm 13½ (14½, 16½, 17¾, 19)"

## MATERIALS

8 (10, 12, 13, 14) 50g (102 vd) hanks Plymouth Yarn Co Royal Llama Silk (60% llama, 40% silk) color #1837

Size 8 US (5.0mm) needles OR SIZE TO OBTAIN GAUGE

Size 8 US (5.0mm) 16" circular needles (for neck) Size J/10 US (6.0mm) crochet hook

cable needle, yarn needle, stitch markers, row counter (optional) GAUGE

18 sts x 26 rows = 4" in St st 15 st cable panel = 3"

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

## **DESIGNERS NOTES**

Work all increases and decreases 1 st from edge unless stated otherwise.

#### 2x2 Rib

Row 1 (WS): P2, \*K2, p2; rep from \* to end. Row 2 (RS): K2, \*P2, K2; rep from \* to end. Ren Rows 1-2 for 2x2 Rib.

#### BACK

With straight ndls, CO 82 (90, 102, 110, 118) sts. Beg 2x2 Rib and work until piece meas 1" end after a WSR while inc 1 (3, 1, 3) sts on last row [83 (93, 103, 113, 121) sts].

## Establish Patterns

Foundation Row (RS): Work 26 sts of Chart A. pm. K31 (41, 51, 61, 69), pm, work 26 sts of Chart C. Cont in pattern as est working 31 (41, 51, 61, 69) center sts in St st until 50 rows of Charts A and C have been completed. Cont in St st until Back meas 13% (14%, 16%,

#### 17. 17%)", end after a WSR. Shape Raglan Armholes

BO 6 (10, 10, 10, 10) sts at beg of next 2 rows 171 (73, 83, 93, 101) sts reml. Work 2 rows even. Next row (RS, Raglan Dec Row): K2, ssk, knit to last 4 sts. K2tog, K2 [2 sts dec'd]. Cont to work raglan decs every 4 rows 3 (6, 3, 1, 0)

times, then every RSR 17 (13, 20, 25, 29) times [29 (33, 35, 39, 41) sts]. Work even until armhole meas 8% (9, 9%, 10, 10%)". BO all sts. FRONT With straight ndls, CO 82 (90, 102, 110, 118)

sts. Beg 2x2 Rib and work until piece meas 1", end after a RSR while inc 1 (3, 1, 3) sts on last row [83 (93, 103, 113, 121) sts] Establish Patterns Foundation Row (WS): P26, pm, P8 (13, 18,

#### 23, 27), pm, K5, P2, K1, P2, K5, pm, P8 (13, 18, 23, 27), pm, P26. Next row (RS): Work 26 sts of Chart A, slm, K8 (13, 18, 23, 27), sim work 15 sts of Chart B. sim, K8 (13, 18,

23, 27), slm, work 26 sts of Chart C. Cont in

Continued from base 50

#### CHED ( SIZES

# One size fits most Women.

FINISHED MEASUREMENTS · Height: 4"

- · Outer circumference: 91/2"
- · Inside circumference: 71/2

#### HAT DESIGNER NOTES

· Hat is worked holding 2 strands of Vegas tog throughout

· A round, flat-bottomed form is needed annrox the same diameter as the head the hat is to fit and at least 7" deep. Try a food storage container or a saucepan.

pat as est, working 8 (13, 18, 23, 27) sts to each side of Chart B in St st, until 50 rows of Charts A and C have been completed. Cont in pat as est EXCEPT work St st over sts of Charts A and C until Front meas same as Back to armhole end after a WSR.

#### Shape Raglan Armholes

BO 6 (10, 10, 10, 10) sts at beg of next 2 rows [71 (73, 83, 93, 101) sts]. Work 2 rows even. Next row (RS, Ragian Dec Row): K2, ssk, knit to last 4 sts. K2ton, K2 [2 sts dec'd]. Cont to work ragian decs every 4 rows 3 (6, 3, 1, 0) times, then every RSR 17 (13, 20, 25, 29) times [29 (33, 35, 39, 41) sts]. Work even until armhole meas 8½ (9, 9½, 10, 10½)". BO all sts. SLEEVES

## With straight ndls, CO 38 (42, 46, 50, 50) sts.

Beg 2x2 Rib and work until piece meas 1", end after a WSR. Change to St st.

#### Shape Sleeve Inc 1 st on each side every 6 rows 0 (0, 7, 7,

18) times, then every 8 rows 10 (9, 7, 8, 0) times, then every 10 rows 1 (3, 0, 0, 0) times [60 (66, 74, 80, 86) sts]. Work even until Sleeve meas 17 (17%, 18%, 19%, 20)", ending after a WSR. Shape Ragian Sleeve Cap

Next row (RS): BO 6 (10, 10, 10, 10) sts at beg of next 2 rows [48 (46, 54, 60, 66) sts]. Work 2 rows even

Next row (RS, raglan dec row): K2, ssk, knit to last 4 sts. K2tog, K2 [2 sts dec'd]. Cont to work ragian decs every 4 rows 3 (6, 3, 1, 0) times, then every RSR 17 (13, 20, 25, 29) times 16 sts rem for all sizes). Sleeve cap meas approx 8% (9, 9%, 10, 10%)". BO all sts. FINISHING

Block pieces to measurements. Sew sleeves to Back and Front along ragian seam lines. Sew side and sleeve seams. Weave in all ends. **Neck Edging** 

With circ ndl, RS facing and beg at left Back shoulder seam, pick up and K7 sts along top of

6 (7, 7%, 8, 8%) 28)" 26, BACK & FRONT



8% (9%, 10%, 11, 11)\* left Sleeve, pick up and K29 (33, 35, 39, 41) sts across Front neck, pick up and K7 sts along top of right Sleeve and pick up and K29 (33, 35, 39, 41) across Back neck [72 ( 80, 84, 92, 96) sts]. Join and BO all sts purlwise.

KY.

Designed by Jodi Snyder exclusively for Plymouth Yarn Co.

Chart(s) for Project 14 can be found on page 117 & 118.

## MATERIALS

- 4, 50g (109 yd) balls Vickie Howell Collection / South West Trading Co Vegas (29% SOYSILK®, 67% Wool, 4% Metallic
- Thread) color #423 Dino (MC) Optional Hat Band: 1, 50g (109 yd) ball Vickie Howell Collection /
- South West Trading Co Vegas (29% SOYSILK®, 67% Wool, 4% Metallic Thread) color #416 Pink Champagne (CC)
- Size 11 US (8.0mm) 24" circular needle OR SIZE TO OBTAIN GAUGE
- Size 15 US (10.0mm) needles (for optional hat band)
- 5 Size 11 US (8.0mm) double pointed needles
- 1 split stitch marker, varn needle
- GAUGE
- 16 sts x 14 rows = 4" in St st; This hat will be felted so gauge is only approx and variations will not affect the final outcome. TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

With smaller circ ndl and holding 2 strands of MC tog, loosely CO 110 sts. Being careful not to twist sts, join into a circle. PM to indicate beg of rnd. Beg St st in the rnd (K every rnd) and work even until piece meas 3" from CO. Next rnd (dec rnd): \*K9, K2tog; rep from \* around [100 sts]. Work St st in the rnd (K every rnd) until piece meas 3" from dec rnd. Next rnd (dec rnd): \*K3, K2tog; rep from \* around [80 sts]. Cont even until piece meas 8" from last dec rnd.

#### Crown

Rnd 1: \*K6, K2tog; rep from \* around [70 sts]. Rnd 2: Knit. Rnd 3: \*K5, K2tog; rep from \* around [60 sts]. Rnd 4: Change to dons as needed, distributing work 15 sts over 4 ndls [60 sts]. Rnd 5: \*K3, K2tog; rep from \* around [12 sts per ndl = 48 sts]. Rnd 6: K. Rnd 7: \*K2, K2tog; rep from \* around [9 sts per ndl = 36 stsl. Rnd 8: K. Next and foll rnds: Cont K2tog every md until only 6 sts rem. Redistribute sts as needed over the 4 ndls.

Cut yarns with approx a 6" tail. Thread both tails through varn ndl. Insert varn ndl through rem 6 sts, pull tight and to inside of hat. Secure and fasten off. Weave in all ends.

Felting Place hat into zippered pillow case (for faster cleanup). Put pillow case and a pair of jeans into the washing machine, setting to a hot

wash/cold rinse cycle and a small load size. Soap, although not required, may be added (1 tbsp). Set washer for the longest agitation cycle and check OFTEN (Note: Vegas felts very quickly). You may need to reset the cycle until most of the stitch definition is lost. When felting is almost complete, allow the cold rinse, but DO NOT allow the spin cycle to begin. Remove hat from pillowcase, roll gently in towel to absorb excess water.

#### Shape Hat

Place hat over form, being careful not to distort the shape. Ensure the sides are straight, the top flat and centered. Carefully work your way around the brim, rolling upward and inward. Be patient - work gently with the felt to get the right shape, then leave it to dry completely. This may take a day or longer, depending on your climate. Trim any fuzz or hiccups in the

#### OPTIONAL HAT BAND

With larger ndl and 1 strand CC, CO 8 sts. Beg Garter st and cont even until band meas approx 36". BO all sts. Weave in all ends.

Designed by Mindy Hughes exclusively for South West Trading Co.



#### SIZES · Wrap is one size to fit most Women. FINISHED MEASUREMENTS

- · Bust 34 (38, 42, 46)"
- Length 21½ (22½, 23½, 24½)" Upper Arm 14 (15, 16, 17)"



# MATERIALS

- · 6 (7, 8, 10) 50g (137 yd) skeins Ornaghi Filati / Aurora Yarns Bamboo (100%
  - bamboo) color #802
- Size 4 US (3.5mm) needles OR SIZE TO OBTAIN GAUGE · 3-4" heart shaped lace appliqué (shown heart was white and
- painted using fabric paints)
- · stitch holders, split stitch marker GAUGE
- 24 sts x 36 rows = 4" in St st
- TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

## STITCH GLOSSARY

· Wrap a Stitch: To wrap a stitch, sl the next st pwise from LH ndl to RH ndl. Move yarn between the needles. Return the slipped st back to the LH ndl.

#### BACK

CO 102 (114, 126, 138) sts. Work in Garter st for 1/2". Change to St st. Dec 1 st at each edge every 6 rows 9 times [84 (96, 108, 120) sts]. Work even for 6 rows. Inc 1 st at each edge every 6 rows 9 times [102 (114, 126, 138) sts]. Work even until Back meas 14%(15, 15% 16)" from CO

#### Shape Armhole

BO 5 (7, 9, 11) sts at beg of next 2 rows. Dec 1 st at each edge every RSR 4 (6, 9, 11) times. Work even until armhole meas 7 (7%, 8, 81/2)\*

#### Shape Shoulders

Next 2 rows work to last 7 sts, wrap, turn work. Following 2 rows work to last 14 sts, wrap, turn work. Next 2 rows work to last 21 (22, 22, 23) sts, wrap, turn work. Last 2 rows work to end. Place 21 (22, 22, 23) sts from each end onto stitch holders for shoulders and center 42 (44, 46, 48) sts onto stitch holder for Back neck.

#### FRONT

Work same as for Back until piece meas 12% (13%, 14%, 15%)" from CO.

#### Divide for V-Neck Work across 51 (57, 63, 69) sts, join second

ball of yarn and cont across. Working both sides simultaneously, shape neck by dec 1 st at neck edge every 4 rows 21 (22, 23, 24) times. When piece meas 14% (15%, 16%, 17%)" from CO, shape armholes same as for

#### Shape Shoulders

Back.

When Front meas same as Back to shoulders, begin shoulder shaping. From neck edge,

work to last 7 sts at shoulder edge, wrap, turn and work back to neck edge. Next row work to last 14 sts at shoulder edge, wrap, turn and work back to neck edge. Work across all sts. Join Front to Back at shoulders.

#### ASSEMBLY

Holding Front and Back with RS tog, working each shoulder separately, use 3 Needle Bind Off method to join shoulder seams

#### SLEEVES


With RS facing, pick up and K72 (78, 84, 90) sts around armhole, picking up only the outer half of each st. Next row: P27 (30, 33, 36) sts, pm, P18, pm, turn work. SI 1, K to marker, turn work. "SI 1. P to 1 st past prev row, turn work. SI 1, K to 1 st past prev row, turn work. Rep from \* until 5 (7, 9, 11) sts rem at each end. Work last 2 rows to the end. Work in St st for 1". Change to Garter st for 1/4". BO all sts. **NECK EDGING** 

Using circular ndl, K across 42 (44, 46, 48) Back neck sts, pick up and K63 sts along neck edge, at center divide, insert needle under strand between next 2 sts, knit into the back of it, twisting it, mark this stitch and cont to pick up and K63 sts up rem Front neck edge. Work 1/2" of Garter st in the rnd (P 1 rnd, K 1 rnd), while on K rnds working a double dec at center marker. BO all sts.

#### FINISHING

Sew side seams and sleeve seams. Sew lace appliqué to Front neck edge.

Designed by Lorna Miser exclusively for Aurora Yarns.





Continued from page 52

# SIZES

BACK

· Bolero is sized to fit Women's Small (Medium Large X-Large).

until piece meas 11/4", end after a WSR.

Establish Pattern Stitch

Shape Armhole

Shape Shoulders

sts for Back neck.

CO 20 (20, 22, 22) sts.

Establish Pattern Stitch

LEFT FRONT

CO 58 (60, 76, 78) sts. Beg 1x1 Rib and work

Row 1 (RS): K1 (2, 1, 2), P2. \*K1, K2toa. vo.

K1, yo, ssk, K1, P2; rep from \* end with K1 (2,

1, 2). Row 2 and all even rows: P. Row 3: K1

2. 1. 2), P2, \*K2tog, yo, K3, yo, ssk, P2; rep

from \* end K1 (2, 1, 2). Row 5: K1 (2, 1, 2).

P2. \*K1, vo, ssk, K1, K2tog, yo, K1, P2; rep

from \* end with K1 (2, 1, 2). Row 7: K1 (2, 1, 2), P2, \*K2, yo, K3tbl. yo, K2, P2; rep from \* end

K1 (2, 1, 2). Rep Rows 1-8 until piece meas 7

Keeping in pat as est, BO 3 (4, 6, 6) sts at the beg of the next 2 rows [52 (52, 64, 66) sts

rem]. Dec 1 st each side EOR 2 (2, 6, 6) times

148 (48, 52, 54) sts reml. Cont even in pat st until

Next row (RS): BO 4 sts beg of next 2 rows

140 (40, 44, 46) sts reml. Next row (RS): BO

4 (4, 4, 5) sts beg of next 2 rows [32 (32, 36,

36) sts reml. Next row (RS): BO 5 sts beg of

next 2 rows [22 (22, 26, 26) sts rem]. BO rem

Row 1 (RS): K0 (0, 1, 1), P2, \*K1, K2tog, yo, K1,

vo. ssk, K1, P2; rep from \* end with K0 (0, 1, 1).

Cont working pattern as for Back while at the

armhole meas 8½ (8½, 9, 9)", end after a WSR.

(7, 7, 7%)" from CO, end after a WSR.



#### FINISHED MEASUREMENTS

- Bust 32 (36, 40, 44)\*
- Length 15% (15%, 16, 16%)\* Upper Arm 17 (17, 18, 18)"

# MATERIALS

- 6 (7, 7, 7) 100g (120 yd) balls Universal Yarn Deluxe Chunky (100% wool) color #61633
- Size 10 US (6.0mm) needles OR SIZE TO OBTAIN GAUGE · Size 10 US (6.0mm) 40" circular needles
- GAUGE
- 13 sts x 20 rows = 4" in Pattern St TO SAVE TIME. TAKE TIME TO CHECK GAUGE.

#### CO. end after a WSR. Shape Neck

Next row (RS): Dec 1 st at neck edge EOR 7 (10, 8, 8) times then every 4 rows 4 (2, 5, 5) times [13 (13, 13, 14) sts rem]. When armhole meas 8½ (8½, 9, 9)", shape shoulder as for Back. RIGHT FRONT

Work as for Left Front reversing all shaping. SI FEVES

CO 29 (29, 33, 33) sts. Work in 1x1 Rib until piece meas 11/8" from CO, end after a WSR. Establish Pattern St


Bow 1 (BS): K0 (0, 2, 2), P2, \*K1, K2tog, vo. K1, yo, ssk, K1, P2; rep from \* end with K0 (0. 2, 2). Cont working pat as for Back while at the same time, inc 1 st each side every row 4 (4, 4, 6) rows 2 (1, 1, 9) times, then every 6 (6, 6, 8) rows 11 (12, 12, 4) times [55 (55, 59, 59) stsl. Work until piece meas 17 (17%, 17%, 18)" from CO, end after a WSR.

Shape Sleeve Cap

BO 3 (4, 6, 6) sts beg of next 2 rows. Dec 1 st each side EOR 5 (6, 9, 9) times, then 1 st each side every row 11 (9, 5, 5) times. BO 2 sts at beg of next 4 rows, then BO rem 9 (9, 11, 11) sts. FINISHING

Join shoulder seams. With circ ndl, starting at the CO edge of the right Front, pick up and K15 (16, 22, 22) sts, then pick up and K36 (34, 34, 36) sts to first neck dec, pick up and K33 (34, 36, 36) sts along neck edge, pick up and K22 (22, 24, 24) along Back neck, pick up and K33 (34, 36, 36) along neck edge, then pick up and K36 (34, 34, 36) sts, pick up and K15 (16, 22, 22) sts to CO edge of left Front (190 (190, 208, 212) sts]. PM and join in the round. Beg 1x1 Work until piece meas 5½ (5½, 5½, 6)" from rib for 1½". With RS facing, BO all sts kwise.

## 4 (4%, 4%, 4%)" 6% (6%, 7, 7)"



#### Assembly Sew sleeves to body. Sew body side and

sleeve seams. Weave in all ends.

Chart(s) for Project 17 can be found on page 121.

## same time, inc 1 st each Front edge every row until there are 29 (30, 38, 39) sts, incorporating new sts into the pattern as they appear.

Slant on

Continued from page 53

# ammo (II)

SIZES · Cardigan is sized to fit Women's Small

- (Medium, Large). FINISHED MEASUREMENTS
- Bust 37 (41, 45)"
- · Length 19 (20, 21)" Upper Arm 14% (15%, 16%)"



## MATERIALS

- 4 (4, 5) 100g (197 yd) skeins Knit One, Crochet Too Ty-Dy (100% cotton) color #672 Blue Pansv
- · Size 8 US (5.0mm) needles OR SIZE TO OBTAIN GAUGE · stitch markers, row counter, (1) button
- · 18 sts x 34 rows = 4" in St st with larger ndls TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

## DESIGNER NOTES

- · Each Front is worked on the diagonal.
- Back is worked with 2 separate corners, then all sts are placed on the same needle and Back is worked in one piece with a center decrease, and side increases to shoulder.

#### STITCH ABBREVIATIONS

Inc 1 Knit in front and back of st.
Inc-p1 Purl in front and back of st.

#### LEFT FRONT

CC 2 sts. Designer Notes. on Shaping: Inc 1 st each side of RSRs until Row 49 (55, 61), then inc 1 st at beg and dec 1 st at end of RSRs until ready to work shoulders. Row 1 (RS): Inc 1 st in each st on ndl [4 sts]. Cont with Row 2 of Chart 1 for sitch placement and shaping until there are 50 st on ndl, end after working Row 48. Size Small Only: Cont working Chart 1, Rows 49–74 [50 sts].

49–74 [50 sts].

Size Medium Only: Cont working Chart 2,
Rows 49–74 [56 sts].

Size Large Only: Cont working Chart 3, Rows

#### 49-74 [62 sts]. All Sizes

Rows 75, 77 & 79: Inc 1, K to last 2 sts, K2tog, Rows 76, 78 & 80: K. Row 81: Inc 1, "K2tog, yo; rep from " across to last 3 sts, K1, K2tog, Row 82: K. Row 83: Inc 1, K to last 2 sts, K2tog, Rep Rows 82-83 until piece meas 17 (18, 19)" from CO (measured along side edae), end after a WSR.

## Shape Shoulder

Next row (RS): K2tog, K to last 2 sts, K2tog. Next Row (WS): K. Rep these 2 rows until 2 sts rem. Next Row: K2tog. Fasten off last st.

#### RIGHT FRONT

Designer Notes on Shaping; Inc 1 st each side of RSRs until Row 49 (55, 61), then dec 1 st at beg and inc 1 st at end of RSRs until ready to work shoulders. Work as for Left Front, rev charts and all shapings (see Note above).

#### BACK Work 2 lower corners as foll:

## Left Corner

Work as for Right Front following appropriate chart for selected size through Row 48 (54, 60). Place 50 (76, 82) sts on stitch holder (stitch count includes Leaf sts).

#### Right Corner

Work as for Left Front following appropriate chart for selected size through Row 48 (54, 60). Joining Row

Next row (RS): Following next row on chart, inc 1, work to last 2 sts on ndl, K2tog; REVERSING, CHART FOR 2ND HALF OF BOW, K first 2 sts tog from stitch holder, K to last 2 sts on stitch holder, inc 1, K\*f. Next Row: Work even in pat. Cont in this manner, inc at each side, and working double dec at center of row, until same length as Back to shoulder. Shape Shoulders

Next Row (RS): K2tog, work across doing match Front Bottom Band

center dec as est, work to last 2 sts, K2tog.

Next Row: K. Rep these 2 rows until 4 sts
rem. BO rem sts.

#### SLEEVES CO 57 (62, 67) sts. Row 1 (RS); K. Row 2;

P2, \*K3, P2; rep from \* across. Rep Rows 182, 4 times more. Next Row (RS): K2, \*K2tog, K3; rep from \* across, end last rep K2 instead of K3 [46 (50, 54) sts rem]. Knit 1 row. Beg Upper Pattern

Row 1 (RS): Inc 1 st at beg and end of row, K across 48 (52, 56) sts. Row 2; K. Row 3; Incp1, P5 (7, 9), pm, [(k1, p4) 7 times, k1], pm, P4 (6, 8) sts, inc-p1, P1 [50 (54, 58) sts]. Row 4: K to first marker, (P1, K4) 7 times, P1, K to end of row. Row 5: Inc-p1, P to first marker, [(k1, p4) 7 times, k1], purl to last 2 sts, inc-p1, P1 [52 (56, 60) sts]. Row 6: Rep Row 4. Rows 7, 9, 11, 13, 15; Inc-p1, P to first marker, I (work Leaf Chart on 1 st, P4) 7 times, work Leaf Chart on 1 stl. P to last 2 sts. inc-p1, P1 I62 (66, 70) sts] after Row 15. Note: While working Leaf Chart, the "1 st" will increase and dec depending on which row of chart you are working. Rows 8, 10, 12, 14: K to first marker, [(work Leaf Chart on 1 st, P4) 7 times, work Leaf Chart on 1 stl. K to end of row. Rows 16. 18: K. Row 17: Inc-p1, P to last 2 sts, inc-p1, P1 [64 (68, 72) stsl. Row 19: Inc 1, K to last 2 sts. inc 1, K1 [66 (70, 74) sts]. Row 20: K. BO all sts. FINISHING

#### Left Front Band

With RS facing, evenly pick up and K78 (81, 86) sts. Knit 3 rows. BO all sts kwise. Refer to photo to see how each side of Front folds back to form collar. Mark placement for one button.

#### **Right Front Band**

With RS facing, evenly pick up and K78 (81, 86) sts. Knit 1 row. **Next Row (WS):** Knit to point opposite where button will go, yo, K2tog for buttonhole, complete row. Knit 1 row. BO all sts kwise.

#### Front Bottom Band (work on each Front) With Left Front RS facing, evenly pick up and

K46 (50, 54) sits along bottom edge of Front.
Krilt 3 rows. Next Row (RS): K2, "inc. 1, K3,
rep from \*across 57 (62, 57) sts. Rib Row 1:
P2, "K3, P2; rep from \*across. Rib Row 2:
Krilt. Rep Rib Rows 182, 3 times more, work
Row 1 once more. With RS facing, BO all sits
kwise. Rep for Right Front.

#### Back Bottom Band


With RS facing, evenly pick up and K82 (86, 90) sts along bottom edge of Back. Knit 3 rows. Next Row (RS): K2, \* inc 1, K3; rep from \* across 102 (107, 112) sts. Complete to match Front Bottom Band.

#### Assembly

Sew button opposite buttonhole. Sew shoulder seams leaving a 6 (6½, 7)\* neck opening. Meas 7½ (8, 8½)\* down from each shoulder seam and pm at armhole edges. Set in top of Sleeve between markers. Sew Steeve and side seams. Weave in all ends.

Designed by Hélène Rush exclusively for Knit One, Crochet Too.

6 (6% 7%)\*





18 (20, 22)\*

Chart(s) for Project 18 can be found on page 119, 120, & 121.

# 19 Nautical Tank

Continued from page 54

## 

- SIZES
- Tank is sized to fit Women's Small (Medium, Large, X-Large).
   FINISHED MEASUREMENTS
- · Bust 35% (38, 41, 44)"



- Length 20% (21, 21%, 22)"
   MATERIALS
- 6 (7, 8, 9) 50g (98 yd) skeins Vickie Howell Collection / South West Trading Co Love (70% bamboo, 30% silk) color #254 (MC)
- 2 (3, 3, 4) 50g (98 yd) skeins Vickie Howell Collection / South West Trading Co Love (70% bamboo, 30% silk) color #246 (CC)
- West Irading Co Love (70% bamboo, 30% silk) color #246 (CL
   Size 6 US (4.0mm) needles OR SIZE TO OBTAIN GAUGE
- Size 4 US (3.5mm) needles
   cable needle, 4 stitch holders
- cable needle, 4 stitch
   GAUGE
- 25 sts x 30 rows = 4" in Cable Pat with larger ndls
   TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

STITCH GLOSSARY

KB1 K into back of next st. PB1 P into back of next st.

Tw2F SI 1 to cn, hold in front, P1, KB1 from cn. Tw2B SI 1 to cn. hold at back, KB1, P1 from cn.

Cable Panel (worked over 11 sts)

Bow 1 (BS): K4. (KB1) 3 times, K4.

Row 2: P4 (PR1) 3 times P4 Row 3: K3. Tw2B, KB1, Tw2F, K3

Row 4: P3 (PB1, K1) twice, PB1, P3 Row 5: K2. Tw2B, P1, KB1, P1, Tw2F, K2. Row 6: P2 (PB1, K2) twice, PB1, P2,

Row 7: K1, Tw2B, P2, KB1, P2, Tw2F, K1. Row 8: P1. (PB1, K3) twice, PB1, P1,

Bow 9: Tw2B P3 KB1, P3 Tw2F Row 10: (PB1, K4) twice, PB1. Rep Rows 1-10 for the Cable Panel.

#### BACK

\*\*With smaller ndl and CC CO 100 (106, 118, 124) sts. Row 1 (RS): K4, \*P2, K4; rep from \* to end Row 2: P4. \*K2. P4: rep from \* to end. Rep last 2 rows (4x2 Rib) twice more. With MC, work 2 rows ribbing. With CC, cont in ribbing until piece meas 4%" from CO, end after a WSR. Change to larger ndls. With MC, work 3 rows St st.

With CC, work 3 rows St st. Rep last 6 rows twice more, inc 11 (13, 9, 13) sts evenly across last row [111 (119, 127, 137) sts]. Break A.

Establish Cable Panel

Row 1 (RS): K5 (9, 13, 3). \*Work Row 1 of Cable Panel, K4; rep from \* across ending last rep with K5 (9, 13, 3). Row 2: P5 (9, 13, 3). \*Work Row 2 of Cable Panel, P4; rep from \* across ending last rep with P5 (9, 13, 3). Cable Panel pat is now in position. Cont in pat until piece meas 13" from CO, end after a WSR. Shape Armholes

Keening cont of pat, BO 8 (8, 9, 9) sts beg

next 2 rows. Dec 1 st each end of RSRs 7 (8. 8. 9) times [81 (87, 93, 101) sts]. Cont even in pat until armhole meas 5 (5%, 6, 6%)", end after a WSR

#### Shape Back Neck

Next row (RS): Pat across 22 (25, 26, 30) sts (neck edge); turn and place rem sts on stitch holder. Dec 1 st at neck edge on next 4 rows,

then on BSBs 4 times more [14 (17, 18, 22) stsl. Cont even in pat until armhole meas 71/2 (8.8% 9)", end after a WSR

Shape Shoulder BO 7 (8, 9, 11) sts beg next row. Work 1 row even BO rem 7 (9. 9. 11) sts. With RS facing. sl next 37 (37, 41, 41) sts onto stitch holder. Join MC to rem sts and work to correspond to other side, reversing all shapings.

#### FRONT

Work as for Back until armhole meas 2% (3, 3, 3)", end after a WSR.

Shape Front Neck

Next row (RS); Pat across 27 (30, 32, 36) sts (neck edge); turn and place rem sts on stitch holder. Dec 1 st at neck edge on next 4 rows. then on RSRs 9 (9, 10, 10) times more [14 (17, 18, 22) sts]. Cont even in pat until armhole meas 7% (8, 8%, 9)", end after a WSR.

Shape Shoulder

BO 7 (8, 9, 11) sts beg next row. Work 1 row even. BO rem 7 (9, 9, 11) sts. With RS facing, sl next 27 (27, 29, 29) sts onto stitch holder. Join MC to rem sts and work to correspond to other side reversing all shapings.

#### FINISHING Sew right shoulder seam.

Neck Edging

With RS facing, MC and smaller ndls, pick up and K34 (34, 37, 40) sts down left Front neck edge, K27 (27, 29, 29) from Front st holder dec 2 sts evenly across, pick up and K34 (34, 37, 40) sts up right Front neck edge to shoulder seam, pick up and K18 sts down right Back neck edge, K37 (37, 41, 41) from Back stitch holder dec 4 sts evenly across, then pick up and K18 sts up left Back neck edge [162 (162, 174, 180) stsl. Work 4 rows in Garter st. BO knitways (WS). Sew left shoulder and neck edging seam.


Armhole Edging

With RS facing MC and smaller ndls, pick up and K108 (114, 122, 130) sts evenly along armhole edge Work 4 rows in Garter st. BO knitways (WS). Rep for other armhole. Sew side seams. Weave in all ends.

Designed by Gayle Bunn exclusively for Knit 'N Style.







= K on RS. P on WS

 P on RS, K on WS 2 = KB1 on RS, PB1 on WS

194. = Tw2F ▶ 127 = Tw2B

# Rainbow Camisole

Continued from page 55

# ----

#### SIZES

· Camisole is sized to fit Women's Small (Medium, Large)

- FINISHED MEASUREMENTS · Bust 31 (34, 37)
- Length 17 (17½, 18)¹
- MATERIALS
- 1 (1, 2) 25g (118 yd) spool Presencia El Molino (100% rayon) color #2657 Purple (A)
- 1. 25a (118 vd) spool Presencia El Molino (100% rayon) color #3811 Blue (B)

- 1, 25g (118 yd) spool Presencia El Molino (100% rayon) color #4595 Green (C)
- 1, 25g (118 yd) spool Presencia El Molino (100% rayon) color #1224 Yellow (D)
- 1, 25g (118 vd) spool Presencia El Molino (100% rayon) color #1234 Orange (E)
- 1, 25g (118 vd) spool Presencia El Molino (100% rayon) color #2405 Red (F)
- · NOTE: 6 spool Sampler Pack in colors A-F is available from Presencia (www.presenciausa.com)
  - Size 2 US (2.75mm) 24" circular needles OR SIZE TO OBTAIN
- · 2. Size 2 US (2.75mm) double pointed needles · stitch markers, stitch holder

## GAUGE

- . 34 sts x 40 rows = 4" in patt st
- TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

#### DESIGNED NOTES

· Camisole is worked in the round to the underarms when divided into Front and Back

#### ....

\*With dnn. K4. Do not turn: push sts to the BH / top end of ndl K4 Ben from \* until desired length has been reached BO all etc.

CHEVRON PATTERN (in the round: mult of 12 etc ± 1) Rnd 1: K2tog, \*K4, vo, K1, vo, K4, K3tog tbl:

ren from \* ending last ren SSK Rnd 2: Knit

Ben Bow 1&2 for the Chevron Pat

#### COLOR SECUENCE

Color sequence is worked as foll: (A) 3" (B) 2" (C) 1%" (D) 2" (E) 1%" (E) 3" and to end Designer suggests changing colors at beg of avan rade / rowe

#### RODY

With circular ndl and A, CO 133 (145, 157) sts. nm (side seam), CO 133 (145, 157) sts. pm and join for working in the round, being careful not to twist sts. Rnd 1: Purl Rnd 2: Knit. Rep Bnds 1-2 once more

#### Establish Chevron Pattern

Rnd 1 (RS): Work Bow 1 Chevron Patt as charted to marker sim work Row 1 Chevron Patt as charted. Cont as charted, ren Rnd 1 & 2 of Chevron Pattern and foll color sequence (above), until piece meas 9 (9%, 10)" or desired length to underarm, ending with Rnd 2 of patt as foll; K to last 8 sts. BO 8 sts. remove marker

#### Divide Front & Back

Next rnd (RS): BO 8 sts. work in patt to 8 sts. before marker, BO 16 sts, work to end in patt [117 (129, 141) sts rem for each Front and Backl, Turn. Place 117 (129, 141) sts for Front on stitch holder

#### BACK

Working back and forth in rows, work 1 WSR as foll: K2. P to last 2 sts. K2. Dec row (RS): K1. SSK, work to last 3 sts in natt as est K2tog, K1 [2 sts dec'd]. Next row (WS): K2. P to last 2 sts. K2. Ben these two rows 15. more times cont with color sequence as above [85 (97 109) etc rem] Work 4 rowe in Cartor St BO all etc

#### FRONT

SI ete from holder ente circular adl. With MC facing attach varn at armhole and work 1 WSB as foll: K2 P to last 2 etc. K2. Doc row (RS): K1 SSK work to last 3 etc in natt ac act K2ton K1 [2 etc dec'd] Next row (WS)- K2 D to last 2 sts. K2. Ben these 2 rows 14 more times [87 (99 111) etc rem]

#### Shane Nack

Row 1 (RS): K1 SSK work 17 etc in nott ac est, pm. work 47 (59, 71) sts in natt as est, pm. work 17 sts in natt as est K2ton K1 Row 2: K2 P to last 2 sts. K2. Row 3: K1. SSK work 16 sts in natt as est K47 (59 71) sts work 16 sts in natt K2ton K1 Row 4: K2 P16 K47 (59 71) sts P16 K2 Row 5: K1 SSK work 15 sts in natt as est K47 (59 71) etc work 15 etc in nott K2tog, K1. Row 6: K2 P15 BO 49 (61 73) sts kwise P15 K2 [17 sts rem for each Front] Loft Front

# Next row (RS): K1, SSK, work to last 3 sts.

K2ton K1 Next row (WS): K2 P2ton P to last 2 sts. K2. Ben these two rows 3 more times [5 sts rem] Nevt row (RS): K1 SSK K2 [4 sts reml. SI sts to 1 don with sts at top of

#### Left Stran

Work I-cord for 7" BO all sts Dight Front

With RS facing, attach varn at neck edge. Next row (RS): K1 SSK work to last 3 etc K2tog, K1. Next row (WS): K2. P to last 4 sts P2ton thi K2. Ben these two rows 3 more times [5 sts rem]. Next row (RS): K2. K2ton. K1 [4 sts rem] SI sts to 1 don with sts at ton of don


## Right Stran

Work I-cord for 7" BO all ste FINISHING

#### Sew each strap to Back at top of armhole

edne Weave in lonce ande

Designed by Karlin Allen exclusively for Presencia USA



# 1 Cables & Lace Pullover Vest

Continued from page 56



#### SIZES

· Vest is sized to fit Women's Size Small (Medium, Large, X-Large, XX-Large,

XXX-Large). FINISHED MEASUREMENTS

· Bust 36 (41, 45%, 49, 53%, 58)"

CO 84 (96, 108, 116, 128, 140) sts. Work 5 (7, 7, 7, 9, 9) rows in Garter st (knit every row), inc 6 sts evenly spaced on last row [90] (102, 114, 122, 134, 146) stsl.



 Length 20% (21% 22% 23% 24% 25%)" MATERIALS

· 4 (5, 6, 7, 7, 8) 100g (205yd) balls Dark Horse Yarn Fantasy (50% nylon, 50% acrylic) color #58 Teal

Size 8 US (5.0mm) needles OR SIZE TO OBTAIN GAUGE

repeat

· Size H/8 US (5.0mm) crochet hook · cable needle, varn needle

GAUGE

20 sts x 28 rows = 4" in Pattern St

TO SAVE TIME, TAKE TIME TO CHECK GAUGE

#### STITCH GLOSSARY

· CB6 SI 3 to cn, hold in back, K3, K3 from cn

#### Establish Pattern

Row 1 (RS): K4 (10, 5, 9, 4, 10), \*yo, sl 1, K1, psso, K1, K2tog, yo, K6; rep from \* 6 (6, 8, 8, 10, 10) times, yo, sl 1, K1, psso, K1, K2tog, yo, K4 (10, 5, 9, 4, 10) [90 (102, 114, 122, 134, 146) sts]. Row 2 and all even rows:

Purl. Row 3: K3 (9, 4, 8, 3, 9), \*vo, sl 1, K2tog, psso, yo, K8; rep from \* 6 (6, 8, 8, 10, 10) times, yo, sl 1, K2tog, psso, yo, K3 (9, 4, 8, 3, 9). Row 5: Rep Row 1. Row 7: K3 (9, 8, 4, 3, 9), \*yo, sl1, K2tog, psso, yo, K1, CB6; rep from \* 6 (6, 8, 8, 10, 10) times, yo, sl 1, K2ton, vo. pssp. vo. K3 (9, 8, 4, 3, 9), Row 8; Rep Row 2. Rep Rows 1-8 for Pattern St. until piece meas approx 13 (13, 13%, 14, 14%, 15)" end after a WSB.

Shape Armholes

Maintaining pat. BO 8 (9, 14, 14, 12, 14) sts at. beg of next 2 rows [74 (84, 86, 94, 110, 118) sts]. Dec 1 st each side of every RSR 3 (5, 6, 6, 6, 8) times [68 (74, 74, 82, 98, 102) sts]. Work in pat until piece meas 7½ (8½, 9, 9½, 10, 10%)" above armhole shaping. BO all sts.

#### FRONT

Work as for Back until piece meas approx 13 (13 13% 14 14% 15)", end after a WSB. Shape Armhole and Neck

Maintaining pattern, BO 8 (9, 14, 14, 12, 14) armhole sts, work across 37 (42, 43, 47, 55, 59) sts. join another ball of varn and work across 45 (51 57 61 67 73) sts. Next row: BO 8 (9, 14, 14, 12, 14) armhole sts and work across. Working both sides at same time and

maintaining pat, cont to shape armhole as for Back, while at the same time, dec 1 st each neck edge on this row and then every 4 rows 6 (7, 7, 8, 8, 9) times. Dec 1 st each neck edge EOR until 17 (17, 18, 20, 24, 25) sts rem for each side. Work even in pat until Front meas same as Back to shoulder. BO all sts.

#### FINISHING Sew shoulder and side seams.

Neck Edging

With crochet hook and RS facing, join varn with sl st at right shoulder seam. Beg edging as foll: \*sk approx ¼", (sc. hdc. sc) in same stitch (shell made), sk approx %", sl st; rep from \* around neck edge, end with slist in begislist. Fasten off.

Armhole Edging

With crochet hook and RS facing, starting at underarm seam, work as for Neck Edging.

Weave in all ends. Block, if necessary by lav-

ing on a flat surface, covering with very damp cloths and allow to dry thoroughly.

Designed by Nancy Brown exclusively for Dark Horse Yarn.



# 22 Swoon Cable Cardigan

Continued from page 57

## -

SIZES · Cardigan is sized to fit Women's Small

- (Medium, Large, X-Large). FINISHED MEASUREMENTS
- Bust 37 (39, 43%, 45)\*
- Length 18 (18%, 20%, 21%)" Upper Arm 12% (13%, 16, 16%)"



#### MATERIALS

 5 (5, 6, 6) 4oz (225 yd) skeins Fiesta Yarns Swoon (55% extra fine merino wool, 45% silk) color #20117 Iris

 Size 8 US (5.0mm) 29" circular needles OR SIZE TO OBTAIN GAUGE stitch holders, stitch marker, varn needle, cable needle, (3) ¾" buttons

GAUGE 18 sts x 26 rows = 4" in St st

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

#### DESIGNER NOTES

- · As you work with hand dved varn, try to work 2 Rows or Rnds with 1 ball, the next 2 Rows with another ball to avoid pooling of the colors.
- · Do not cut varn: just carry up at the side. Sweater is worked back and forth to armholes, then the fronts and
- back are worked separately.

CO 168 (176, 196, 204) st. Row 1 (WS); SI 1 kwise, \*P2, K2; rep from \* to last 3 sts, P2, K1. Bow 2 (BS): Sl 1 kwise, \*K2, P2; rep from \* to last 3 sts. K3. Rep these 2 rows until piece meas 3%" from CO. end after a WSR. Next Row (RS); SI 1 kwise, K2, P2, K6, P2, K142 (150, 170, 178), P2, K6, P2, K3, Next row (WS); SI 1 kwise, P2, K2, P6, K2, P142 (150, 170, 178), K2, P6, K2, P2, K1, Rep these two rows until piece meas 5" from CO, end after a WSR.

Establish the Cable Pattern Cable Row (RS): Sl 1 kwise, K2, P2; sl 2 sts to cn, hold in back, K1, K2 from cn; sl 1 to cn, hold in front of work, K2, K1 from cn; P2, K142 (150, 170, 178), P2, sl 2 sts to cn. hold in back, K1, K2 from cn; sl 1 to cn, hold in front of work, K2, K1 from cn; P2, K3. Work 3 rows even in patt as est. Rep these four rows, 4 more times. Next row (RS); SI 1 kwise, K2. P2, K6, P2, K142 (150, 170, 178), P2, K6, P2, K3. Cont in patt as set, without working Cable Row, until piece meas 12 (12, 12 1/2, 13)" from CO, end after a WSR. Next row (RS): Work Cable Row as above. Work 3 rows even. Divide for Fronts and Back Next row (RS): SI 1 kwise, K2, P2; sI 2 sts to cn, hold in back. K1, K2 from cn; sl 1 to cn, hold in front of work, K2, K1 from cn; P2, K29 (30, 37, 39),

BO 4 sts, K77 (83, 89, 93), BO 4 sts, K28 (29,

36, 38), P2; sl 2 sts to cn, hold in back, K1, K2

from cn; sl 1 to cn, hold in front of work, K2, K1 from cn: P2, K3 [160 (168, 188, 196) sts rem -Right Front 42 (43, 50, 52) sts; Back 77 (83, 89, 93) sts: Left Front 41 (42, 49, 51) stsl. SI

sts for Right Front and Back onto st holders. LEFT FRONT

Join yarn at armhole edge and work 1 WSR as foll: K1, P2, K2, P6, K2, pm, P27 (28, 35, 37), sl 1 kwise.

Raglan Shaping

Row 1 (RS): K1, SSK, knit to marker, P2, K6, P2, K2, SI 1 pwise [1 st dec'd]. Row 2 (WS): K1, P2, K2, P6, K2, purl to last st, K1. Row 3: K1. SSK, knit to marker, P2; sl 2 sts to cn, hold in back, K1, K2 from cn; sl 1 to cn, hold in front of work, K2, K1 from cn; P2, K2, SI 1 pwise, Row 4: K1, P2, K2, P6, K2, purl to last st, K1. Rep Rows 1-4 twice more. Work Rows 1-2 once more. Work Row 1, once more.

Shape Neck

Next row (WS): BO 10 sts. and work to end in patt as set. RS row: K1, SSK, work to end in patt as set. Next row (WS); BO 4 sts. and work to end in patt as set. Work 1 RSR. Next row (WS): BO 2 sts and work to end in patt as set. Work 1 RSR. Next row (WS): BO 1 (1, 2, 2,) sts, and work to end in patt as set. Work 1 RSR. Rep these two rows, 1 time. Cont working Raglan Shaping, dec 1 st at beg of every RSR and working all WSRs without shaping. until 5 (4, 5, 5) sts rem. BO all sts.

With WS facing, join varn and work 1 WS row as foll: K1, purl to last st, sl 1 pwise. Raglan Shaping

Next row (RS): K2. SSK, knit to last 4 sts. K2tog, K1, sl 1 pwise. Next row (WS): K1. purl to last st. sl 1 pwise. Rep these 2 rows 17 (19, 23, 25) more times [41 (43, 41, 41) sts reml. SI sts onto st holder. RIGHT FRONT

## Work as Left Front, rev all shapings.

SLEEVES

CO 56, 60, 72, 76 sts. Row 1 (WS): SI 1 kwise, \*P2, K2; rep from \* to last 3 sts. P2, K1. Row 2 (RS): SI 1 kwise, \*K2, P2; rep from \* to last 3 sts. K3. Rep these 2 rows until piece meas 41/2" from CO, end after a WSR. Work St st until piece meas 13 (13%, 14, 14)", from CO, end after a WSR.

Shape Cap At beg of next 2 rows, BO 2 sts. Dec row

(RS): K2, SSK, knit to last 4 sts, K2tog, K1, SI 1 pwise. Next row (WS): K1, purl to last st, sl 1 pwise. Rep these two rows 17 (19, 23, 25) more times [20 (20, 24, 24) sts rem]. SI sts onto st holder.

## FINISHING

Weave in ends. Block pieces according to schematic. Sew sleeves into armholes, and sew sleeve seams

#### **Neck Band**

With RS facing, beg at Right Front Neck Edge, pick up and K23 (22, 25, 25) sts. knit across 20 (20, 22, 22) sts held from sleeve. knit across 41 (43, 41, 41) sts held from Back, knit across 20 (20, 22, 22) sts held from second sleeve, and pick up and K23 (22, 25, 25) sts across Left Front [127 (127, 135, 135) sts]. Next row (WS): K1, \*P2, K2; rep from \* to last 2 sts. P1, inc 1, sl 1 pwise [128 (128, 136, 136) sts]. Row 1 (RS): K3, \*P2, K2; rep from \* to last 3 sts. K2, SI 1 pwise. Row 2: K1, \*P2, K2; rep from \* to last 3 sts, P2, sl 1 pwise. Rep Rows 1-2 once more. BO all sts Innselv

#### **Button Band**

With RS facing, pick up and K56 (56, 60, 60) sts along Left Front edge. Next row (WS): K1, \*P2, K2; rep from \* to last 3 sts, P2, sl 1 pwise. Work 4 rows in patt as est. BO all sts.

#### loosely **Buttonhole Band**

With BS facing, pick up and K56 (56, 60, 60)

sts along Right Front edge. Next row (WS): K1; \*P2, K2; rep from \* to last 3 sts. P2, SI1 pwise. Work 1 RSR in patt as est. Next row (WS): K1, P2, BO 2 sts. P1, BO 2 sts. K1, P2, BO 2 sts. P2. pm. work to end in patt as set. Next row (RS): K1, work in patt as set to marker, K2, CO 2, K2, P1, CO 2, K1, CO 2,



K2. sl 1 pwise. Work 1 row in patt as est. BO all sts loosely.

Weave in ends. Block the ribbing. Sew buttons on the button band.

Designed by Franziska Collins exclusively for Fiesta Yarns.



Continued from page 58

#### 

· Panel Top is sized to fit Women's Small (Medium, Large, X-Large).

#### FINISHED MEASUREMENT · Bust 36 (38, 40, 44)"

- · Length 19 (19%, 21, 22%)"
- Upper Arm 14 (15, 16, 17)"

## **DESIGNER NOTES**

· Center panel flowers are worked in the stranded method on a neutral background. Flower centers are worked in duplicate stitch. Panels are worked first, then stitches are picked up along the edges of the panels; sides and sleeves are worked outward as one. The same openwork cable is repeated along

the length of the cap sleeve. A crochet edging finishes all openings.

· Circular needle is used to accommodate large number of stitches. Do not join; work back and forth in rows

· Pick up ratio for side panels is approx 9 sts for every 10 rows.

## FRONT PANEL

With MC, CO 45 (47, 49, 49) sts. Purl 1 row. Establish Pattern

Next row (RS): K1 (2, 3, 3), pm, work Row 1 of Center Panel Chart over 43 sts, pm, K1 (2, 3, 3). Keeping sts between markers in Chart pat and remainder in St st, work even until panel meas 16 (16%, 18, 19%)", end after a WSR. BO all sts. With C, work centers of flowers in Duplicate st. BACK PANEL

#### Work as for Front panel. SIDE PANEL & SLEEVES

Beg at lower edge with MC and RS facing,



- 6 (6, 7, 8) 50g (140 vd) balls Tilli Tomas Fil de la Mer (70%) silk, 30% Seacell) color Natural (MC)
- 1, 50g (140 yd) ball Tilli Tomas Fil de la Mer (70% silk, 30% Seacell) color #97 Decco Coral (A)
- 1, 50g (140 vd) ball Tilli Tomas Fil de la Mer (70% silk, 30%
- Seacell) color #160 Olive (B) · 1, 100g (260 yd) ball Tilli Tomas Pure & Simple (100% spun silk) color #512 Rattan (C)
- Size 4 (3.5mm) 24" circular needles OR SIZE NEEDED TO OBTAIN GAUGE
- · Size F/5 (3.75mm) crochet hook
- GAUGE

 24 sts x 30 rows = 4" in St st TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

pick up and K96 (99, 108, 117) sts along long edge of one panel. CO 36 sts for side of neck. beg at top edge pick up and K96 (99, 108, 117) sts along long edge of second panel [228 (234. 252 270) stsl. Mark center 8 sts. Keening sts. between markers in Sleeve Cable pat from chart and rem sts in St st, work even until side meas 6 (6%, 7, 8)" above picked-up sts, end

## after a WSR

Shape sleeves BO 72 (72, 78, 84) sts at beg of next 2 rows [84 (90, 96, 102) sts]. Work even in est pat until Sleeve meas 3 (3, 4, 4)" above bound-off side sts. BO all sts.

Work second side as for first.

FINISHING Sew sleeve and side seams.

## Hem Picot Edging

With crochet hook, join yarn in side seam at hem. Work 1 rnd sc around lower edge of body, making sure to keep work flat. Join with sl st. Rnd 2: Sl st in next sc, \*ch 4, sl st in same sc, sl st in each of next 2 sc; rep from \* around. Fasten off.

#### Sleeve Edging


Work edging in same manner around lower edges of sleeves as for hem.

# Neck Edging

as for hem.

Work edging in same manner around neckline

Designed by Diane Zangl exclusively for Knit 'N Style.



Chart(s) for Project 23 can be found on page 115.

Continued from page 59

#### ----SIZES

· Dress is sized to fit Women's Small (Medium. Large, X-Large).

FINISHED MEASUREMENTS

Bust 33 (35, 37, 39)\*

· Lower edge 40 (40, 44, 44)" Length (excluding strap): 31¼ (31¼, 32, 32)"

STITCH GLOSSARY

sk2p Sl 1, K2tog, psso

\*\*\*CO 99 (99, 111, 111) sts. Work 3 rows in Garter st (knit every row), noting that the first row is a WSR.

#### Establish Pattern #1

Row 1 (RS): K1, K2tog, K4, vo, \*K1, vo, K4, sk2p, K4, yo; rep from \* to last 8 sts, K1, yo, K4, skp, K1,n Row 2 and all WSR: K1, purl to last st, K1. Row 3: K1, K2tog, K3, vo. \*K3, yo, K3, sk2p, K3, yo; rep from \* to last 9 sts, K3, yo, K3, skp, K1. Row 5: K1, K2tog, K2, vo, skp, vo, \*K1, vo, K2tog, vo, K2, sk2p, K2, vo. skp. vo: rep from \* to last 8 sts. K1, vo. K2tog, K2, skp, K1. Row 7: K1, K2tog, K1, vo. skp. vo. \*K3. vo. K2tog, vo. K1, sk2p, K1, yo, K2tog, yo; rep from \* to last 9 sts, K3, yo, K2tog, yo, K1, K2tog, K1. Row 9: K1, K2tog, [yo, skp] twice, yo, \*K1, [yo, K2tog] twice, yo, sk2p, [vo, skp] twice, vo; rep from \* to last 8 sts, K1, [yo, K2tog] twice, yo, K2tog, K1. Row 10: K1, purl to last st, K1. Rows 11-14: Knit. Rep Rows 1-10 four times more for Pattern #1. Establish Pattern #2

Row 1 (RS): K1, K2tog, K4, yo, \*K1, yo, K4, sk2p, K4, yo; rep from \* to last 8 sts, K1, yo, K4, skp, K1. Row 2: K1, purl to last st, K1. Rep the last 2 rows for Pattern #2 until piece from CO meas 17", end after a WSR. Next row (RS): K1, K2tog, K9, \*sk2p, K9; rep from \* to last 3 sts, skp, K1 [83 (83, 93, 93) sts]. Next row: K1, purl to last st, K1. Next row (RS): K1, K2tog, K7, skp, \*K8, skp; rep from \* to last st, K1 [74 (74, 83, 83) sts]. Next row: K1, purl to last st. K1

#### Establish Pattern #3

Next row (RS): K1, \*K2tog, K2, M1, K1, M1, K2. skp: rep from \* to last st. K1. Next row: K1, purl to last st, K1. Rep the last 2 rows for Pattern #3 until piece from CO meas 24 1/2". end after a WSR. Next row (RS): Knit, dec (inc. dec. inc) 3 (1, 2, 2) sts evenly across row [71 (75, 81, 85) sts]

Begin Seed St Pattern Next row (WS): K1, \*P1, K1; rep from \* to end of row.\*

Last row est Seed st pattern. Cont in seed st. inc 1 st at each end of sixth and every following 6 rows 5 times [83 (87, 93, 97) sts]. Work even until Seed st pat meas 4 (4, 4%, 4%)", end after a WSR. BO in pattern.



#### MATERIALS

6 (6, 7, 7) 4oz (210 yd) skeins Fiesta Yarns Socorro (82% wool,

- 18% nylon) color #27145 White Zinfandel
- Size 8 US (5.00mm) needles OR SIZE TO OBTAIN GAUGE
- · Size G/7 US (4.50mm) crochet hook · vam needle, stitch holder
- GAUGE

#### 20 sts x 34 rows = 4" in Seed st


· 21 sts x 24 rows = 4" in Pattern #2, slightly stretched TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

#### DESIGNER NOTES

· Yarn substitution is not recommended for this dress as the wool and nylon composition of the varn is integral to the fit. When not worn, the actual measurements will be smaller than when measured by the gauge alone. This allows for a perfect body-contouring fit.

> right Front neck edge and ending at left Front neck edge, work 1 row sc evenly around entire neck edging. Ch 1, do not turn. Work 1 row reverse sc. Fasten off.

Designed by Sandi Prosser exclusively for Knit 'N Style.



# 32 878 FRONT

#### FRONT

Work from \*\*\* to \*\*\* as given for Back. Next row (RS): Pattern 32 (34, 37, 39), place rem sts 39 (41, 44, 46) sts on stitch holder. Work in Seed st. inc 1 st at side edge of sixth and every following 6 rows 5 times [38 (40, 43, 45) stsl. Work even until Seed st pat meas 4 (4, 4, 4%)", end after a WSR.

#### Shape Armhole and Neck

Next row (RS): BO 8 (8, 9, 9) sts. pattern to end of row. Next row: BO 5 (7, 7, 7) sts, pattern to end of row. Dec 1 st at each end of next and every RSR 9 (9, 10, 11) times more [5 sts rem]. Next row (RS): K1, sk2p, K1 [3 sts reml. Strap

Work even until strap meas 9 (9%, 9%, 10)", end after a WSR. BO all sts. Move sts from stitch holder to ndls, ready to a work a RSR. Rejoin yarn, BO first 7 sts, pattern to end of row [32 (34, 37, 39) sts]. Work to match first side, reversing shapings.

# FINISHING

Block Pattern #1 section of each piece ONLY. Do not block remainder of dress, as this will ensure a body conscious fit. Assembly

Sew side seams. Sew straps to back of dress at bound-off top edge.

Right Front Edging With RS facing and crochet hook, work 28 sc. along straight edge of right Front. Turn.

Next row (WS): Ch 4 (counts as 1 dc, ch1), skip first 2 sc, dc in next sc, \*ch 1, skip 1 sc, dc in next sc; rep from \* to end. Fasten off. Left Front Edging

With RS facing and crochet hook, work 28 sc, along straight edge of left front. Turn.

Next row (WS): Ch 4 (counts as 1 dc, ch1), skip first 2 sc. dc in next sc. "ch 1, skip 1 sc. dc in next sc; rep from \* to end. Fasten off. Sew right and left Front edging to center bound-off sts, making sure edges meet.

With crochet hook, ch 200. Fasten off. Thread

tie through front edgings as if to lace a shoe. Armhole Edging With RS facing and crochet hook, work 1

round sc evenly around entire armhole. Join with a sl st to first sc. Ch 1, do not turn. Work 1 round reverse sc. Join with a slip st to first st. Fasten off.

#### **Neck Edging**

With RS facing and crochet hook, starting at

Continued from page 60

## 

#### SIZES

· Vest is sized to fit Women's Small (Medium, Large, X-Large).

FINISHED MEASUREMENTS · Bust 34% (38%, 43%, 46%)"

#### DESIGNER NOTES

· Garment is worked using 1 strand of Daktari and 1 strand of Zazu held together

· The garment is knit in one piece, divided at the armholes, and Fronts and Back are completed separately. The shoulders are finished with a three needle bind off. The collar and button band are picked up and knitted separately. Armholes are finished with a simple pick up and bind off.

#### W&T (wrap & turn)

The shoulders for each piece are worked using a series of short rows. A stitch at the end of each row is wrapped, then the piece is turned and worked back in the opposite direction without finishing the row. This is worked as foll: work as written through last st, wyib, sl next st to RH ndl, bring yarn to front, replace slipped st onto LH ndl, bring yarn to back, and turn.

#### VEST

Holding 1 strand of Daktari and 1 strand of Zazu, CO 156 (172, 196, 208) sts, using a Cable Cast on.

#### Establish Double Moss St Band Row 1&4: K1-tbl, \*P2, K2; rep from \* to last 5

sts, end P2, K0 (0, 2, 0), sl last st wyif. Row 2-3: K1-tbl, P0 (0, 2, 0) \*K2, P2; rep from end K2, sl last st wyif. Rep Rows 1-4, 29 (29, 35, 36) more times, or until Band meas 5 (5, 6. 6)" from CO, end after a Row 4 of repeat.

Stockinette St Body

Row 31 (31, 37, 37): Knit. Row 32 (32, 38, 38): Purl. PMs in first and last st of row, to mark beg of Neck Shaping.

#### Shape V-Neck

Row 35 (35, 41, 41); Dec row (RS); K1, SSK, knit to last 3 sts, K2toq, K1 [2 sts dec'd]. Work 5 rows even in St st. Rep these six rows, 5 more times [144 (160, 184, 196) sts rem]. Divide for Armholes

Row 71 (71, 77, 77) (RS): K1, SSK, K28 (31, 36, 39), BO 4 (6, 8, 8) sts, K74 (80, 90, 96), BO 4 (6, 8, 8) sts, K28 (31, 36, 39), K2tog, K1 [134 (146, 166, 178) sts rem: 30 (33, 38, 41) sts each Left and Right Front, 74 (80, 90, 96) sts Back). SI sts for Back and Right Front to

#### st holders LEFT FRONT

#### Shape Armhole

Row 72 (72, 78, 78) (WS): P25 (28, 33, 36). P2tog, P2tog, P1 [28 (31, 36, 39) sts rem]. Row 73 (73, 79, 79): K1, SSK, K25 (28, 33, 36) [27 (30, 35, 38) sts rem]. Row 74 (74,



 Length 19% (20%, 22, 22%)" MATERIALS

 3 (4, 4, 5) 50g (145 yd) skeins Twisted Sisters Daktari (100%) cotton) color Rosewood

· 2 (3, 3, 3) 50g (390 yd) skeins Twisted Sisters Zazu (100% extra fine merino) color HP-42

· Size 9 US (5.5mm) 24" circular needle OR SIZE TO OBTAIN GAUGE

· stitch holders, stitch markers, row counter

#### GAUGE

. 18 sts x 24 rows = 4" in Double Moss St, with 1 strand of Daktari and 1 strand of Zazu

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

80, 80); P24 (25, 32, 35), P2tog, P1 [26 (27, 34, 37) sts rem]. Row 75 (75, 81, 81): K1, SSK, K23 (24, 31, 34) [25 (26, 33, 36) sts rem]. Row 76 (76, 82, 82): Purl. Sizes S and M Only: Row 77: Knit to last 3 sts,

K2tog, K1. Work 5 rows even in St st. Rep these 6 rows 5 more times [20 (21) sts rem]. Work even in St st thru Row 108 (114); beg shoulder shaping.

Sizes L and XL Only: Row 83: K1, SSK, K27 (30), K2tog, K1 [31 (34) sts rem]. Row 84 (and foll 3 even rows): Purl. Row 85: K1, SSK, K28 (31) [30 (33) sts rem]. Row 87: K1, SSK, K27 (30) [29 (32) sts rem]. Row 89: K1, SSK, K23 (25), K2tog, K1 [27 (29) sts rem]. Knit 2 rows in St st. Row 93: Knit to last 3 sts, K2tog, K1. Work 5 rows even in St st. Rep these six rows, 4 more times [23 (25) sts rem]. Work even in St st thru Row 122 (126); beg shoulder shaping Shape Shoulder

Sizes S and M Only: Row 109 (115): K17 (18), W&T. Row 110 (116) (and all even rows): Purl. Row 111 (117): K13 (14), W&T. Row 113 (119); K9 (10), W&T. Row 115 (121); K5 (6), W&T. Row 117 (123): K1 (2) W&T. Sizes L and XL Only: Row 123 (127): K19

(21), W&T. Row 124 (128) (and all even Rows): Purl. Row 125 (129): K15 (17), W&T. Row 127 (131): K11 (15), W&T. Row 129 (133): K7 (11), W&T. Row 131 (135): K3 (7), W&T. All Sizes: Row 119 (125, 133, 137); K21 (22, 23, 25) sts, knitting sts together with wraps by lifting wrap onto ndl and knitting with next st along row. Place sts on stitch holder. BACK

#### Shape Armhole

SI sts from stitch holder to ndl. With WS facing, attach varn at underarm. Row 72 (72, 78, 78): P1, P2tog, P2tog, P64 (70, 80, 86) SKP, SKP, P1 [70 (76, 86, 92) sts rem]. Row 73 (73, 79, 79); K1, SSK, K64 (70, 80, 86), K2tog, P1 [68 (74, 84, 90) sts rem]. Row 74 (74, 80, 80); P1. P2tog. P62 (68, 78, 84) SKP, P1 [66] (72, 82, 88) sts rem]. Row 75 (75, 81, 81): K1, SSK, K60 (66, 76, 82), K2tog, K1 [64 (70, 80, 86) sts reml

Size Small Only: Work even in St st to Row 108. Sizes M, L, XL: Row 76 (82, 82): P1, P2tog, P64 (74, 80), SKP, P1. [68 (78, 84) sts reml Row 77 (83, 83): K1, SSK, K62 (72, 78). K2tog, K1. [66 (76, 82) sts rem].

Size Medium Only: Work even in St st to Row

Sizes I & XI Only: Row 85: K1, SSK, K70 (76), K2tog, K1 [74 (80) sts rem]. Row 86 (and all even rows): Purl. Row 87: K1, SSK, K68 (74), K2tog, K1 [72 (78) sts rem]. Size Large Only: Work even in St st to Row Size XL Only: Row 89: K1, SSK, K72, K2tog,

K1 [76 sts rem]. Row 91: K1, SSK, K70, K2tog, K1 [74 sts rem]. Row 93: K1, SSK, K68, K2toq, K1 [72 sts rem]. Work even in St st to Row 126. Shape Shoulders

#### Size S & M Only:

Right Shoulder: Row 108 (116): P62 (64). W&T. Row 109 (117): K24 (26), W&T. Row 110 (118): P20 (22), W&T. Row 111(119): K15 (17), W&T. Row 112 (120): P11 (13), W&T. Row 113 (121): K6 (8), W&T. Row 114 (122): P2 (4), W&T. Set Row Counter Back to Row 109 (117).

Left Shoulder: Row 109 (117); K46 (50). W&T, knitting sts tog with wraps. Row 110 (118): P24 (26), W&T. Row 111 (119); K20 (22), W&T. Row 112 (120): P15 (17), W&T. Row 113 (121); K11 (13), W&T. Row 114 (122): P6 (8), W&T. Row 115 (123): K2 (4), W&T. Row 116 (124): P50, purling wraps tog with sts as above. Row 117 (125): K64 (66), knitting wraps tog with sts as above. Place sts on stitch holder.

Sizes L & XL Only:

Right Shoulder Row 122 (126): P70 (72). W&T. Row 123 (127): K28 (29), W&T. Row 124 (128): P24 (25), W&T. Row 125 (129): K19 (20), W&T. Row 126 (130): P15 (16), W&T. Row 127 (131): K10 (11), W&T. Row 128 (132); P5 (6), W&T. Row 129 (133); K4 (5), W&T. Row 130 (134): P2 (3), W&T. Set Row Counter back to Row 123 (127) Left Shoulder Row 123 (127): K51 (53), knit-

ting wraps tog with sts as above, W&T. Row 124 (128); P28 (29) W&T. Row 125 (129); K24 (25) W&T. Row 126 (130): P19 (18) W&T. Row 127 (131): K15 (16) W&T. Row 128 (132): P10 (11) W&T. Row 129 (133): K6 (7) W&T. Row 130 (134): P5 (6) W&T. Row 131 (135): K4 (5) W&T. Row 132 (136): P56 (57), purling sts tog with wraps as above. Row 133 (137): K74 (76), knitting sts tog with wraps as above. Place sts on stitch holder. RIGHT FRONT

Work as for Left Front, rev all shapings. FINISHING

Join Shoulder seams using a 3-Needle BO. Front Bands

Designer Notes: The button hole is done in the manner taught to Twisted Sisters by Grace Judson.

#### Button Band

With BS facing, pick up and K22 (22, 26, 26) sts from st marker to hem along Left Front edge Row 1: K1-thl \*P2 K2: ren from \* to last st SI 1 wyif Row 2: Ren Row 1 Row 3: K1-thl \*K2 P2: ren from \* to last et el 1 wwif Row 4: Ren Bow 3 Ren Bows 1-2 once BO all sts Button Hole Band

With BS facing, pick up and K22 (22, 26, 26) sts from hem to st marker along Bight Front edge Work Rows 1-4 as for Button Rand

Button Hole Bow

Row 5: K1-tbl, \*P2, K2: rep from \* 3 (3, 4, 4) times drop varn behind work \*\*el next two nwise. Pass first slipped at over second. slinned et Ren from \*\* 3 more times SI rem st to I H ndl Turn and CO 5 sts. Turn SI 1 st nwise nass nrev st over this st work to end

in natt as set. Bow 6: Work as for Bow 6 of Button Bond BO all ste

With RS facing heg at marked st on Right Front nick up and K60 (64, 65, 70) sts along Right Front adae knit acrose 32 (32 38 36) sts from Back stitch holder, and nick up and K60 (64 65 70) etc along Left Front edge to second marker [142 (150, 158, 166) sts] Rows 1 & 2; K1-tbl. \*P2. K2: rep from \* to last et el 1 weif Pow 3 & 4: K1 thi \*K2 P2 ron from \* to last st sl 1 wuif Ren Rows 1-4 7 (7 8 8) more times. Work Bows 1 & 2 1 (1 0 0) more times BO all sts loosely

#### Armhole Edging Pick up and K64 (72, 76, 80) sts evenly around

armhole BO all sts loosely

· Length 22% (23, 23%, 24, 24)\*

Unner Arm 13 (14 15½ 16½ 17½)\*\*

Weave in loose ends neatly. Saw button onto button hand. Steam to change



# 26 Coins Pullover

Continued from page 61



· Pullover is sized to fit Women's Small (Medium Large X-Large XX-Large)

CC (Coin Cable) sl 4 sts to cn. hold in back. K1 then slinext 3 sts to LH ndl: BEFORE knit-

ting these sts. bring on with last st between

needles, passing completely to the left of the

C5 el 3 ete to en hold in front K2: return last

CAR el 2 ete to co hold in back K2 P2 from co.

C4F sl 2 sts to cn, hold in front, P2, K2 from cn.

COIN CABLE RIB (11 sts x 6 row repeat)

C3R sl 1 st to cn, hold in back, K2, P1 from cn. C3F sl 2 sts to cn. hold in front. P1. K2 from cn.

Row 1 (WS), 3, 5: \*K2, P2, K2, P5; rep from \*,

Bow 2, 6: P1, \*K5, P2, K2, P2: rep from \*

Row 4: P1, \*CC, P2, K2, P2; rep from \*

Row 2 and all even-numbered rows: K the

Rep Rows 1-6 for Coin Cable Rib.

MEDALLION (11 sts x 28 rows)

Row 11: P1, C4B, P1, C4F, P1,

Row 19: P1, C4F, P1, C5B, P1.

Row 1 (RS): P5 K1 P5

knits and P the purls.

Row 3: P4, K3, P4.

Row 5, 7; P3, K5, P3,

Row 9: P3, C5P, P3.

Row 15: K2, P7, K2.

Row 13: C3B, P5, C3F.

Row 17: C3F, P5, C3B,

st on on to I H adl and purl it: K2 from on

st on on to I H ndl and knit it: K2 from on

varn: K3 from LH ndl, K1 from cn C5P sl 3 sts to cn. hold in front. K2: return last

FINISHED MEASUREMENTS · Bust 36 (40, 44, 48, 52)" STITCH GLOSSARY



#### Bow 21: P3. C5. P3. Row 23: P3 K5 P3

Row 25: P4 K3 P4 Row 27: P5, K1, P5,

Row 28: K the knits and P the purls.

REV ST ST Bow 1 (WS): Knit Row 2: Purl

Rep Rows 1&2 for Rev St st.

# DESIGNER NOTES

· Refer frequently to Placement Chart for location of Medallions on Back. Front. and Sleeves

· When beg each Medallion, pm before first st and after last st for easier knitting.

#### BACK

Using Size 6 ndls, CO 78 (89, 100, 111, 122) sts. Beg with Row 1, work 18 rows in Coin Cable Rib. Change to Size 7 ndls and beg with Row 1 of Rev St st, inc 5 (3, 1, 0, dec 3) sts evenly spaced across row [83 (92, 101, 111, 119) stsl. Working Medallions as directed for your size on Body Placement Table, cont in rev St st until work meas 14% (13%, 13%, 13%, 131/1)" from CO edge.

#### Shape Armhole

BO 4 (5, 5, 6, 6) sts at beg of next 2 rows. Cont even in Rev St st and dec 1 st each end of every WSR 6 (8, 10, 11, 12) times [63 (66, 71, 77, 83) sts]. Work even until piece meas 8 (8%, 9, 9%, 9%)" above armhole BO sts.

#### Shape Shoulder

BO 8 (9, 7, 7, 8) sts at shoulder edges 2 (4, 6,

MATERIALS 6 (7, 7, 8, 8) 100g (200 vd) skeins Harrisville Designs New

- England Highland (100% pure wool) color #27 Cornflower Size 6 US (4 0mm) needles Size 7 US (4.5mm) needles OR SIZE TO OBTAIN GALIGE
- Size 8 US (5 0mm) needles
- cable needle, stitch markers, stitch holders, row counter, varn needle
- CALICE 18 sts v 24 rows – 4" in Boy St st with Size 7 ndle

TO SAVE TIME. TAKE TIME TO CHECK GAUGE

4. 6) times, then 9 (0, 0, 8, 0) sts twice. Place rem 29 (30, 29, 33, 35) sts on stitch holder for Back neck FRONT

Work same as for Back until piece meas 5 (5%, 7%, 7%, 7%)" above armhole BO sts.

Shane Neck

Work 25 (25, 27, 29, 31) sts. place next 13 (16, 17, 19, 21) sts on stitch holder for Front neck; attach a second ball of varn and work rem 25 (25, 27, 29, 31) sts. Cont even in Rev. St st while working both sides simultaneously. dec at neck edge 1 st every WSR 8 (7, 6, 7, 7) times. Work even with 17 (18, 21, 22, 24). sts on ea side until work meas same as Back to shoulder shaping.

Shape Shoulder

Work same as for Back. SLEEVES

Using Size 6 ndls, CO 45 sts. Beg with Row 1, work 12 rows of Coin Cable Rib. Change to Size 7 ndls and beg Row 1 of Rev St st. inc 0 (0, 1, 2, 3) sts evenly spaced across row [45 (45, 46, 47, 48) stsl. Work Medallions as directed for your size on Sleeve Placement Table, cont in Rev St st while at the same time, inc 1 st each end of every 8 (8, 6, 6, 4)rows 2 (7, 7, 12, 3) times, then every 10 (10, 8, 8, 6) rows 7 (3, 6, 2, 13) times [63 (65, 72, 75, 80) stsl. Work even until piece meas 17 (17%. 18, 17½, 18)" or desired length to underarm.

BO 4 (5, 5, 6, 6) sts at beg of next 2 rows. Cont even in Rev St st and dec 1 st ea end of every row 3 (0, 0, 3, 3) times, then EOR 12 (14, 15, 14, 15) times. BO 2 sts at beg of

Shape Sleeve Cap

next 4 (4, 6, 4, 6) rows. Loosely BO rem 17 (19, 20, 21, 20) sts.

FINISHING Block pieces to measurements. Sew right shoulder seam

**Neck Band** Using Size 7 ndls and beg at left shoulder, pick up and K18 (16, 16, 13, 17) sts along left Front edge, K across 13 (16, 17, 19, 21) sts from Front neck stitch holder, pick up and K18 (16, 16, 13, 16) sts along right neck edge, K across 29 (30, 29, 33, 35) sts from Back neck stitch holder [78 (78, 78, 78, 89) sts]. Beg with Row 1 of Coin Cable Rib, work 11 rows. Next row: With Size 8 ndls. BO loosely in pattern substituting P3 for the center K3 of each

FINISHING Sew left shoulder seam and neck ribbing. Sew in sleeves. Sew side seams. Weave in







# 27 Victorian Vest

Continued from page 62

## 

Coin Cable motif.

 Vest is one size Women's Small/Medium. FINISHED MEASUREMENTS

- Bust 361
- Length 22" MATERIALS

## · 1, (273 vd) skein Great Adirondack

## **DESIGNER NOTES**

· Vest pieces are worked sideways. The Pattern sequence is worked and repeated from start to finish to the middle of the back piece, then worked in rev order to form a mirror image. When working Left and Right Fronts. Pattern sequence should mirror its corresponding back piece.

#### PATTERN SEQUENCE

Rows 1-8: With A work St st Rows 9-10: With B. knit.

Rows 11-12: With D. knit

Row 13: With D. K1, "vo, K1; rep from ", end K2. Row 14: With D. knit across, dropping varnovers off needle without working them. Rows 15-18: With C. knit.

Rep Rows 1-18 for Pattern Sequence.

#### BACK

With A, CO 44 sts. Work Rows 1-5 of Pattern sequence. Inc row (WS): Inc 1, work even to end [1 st inc'd]. Work 1 RSR, cont with Pattern sequence. Rep these two rows, 4 more times [49 sts].

#### Shape Armhole

At beg of next row (WS), CO 23 sts and work to end [72 sts]. Complete Pattern sequence and rep full sequence twice more. Next row (RS): beg with Row 11 of Pattern sequence, work sequence in reverse order as foll: Rows 11-14, Rows 9-1, Rows 1-8, Row 15-18. Rep



Yarn Co Silk Delight (100% silk) color Tutti Frutti (A)

- · 1, (187 vd) skein Great Adirondack Yarn Co Cyclone (100% rayon big slub) color Tutti Frutti (B)
- 2, (100 yd) skeins Great Adirondack Yarn Co Pouf (100% rayon shorter eyelash) color Tutti Frutti (C)
- 2, (100 yd) skeins Great Adirondack Yarn Co Milky Way (100% rayon ribbon) color Tutti Frutti (D)
- 2, (100 yd) skeins Great Adirondack Yarn Co Fancy (95% rayon, 5% poly iris chainette) color Tutti Frutti (E)
- Size 9 US (5.5mm) 24" circular needle OR SIZE TO OBTAIN GAUGE
- Size G/6 US (4.0mm) crochet hook 4 buttons (optional)
- GAUGE
- 14 sts x 22 rows = 4" in Garter st, slightly stretched
- TO SAVE TIME. TAKE TIME TO CHECK GAUGE.

this reverse sequence once, end after Row 7. Shape Armhole Next row (WS): BO 23 sts and work to end. cont in reverse sequence [49 sts]. Work 1 RSR. Dec row (WS): Dec 1 st, work even to end. Work 1 RSR. Cont in reverse sequence. rep these two rows, 4 more times [44 sts]. With A, work 5 rows in St st. BO all sts loosely.

RIGHT FRONT With C. CO 44 sts. Knit 1 row (WS). Beg with

Row 17 of Pattern sequence, work Pattern sequence in reverse, working Rows 18-1, twice times through. AT THE SAME TIME, at beg of every RSR, CO 2 sts and work to end in patt. Work 1 WSR even. Rep these 2 rows 10 times. Next row (RS): CO 6 sts, work to end in patt [72 sts]. Work even in Pattern sequence to Row 17.

#### Shape Armhole

Next row (RS): BO 23 sts and work to end in patt. Work 1 WSR. Dec row (RS): Dec 1 st at beg of row, and work to end in patt. Work 1 WSR. Rep these 2 rows 4 more times [44 sts]. With A, work 5 rows in St st. BO all sts loosely. LEFT FRONT

#### Work as for Left Front, rev all shapings. LACE HEM EDGING

Note: On WSRs, double yarnovers are worked as foll: K1 into first loop. P1 into second loop. With E, CO 10 sts. Row 1 (RS): SI 1, K2, yo, K2tog, [vo. twice], K2tog, [vo. twice], K2tog, K1 [12 sts]. Row 2: SI 1, [(K2, P1) twice], K2, yo, K2toa, K1 [12 sts]. Row 3: SI 1, K2, vo. K2tog, K2, [yo, twice], K2tog, [yo, twice], K2tog, K1 [14 sts]. Row 4: SI 1, [(K2, P1) twicel, K4, vo. K2tog, K1 [14 sts], Row 5; SI K2, yo, K2tog, K4, [yo, twice], K2tog, [yo, twicel, K2too, K1 [16 sts]. Row 6: SI 1, [(K2, P1) twice], K6, yo, K2tog, K1 [16 sts]. Row 7: SI 1, K2, vo. K2tog, K6, [vo. twice] K2tog, [vo. twicel, K2tog, K1 [18 sts], Row 8; Sl 1, [(K2, P1) twicel, K8, vo, K2tog, K1 [18 sts]. Row 9: SI 1, K2, vo. K2tog, K8, [vo. twice], K2tog, [yo, twice], K2tog, K1 [20 sts]. Row 10: SI 1, [(K2, P1) twicel, K10, vo. K2tog, K1 [20 sts].



Row 11: SI 1, K2, yo, K2tog, K15 [20 sts]. Row 12: BO 10 sts, K6, yo, K2tog, K1 [10 sts]. Rep Rows 1-12, 14 more times. BO all sts

FINISHING

Sew shoulder seams. Sew side seams. Attach Lace Hem to bottom edge of Vest Front Band Edging


With G crochet hook and A, work sc up front edges, from Hem to Neck. Fasten off.

Optional: Sew 2 fronts together, and attach faux buttons; or afterworking sc edging, make 4 chain button loops.

Neck and Armhole Edging

With G crochet hook and A, work 2 rows so around neck. Next row: With C. work 1 Row SC. Fasten off. Work 2 rows sc with A around neck, then sc 1 row with C. Work armholes edges as for neck.

Designed by Patti Subik & Brigitte Reydams exclusively for The Great Adirondack Yarn Co.





Continued from page 63



#### SIZES

- · Top is sized to fit Women's X-Small (Small, Medium, Large, X-Large). FINISHED MEASUREMENTS
- · Bust 34 (36, 38, 40, 42)"
- · Length 18 (19%, 20%, 21%, 22%)"



- Upper Arm 9 (10, 10, 10%, 10%)\* MATERIALS
- · 2 (2, 3, 3, 3) 8 oz (150 yd) skeins Farmhouse Yarns I Am Allergic
- To Wool (85% cotton, 15% rayon) color Mint
- Size 11 US (8.0mm) 24" circular needle OR SIZE TO OBTAIN GAUGE
- varn needle, (4) stitch markers
- GAUGE
- . 8 sts x 14 rows= 4" in St st in the round TO SAVE TIME. TAKE TIME TO CHECK GAUGE.

#### DESIGNER NOTES

Tee is cast on at neckline and worked in the round to hem.

#### CO 52 (56, 60, 66, 68) st. PM and join for working in the round, being careful not to twist sts. Rnd 1: Work 1x1 rib over 18 (20, 22, 24, 24) sts. pm. cont in 1x1 rib over 8 (8, 8, 9, 10) sts, pm, cont in 1x1 rib over 18 (20, 22, 24, 24) sts. pm. cont in 1x1 rib over 8 (8, 8, 9, 10) sts. Work 1 rnd in patt as set. Inc rnd; \*Kf&b. knit to 1 st before marker, kf&b, slm; rep from \* to end of rnd [8 sts inc'd]. Knit 1 md. Rep. these two rnds, 5 more times [100 (104, 108, 114, 116) sts ]. Next rnd: K30 (32, 34, 36, 36), slm, work 2x2 rib over 20 (20, 20, 21, 22) sts, slm, K30 (32, 34, 36, 36), slm, work 1x1 rib over rem 20 (20, 20, 21, 22) sts. Rep this

Shape Cap Sleeves

rnd 1 (2, 2, 3, 3) more times.

\*K30 (32, 34, 36, 36), BO 20 (20, 20, 21, 22)

sts; rep from \* once. Next rnd: \*K30 (32, 34, 36, 36), CO 4 (4, 4, 4, 6) sts; rep from \* once [68 (72, 76, 80, 84) sts]

# Work even in St st until piece meas 12 (13, 14,

15 16)" from underarm Hem Ribbing


Rnd 1: \*K2, P2; rep from \* to end. Rep this rnd until rib meas 1 1/2". BO all sts loosely in

#### nattem. FINISHING

Farmhouse Yarns.

Weave in ends. Sew underarm seams.

Designed by Carol Morgan exclusively for



# 9 Hand-Painted Cable Coat with Belt

Continued from page 64



· Coat is sized to fit Women's Small (Medium, Large, X-Large).

FINISHED MEASUREMENTS Chest 34 (36, 37%, 39%)"



#### · Length 27 (28%, 29%, 30%)" Upper Arm 13% (15%, 16%, 17%)" MATERIALS

· 8 (8, 9, 10) 100g (109 yd) hanks Misti Alpaca Hand Dyed Worsted (100% baby alpaca) color #IND 1 (MC) 3 (3, 4, 4) 50g (109 vds) hanks Misti Alpaca Worsted (100% baby

alpaca) color #5573 (CC) · Size 4 US (3.50mm) 32" circular needles OR SIZE TO OBTAIN GAUGE cable needle, stitch markers, stitch holders, (5) 1" buttons for belt

· Size D/3 US (3.50mm) crochet hook

GAUGE 30 sts x 32 rows = 4" in Chart A

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

### BODY

With MC, CO 255 (269, 283, 297) sts. Row 1 (WS): Work Row 1 of Chart A, rep 7-st patt 36 (38, 40, 42) times across row. Row 2 (RS): Cont as charted, work 63 (67, 71, 74) sts in patt as set, pm, work 129 (135, 141, 149) sts in patt as set, pm, work 63 (67, 71, 74) sts in patt as set. Cont as charted, until piece meas 1% (2, 2, 2%)" from CO, end after a WSR.

#### Shape Body

Dec row (RS): Work in patt as set to 2 sts before first marker, sl 1, K1, psso, slm, K2tog, work in patt as set to 2 sts before second marker, sl 1, K1, psso, slm, K2tog, work to end in patt as set [4 sts dec'd]. Work 15 rows even rows even. Rep these 16 rows, 4 more times [235 (249, 263, 277) sts]. Work even in patt as est until piece meas 14% (15, 15%, 16%)", end after a WSR. Inc row (RS): Work in patt as set to 1 st before marker, inc 1, K1. slm. K1, inc 1, work in patt as set to 1 st before second marker, inc 1, K1, slm, K1, inc 1, work in patt as set to end. Work 5 rows even. Rep these 6 rows, 4 more times [255] (269, 283, 297) stsl. Cont as charted until piece meas 19% (20, 21, 21%)" from CO, end after a WSR.

#### Divide for Fronts and Back

Next row (RS): Work even in patt as set to 4 sts before first marker, BO 8 sts, work even in patt as set to 4 sts before second marker, BO 8 sts, work even to end of row. [247 (261, 275, 289) sts rem: 59 (63, 67, 70) sts for each Front, and 121 (127, 134, 142) sts for Back]. Remove markers and work Fronts and Back

#### separately as foll. LEFT FRONT

#### Shape Armhole and Neck

Work 1 WSR in patt as est. Next row (RS): BO 2 sts and work to last 2 sts in patt. K2tog. Work 1 WSR. Rep these 2 rows, once more. Next row (RS): Dec 1 st and work to last 2 sts in patt, K2tog. Work 1 WSR. Rep these 2 rows, once more [49 (53, 57, 60) sts rem]. Dec row (RS): Work to last 2 sts in patt as set, K2tog. Work 1 WSR. Rep these 2 rows, 16 (19, 22, 24) more times [32 (33, 34, 35) sts rem]. Work even in patt as set until piece meas 27 (28%, 29%, 30%)" from CO, end after

#### BACK

a WSR. BO all sts.

At beg of next 4 rows, BO 2 sts and work to end in patt as set. Dec row (RS): SSK, work to last 2 sts in patt as set, K2tog [2 sts dec'd]. Work 1 WSR. Rep these two rows, 1 time more [105 (111, 117, 125) sts rem]. Work even in patt as set, until piece meas 26% (27%, 28%, 30)" from CO, end after a WSR. Divide for Shoulders

Next row (RS); Work 32 (33, 34, 35) sts in patt as set, attach new ball of yarn and BO 39 (43, 47, 53) sts, and work rem 32 (33, 34, 35) sts. Working each side separately, work even until piece meas 27 (28%, 29%, 30%)" from CO, end after a WSR. BO 32 (33, 34, 35) sts for each shoulder

#### RIGHT FRONT

With WS facing, join yarn at underarm. Work as for Left Front, rev all shapings.

## SLEEVES

CO 66 (73, 80, 87) sts. Row 1 (WS): Work Row 1 of Chart A. rep 7-st patt 9 (10, 11, 12) times across row. Work even until piece meas 1% (2, 2, 2)", from CO, end after a WSR. Inc. row (RS): P1, inc 1, work to last 2 sts, inc 1, P1 [2 sts inc'd]. Work 5 rows even. Rep these 6 rows 18 (20, 22, 22) more times, incorporating new sts into pattern as they appear [104 (115, 126, 133) sts]. Work even until piece meas 18 (19, 19%, 20%)" from CO, end after a Shape Sleeve Cap

At beg of next 2 rows, BO 4 sts and work to end. At beg of next 6 rows, BO 2 sts and work to end. Dec row (RS): SSK, work to last 2 sts of row, K2tog [2 sts dec'd]. Work 1 WSR. Rep. these 2 rows, 1 time more. BO rem 88 (99, 110, 117) sts. FINISHING

## Sew shoulder seam. Set in sleeves.

## Edging

With crochet hook, work 1 row of Crab St (rev sc) along entire jacket. Belt

With CC and circ ndls, CO 228 (244, 252, 260) sts. Work 2 rows Garter st. Work Row 1 of Chart B, rep 8-st patt 28 (30, 31, 32) times across row. Cont as charted, until piece meas 6" from CO, end after a WSR. Work 2 rows Garter st. BO all sts.

## Belt Edging

With CC, pick up and K60 sts along short side With WS facing, join varn and work 1 WSR, of belt, Work 4 rows Garter St. BO all sts.

Rep for opposite side. With crochet hook, ch 5 button loops evenly spaced along the right edge of belt. Attach buttons on left edge of Belt, opposite loops,

Weave in all ends.





Chart(s) for Project 29 can be found on page 116.

Continued from bage 65

#### - D (2)

# SIZES

- · Pullover is sized to fit Men's Small (Medium, Large, X-Large, XX-Large). FINISHED MEASUREMENTS
- · Chest 41½ (44, 47, 49½, 52)"
- Length 27 (27%, 28, 28%, 29)" Upper Arm 18 (19, 20, 21, 22)"
- CABLE RIB PATTERN (multiple 4 + 2 sts) See Chart.

# DOUBLE SEED STITCH PATTERN (multiple

2 + 1 stsRow 1 (RS): \*P1, K1. Rep from \* across, end

row with P1 Row 2: \*K1, P1. Rep from \* across, end row with K1.

Bow 3: As Row 2. Row 4: As Bow 1

Rep Rows 1-4 for Double Seed St patt.

Panel A (6-st panel) See Chart.

Panel B (20-st panel) See Chart

Panel C (32 sts) See Chart.

#### RACK

With smaller ndls and CC, CO 146 (154, 162, 170, 178) sts. Work 2 rows of Cable Rib Patt. Change to MC, cont in patt as est until piece meas approx 2" from CO, end after RSR. Next Row (WS): K2, (P2, K2) 2 (3, 4, 5, 6) times, M1, (P2, K2) 4 times, (M1, P2, K2) twice, (P2, K2) 3 times, P2, M1, (K2, P2) 3 times, M1, (K2, P2) twice, (M1, K2, P2) 5 times, (K2, P2) twice, M1, (K2, P2) 4 times, K2, (M1, P2, K2) twice, (P2, K2) 3 times, P2, M1, (K2, P2) 2 (3, 4, 5, 6) times, K2 [160 (168, 176, 184, 192) sts].

## Establish Patterns

Next Row (RS): Change to larger ndls, and work Row 1 of Double Seed St Patt over first 15 (19, 23, 27, 31) sts, pm, work Row 1 of Panel A over next 6 sts, pm, work Row 1 of Panel B over next 20 sts, pm, work Row 1 of Panel A over next 6 sts, pm, work Row 1 of Double Seed St Patt over next 11 sts. pm. work Row 1 of Panel A over next 6 sts, pm, work Row 1 of Panel C over next 32 sts, pm, work Row 1 of Panel A over next 6 sts, pm, work Row 1 of Double Seed St Patt over next 11 sts, pm, work Row 1 of Panel A over next 6 sts, pm, work Row 1 of Panel B over next 20 sts. pm. work Row 1 of Panel A over next 6 sts nm. work Row 1 of Double Seed St Patt over next 15 (19, 23, 27, 31) sts. Cont even in patts as est until piece meas approx 17" from CO, end after WSR.

#### MATERIALS

- 19 (20, 21, 22, 23) 50g (110 yds) hanks Blue Sky Alpaca Melange (100% baby alpaca) color #802 Pesto (MC)
- 1 (1, 2, 2, 2) 50g (110 yds) hanks Blue Sky Alpaca Melange (100%)
- baby alpaca) color #807 Dijon (CC) Size 3 US (3.25mm) needles
- Size 4 US (3.50mm) needles OR SIZE TO OBTAIN GAUGE
- cable needle, 12 stitch markers
- GAUGE
- · 24 sts x 32 rows = 4" in Double Seed St with larger ndls
- · Panel C = 31/4" wide with larger ndls
- · Panel B = 2" wide with larger ndls
- TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

#### Shape Armholes

BO 15 (18, 18, 18, 22) sts at beg of next two rows [130 (132, 140, 140, 148) sts rem]. Cont even until piece meas approx 24 (24%, 25, 25%, 26)" from CO, end after WSR.

#### Shape Neck and Shoulders

Work across first 37 (38, 42, 46, 46) sts, join second ball of yarn and BO middle 56 sts, work across to end row. Work both sides at once with separate balls of yarn, and dec 1 st each neck edge every row 4 times, while at the same time, when piece meas approx 26 (26%, 27, 27%, 28)" from CO, BO 8 (8, 10, 10, 10) sts at heg of next 6 rows, then BO 9 (10, 8, 12, 12) sts at beg of next 2 rows.

#### FRONT Work as for Back.

#### SLEEVES

With smaller needles and CC, CO 66 sts. Work 2 rows of Cable Rib Patt. Change to MC, cont in patt as est until piece meas approx 2" from CO. end after a RSR. Next Row (WS): (K2, P2) 7 times, K2, M1, P2, K2, M1, (P2, K2) 8 times [68 sts].

#### Establish Patterns

Next Row (RS): Change to larger ndls, and work Row 1 of Double Seed St Patt over first 18 sts, pm, work Row 1 of Panel A over next 6 sts, pm, work Row 1 of Panel B over next 20 sts. pm. work Row 1 of Panel A over next 6 sts. pm, work Row 1 of Double Seed St Patt over next 18 sts to end row. Cont patts as est, and inc 1 st each side EOR 0 (0. 0. 0. 4) times. every 4 rows 8 (17, 27, 35, 34) times, then every 6 rows 18 (12, 5, 0, 0) times, working new sts in Double Seed St Patt as they appear [120 (126, 132, 138, 144) sts]. Cont even until Sleeve meas approx 22 (22%, 22%, 23%, 24)" from CO.

#### Shape Saddle

BO 43 (46, 49, 52, 55) sts at beg of next 2 rows [34 sts rem]. Cont even in patt as est, with one st each side in St St Patt, until saddle meas same as width of one shoulder of Front or Back BO all sts. FINISHING

# Sew both left shoulder seams and one right

#### shoulder seam.

**Neck Band** With RS facing, smaller ndls, and MC pick up and K114 sts evenly around neckline. Beg Cable Rib Patt, and work even until neck band meas approx 1" from CO, end after a WSR. Change to CC, and work 2 rows of patt as est.

#### Next Row: BO all sts in patt.

# Assembly

Sew right shoulder seam, including side of neckband. Set in sleeves. Sew sleeve and side seams.

Designed by Melissa Leapman exclusively for Knit 'N Style.





Chart(s) for Project 30 can be found on page 116.

# 3 1 Brick Stitch

Continued from base 66

## 

#### SIZES

· Wrap is one size to fit most Women FINISHED MEASUREMENTS · Length 73 Width 7½" including ruffle edge

#### DESIGNER NOTES

· Brick stitch pattern is worked through main portion of stole. Rows are worked in rev St st. and every 6th st (the CC color st) is slipped and pulled up from a previous row, to create the brick effect

· Beg with Row 2, the 3 center sts will be purled on all WSRs. Beg with Row 3, all RSRs will be worked in pattern to 2 sts before center st. K2tog, K1 (center st), SSK,

· For ease in picking up sts, all rows should begin with K1.

#### BODY

Using MC, CO 281 sts. Row 1: Knit. Row 2 (WS): K139, P1, pm, P1 [center stitch], pm. P1, K139, Row 3 (RS); K1, purl to 2 sts before center st, K2tog, slm, K1, slm, SSK, purl to end of row [2 sts dec'd]. Row 4: knit to 1 st before center st. P1. slm. P1. slm. P1. knit to end of row. Row 5: Knit to 2 sts before center st. K2tog, slm, K1, slm, SSK, knit to end of row. Row 6: K1, purl to last st, K1, Row 7 Knit to 2 sts before center st. K2tog. slm, K1, slm, SSK, knit to end the row, Rows 8-10: Rep Rows 2-4 [273 sts rem].

#### Establish Brick Stick Pattern

Change to CC (do not cut MC) and beg Brick St as foll: Row 11 (RS); knit to 2 sts before center st. K2tog. slm. K1. slm. SSK knit to end of row. Row 12 (WS): K1, purl to last st.



#### MATERIALS

- · 2, 3.5 oz (200 yd) skeins Fiber Pieces (70% alpaca, 30% merino) color Bayberry (MC)
- 1. 3.5 oz (200 vd) skeins Fiber Pieces (70% alpaca, 30% merino) color Red Oak (CC)
- Size 9 US (5.5mm) 32" circular needles OR SIZE TO OBTAIN GALIGE
- Stitch markers

GAUGE 16 sts = 4" in St st

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

pwise wvib\*: rep from \* to 2 sts before center st. K2tog. slm. K1. slm. SSK \*P5. sl 1 pwise. wyib; rep from \* to last st, K1. Row 14; K1, \*sl 1 pwise wyif (CC st), K5: rep from \* to 1 st before center st. P3, "sl 1 pwise wvif (CC st), K5; rep from \* to last st, end K1. Row 15: K1. \*P5, sl 1 pwise wyib (cc st); rep from \* to 2 sts before center st, K2tog, sl m, K1, SSK, \*P5, sl 1 pwise wyib (CC st): rep from \* to last st. end K1. Row 16: K1, \*sl 1 pwise wyif (CC st), K5; rep from \* to 1 st before center st. P3. \*sl 1 pwise wyif (CC st), K5; rep from \* to last st. end K1. Rows 17-18: Work even in patt for 2 rows. Row 19 (RS): knit to 2 sts before center st, K2tog, slm, K1, slm, SSK, knit to end of row. Row 20: K1, purl to last st, K1. Row 21 (RS): K2, sl 1 wyib, \*K5, sl 1 wyif (CC st); rep from \* to 2 sts before first m. K2tog. slm. K1.

slm, SSK, work to last 3 sts in patt, sl 1 wvib,

K2. Row 22: K1. P1. sl 1 wvif. \*sl 1 wvif (CC)

st), P5; rep from \* 1 st before first m, P3, \*sl 1

wyib (CC st), P5; rep from \* to last 3 sts. \*sl 1

K1. Row 13: Change to MC, K1, \*P5, sl 1

wyif, P1, K1. Rows 23 - 26: Work even in patt as est. Rep rows 11-26 once. Complete Brick Stitch Pattern Row 41 (RS): Change to CC, knit to 2 sts before center st, K2tog, slm, K1, slm, SSK, knit to end. Row 42 (WS): K1, purl to last st, K1. Break CC varn, leaving a long tail. Row 43 (RS): Change to MC, knit to 2 sts before center st. K2tog, slm, K1, slm, SSK, knit to end. Bows 44-52: Rep Bows 2-10. I-CORD EDGING With CC, work applied I-Cord as foll: \*K2.

SSK, sl these 3 sts back to LH ndl; rep from \* to end. Cut varn and fasten off.

#### **BUFFLES** Work each edge separately.

Short Edges With circ ndl, pick up and K27 sts. Row 1: \*K3, P1: rep from \* to last 3 sts. end K3. Row 2: \*P3, YO, K1, YO; rep from \* to last 3 sts. end P3. Row 3; \*K3. P3; rep from \* to last 3 sts, end K3. Row 4: \*P3, YO, K3, YO; rep from \* to last 3 sts. end P3. Row 5: \*K3. P5: rep from \* to last 3 sts. end K3. BO all sts. leaving a long tail. Rep for second edge.

#### Long Edge With circ ndl, pick up and K279 sts. Work Rows 1-5 as for Short Edge. BO all sts. leav-

ing a long tail. FINISHING

# Sew edges of ruffles together at corners.

Weave in all ends. Wash in warm water with gentle shampoo. Rinse. Roll in a towel to gently press out water. Lay flat to dry.

Designed by Pamela Harwood exclusively for Fiher Pieces

Continued from page 67



#### · Length 45"

Width 15"

Note: The knitted fabric is flexible measurements are approx.

OPENWORK LACE PATTERN (even number of sts) Row 1: K1, \*yo, skp; rep from \* across to last

st. K1. Rows 2-8: Rep Row 1.

Rows 9-12: K across.

Rep Rows 1-12 for Openwork Lace Patt.

## SCARE

CO 40 sts. Beg Row 1 of Openwork Lace Patt. Cont as est until piece meas approx 40" unstretched, or until yarn is almost used up.



· 1, 25g (230 yd) skein Artyarns for the Impressionist Collection / Yarnmarket Silk Mohair (70% super kid mohair, 30% silk) color #04 Les Fleurs Size 9 US (5.5mm) needles OR SIZE TO OBTAIN GAUGE

If longer or wider scarf/shawl is desired, please add 1 extra skein.

all sts. Weave in all ends.

· 16 sts = 4" in Openwork Lace Pat TO SAVE TIME. TAKE TIME TO CHECK GAUGE.

# length or in width.

DESIGNER NOTES · Because of loose lace pattern, scarf/shawl can be stretched in

making sure to end after Row 8 of patt. BO

Designed by Iris Schreier (author of Lacy Little Knits) exclusively for Yarnmarket, LLC.

# 33 Susanna

Continued from page 68

## 

SIZES

· Cardigan is sized for Women's X-Small (Small, Medium, Large, X-Large,

XX-Large). FINISHED MEASUREMENTS

## Bust (closed) 32 (36, 40, 44, 48, 52)" DESIGNER NOTES

· When increasing or decreasing in Pat St, make sure that each vo is balanced by an ssk or a P2tog. If there are not enough sts to work the whole repeat, work the extra st(s) in St.st.

PATTERN STITCH (multiple of 2 sts)

Row 1 (RS): K1, \*yo, ssk; rep from \* to last st, end K1 Row 2: P1, \*yo, P2tog; rep from \* to last st,

end P1 Rep Rows 1-2 for Pat St. :

#### BACK

With smaller ndls, CO 78 (90, 98, 110, 122, 130) sts. Beg 2x2 rib as foll: Row 1 (RS): K2, \*P2, K2; rep from \* across. Row 2: P2, \*K2, P2: rep from \* across. Rep last 2 rows until piece meas 2%, end after a WSR, dec 10 (12, 12, 16, 20, 20) sts evenly spaced across last row [68 (78, 86, 94, 102, 110) sts]. Change to larger ndls and work even in Pat St until piece meas 12% (12%, 12%, 12%, 13%, 13%)" from CO, end after a WSR.

#### Shape Armholes

BO 4 (6, 6, 8, 8, 10) sts at beg of the next 2 rows [60 (66, 74, 78, 86, 90) sts]. Work even until armhole meas 7 (7%, 8, 8%, 9, 9)", end after a WSR. BO all sts.

#### LEFT FRONT

With smaller ndls, CO 34 (38, 42, 50, 54, 58) sts. Work in 2x2 rib as for Back until piece meas 2 3/4", end after a WSR, dec 2 (2, 2, 6, 6. 6) sts evenly spaced across last row [32] (36, 40, 44, 48, 52) stsl. Change to larger ndls. Work even in Pat St until piece meas 12% (12%, 12%, 12%, 13%, 13%)" from CO, end after a WSR.

#### Shape Armholes

BO 4 (6, 6, 8, 8, 10) sts, work to end [28 (30, 34, 36, 40, 42) sts]. Work even until armhole meas 3 (3%, 4, 4%, 5, 5)", end after a RSR.

#### Shape Neck

Next Row (WS): BO 6 (6, 8, 8, 8, 10) sts. work to end [22 (24, 26, 28, 32, 32) sts]. Work 1 row even. BO 2 sts at neck edge 4 (3, 3, 3, 4, 3) times more [14 (18, 20, 22, 24, 26) sts]. Work even until piece meas same as Back. BO rem sts for shoulder.

RIGHT FRONT Work as for Left Front, rev all shaping.

#### SLEEVES

With smaller ndls, CO 46 sts. Work in 2x2 rib same as for Back until piece meas 3", end



Length 19% (20%, 20%, 21%, 22%, 22%)"

 Upper Arm 14 (15, 16, 17, 18, 18)" nylon) color #3750 Acee Blue Eagle

#### MATERIALS · 8 (9, 11, 12, 14, 15) 50g (120 yd) balls Berroco Suede (100%

Size 6 US (4.0mm) needles · Size 8 US (5.0mm) needles OR SIZE TO OBTAIN GAUGE

· Size G/6 US (4.0mm) crochet hook

#### (5) 1" buttons GAUGE

17 sts x 24 rows = 4" in St st with larger ndls

21 sts = 4" in 2x2 rib with smaller ndls.

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

after a WSR, dec 4 sts evenly spaced across [42 sts]. Change to larger ndls and work in Pat St, inc 1 st each side every RSR 0 (0, 0, 4, 8, 8) times, every other RSR 0 (4, 13, 11, 9, 9) times, every 6 rows 6 (6, 0, 0, 0, 0) times, then every 8 rows 2 (0, 0, 0, 0, 0) times, working incs into Pat St as they appear [58 (62, 68, 72, 76, 76) sts]. Work even until sleeve meas 121/2" from CO, end after a WSR. Mark beg and end of last row for beg of sleeve cap. Work even until sleeve meas 1 (1½, 1½, 2, 2, 2½)" above markers, end after a WSR. BO all sts.

#### FINISHING Steam pieces with hot steam iron and a press-

ing cloth. Sew shoulder seams. Left Front Band

With smaller ndls, CO 11 sts. Beg 1x1 rib as foll: Row 1 (RS): K1, \*P1, K1; rep from \* across. Row 2: P1, \*K1, P1; rep from \* across. Rep last 2 rows until band, when slightly stretched, reaches from lower edge to beg of neck shaping, end after a WSR. BO all sts in ribbing. PMs for 5 buttons, the first 1"

from lower edge, the last 1" from neck shaping and the other 3 evenly spaced between. Right Front Button Band

Work same as for Left Front band, working buttonholes opposite markers on RSRs as foll: (K1, P1) twice, K1, yo, K2tog, (P1, K1) twice. Assembly

# Sew bound-off edges of sleeves to straight

edges of armholes. Sew side edges of sleeves above markers to bound-off edges of armholes. Sew side and sleeve seams. Sew inner edges of Front bands to Front edges, stretching slightly. **Neck Band** 

With RS facing and crochet hook, join yarn with a sl st in first st of right Front button band. Row 1 (RS): Sc in same st as joining, work 27 (27, 29, 31, 33, 36) sc evenly spaced along neck edge to shoulder, work 32 (32, 34, 36, 38, 38) sc evenly spaced across back neck to shoulder, work 28 (28, 30, 32, 34, 37) sc evenly spaced across left neck edge [88 (88, 94, 100, 106, 112) sc. Ch 1, turn. Row 2: Sc in first sc, \* ch 2, skip next 2 sc, sc in next sc, rep from \* to end. Ch 1, turn. Row 3: Sc in first sc. \* work 6 dc in next ch-2 sp, work 1 sc in next ch-2 sp. rep from \*, end sc in last sc. Fasten off.

#### Drawstring

With crochet hook, make a chain 60" long or desired length. Fasten off.

Weave in all ends. Weave drawstring through waist of sweater 41/2" up from lower edge, starting and ending at edge of Front bands (see photo). Sew on buttons,









# 34 Cabled Carpet Bag

Continued from page 69



FINISHED MEASUREMENTS approx 15" wide x 12" deep x 12" tall MATERIALS . 5, 100g (82 vd) hanks Alpaca With a Twist Big Baby (100% baby

- alpaca) color #1004 Cloudy Sky
- . Size 10 US (9 0mm) 24" circular needles

#### STITCH GLOSSARY

C4F SI 2 sts to cn, hold in front, K2, K2 from cn C4B SI 2 sts to cn. hold in back, K2, K2 from cn.

SEED STITCH (multiple of odd number of sts) Row 1: \*K1. P1: rep from \* to last st: K1. Ben Bow 1 for Seed st

#### BAG

#### Center Panel CO 144 sts. Row 1 (RS): Work 7 sts in Seed

st, C4B, C4B, K2, work 110 sts in Seed st. C4B, C4B, K2, work 7 sts in Seed st. Row 2&4: P. Row 3 (RS): Work 7 sts in Seed st. C4F, C4F, K2, work 110 sts in Seed st, K2, C4F, C4F, work 7 sts in Seed st. Rep Rows 1-4 until piece meas 16" from CO. BO all sts.

35a Ruffle Wrap Baby Sweater

Large 9-12 months, X-Large 12-18 months).

· Sweater is sized for Baby's Small 0-6 months (Medium 6-9 months.



Joining Sides to Front

With RS facing of long edge of center panel,

pick up and K130 sts starting and ending with

the outer edges of the 10-st cable panels (do

not pick up 7-st Seed st panels). SI 40 sts.

pm. sl 50 sts. pm [40 sts rem on ndi]. Work on

the 50 center sts only, join new yarn end and

\*cont in est Seed St pat for 49 sts. K next st

tog with first st after marker [1 st dec'd]. Turn."

Rep from \* to \* until piece meas 6". \*\*Cont in

est Seed St pat for 48 sts. K next 2 sts tog with

first st after marker [2 sts dec'd]. Turn, Rep.

from \*\* once more. Next row: Beo from \* to \*

(single decs at end of rows) until cable sts are

reached. Change to 2x2 rib for 49 sts. K next

st tog with first st after marker [1 st dec'd].

cable needle

(2) 91/2" wooden handles, Sunbelt Fastener Co, item# SFPH-WO1 (2) ½" x 4½" wooden dowels

GALIGE

#### . Gauge is not critical but should be knit tightly TO SAVE TIME. TAKE TIME TO CHECK GAUGE.

DESIGNER NOTES

· Bag is constructed of a large center panel and 2 side panels.

The front, bottom and back as one piece and is worked from side to

stitches; center panel is worked back and forth in rows.

#### Circular needles are used to accommodate the large number of

all sts

Joining Sides to Back Work as for Joining Sides to Front.

on either end and only 50 sts rem on ndl. BO

FINISHING Create dowel pockets by folding 7-st seed

section in half lengthwise. Insert dowel into pocket. Stitch ends closed. Rep for other side. Attach wooden handles.

#### Optional Base Designer suggests fusing heavy interfacing to

the inside at the bottom of the bag to add support. Also cutting and inserting a piece of Plexiglas to fit the bottom will add support and help hold the carnet bag's shape.

Designed by Martha Townsend exclusively for Alpaca With A Twist.

# Turn. Rep last row until all sts are consumed

- MATERIALS 1 (2, 2, 2, 2) 57q (95 vd) skeins Caron International Simply Soft Baby (100% acrylic) color #3 Baby Pink (MC)
- 1, 85g (165 vd) skeins Caron International Simply Soft (100% acrylic) color #2614 Soft Pink (CC)
- Size 8 US (5.0mm) needles
- OR SIZE TO OBTAIN GAUGE
- · Size 8 US (5.0mm) 24" circular
- needles (for ruffle edge) · varn needle, stitch markers
- stitch holders 48" matching ribbon
- GAUGE

 17 sts x 29 rows = 4" in Garter st TO SAVE TIME, TAKE TIME TO CHECK GALIGE



## **DESIGNER NOTES**

FINISHED MEASUREMENTS · Chest 15 (16%, 17%, 19)"

Length 8½ (10%, 13½)"

Upper Arm 7 (9, 10, 11)\*

SIZES

· Wrap is worked beginning at the hem edge of the Back, up to the neckline (Sleeves are cast on halfway up the back). Sts are then bound off for the Back neck and the Left and Right Fronts are worked separately down to the hem edge.

#### BACK

With MC, CO 32 (35, 37, 40) sts. Row 1 (RS): Knit 1 row, PM in Row 1 to mark RS of fabric. Cont in Garter st until piece meas 4% (5%, 6%, 7%)", end after a WSR. SLEEVES

Next row (RS): K32 (35, 37, 40) sts, CO 19 (24, 27, 29) Sleeve sts [51 (59, 64, 69) sts], Next row (WS): K51 (59, 64, 69) sts, CO 19 (24, 27, 29) Sleeve sts [70 (83, 91, 98) sts], Next row (RS): Knit to last 2 sts, bring yarn to front, sl 2 sts pwise. Rep this row until Sleeve meas 3½ (4½, 5, 5½)", from CO, end after a WSR. Divide for Fronts

Next row (RS): K26 (32, 36, 39) sts for Right Front, BO 18 (19, 19, 20) sts for Back neck, place rem 26 (32, 36, 39) sts on stitch holder for Left Front.

## RIGHT FRONT

Next row (WS): Knit to last 2 sts. bring varn to front, sl 2 sts pwise. Rep this row until piece meas 1 (1, 1, 1%)", from divide, end after a WSB

#### Shape Neck

Row 1 (RS): K24 (30, 34, 37), Kf&b in next st. K1 [27 (33, 37, 40) sts]. Row 2: K25 (31, 35, 38), bring varn to front, sl 2 sts pwise. Row 3: Knit to last 2 sts, Kf&b in next st, K1 [1 st inc'dl. Row 4: Knit to last 2 sts. bring varn to front, sl 2 sts pwise. Rep Rows 3-4 12 (10, 8, 8) more times [40 (44, 46, 49) sts]. Next row (RS): BO 19 (24, 27, 29) sts for Right Sleeve, knit to last 2 sts. Kf&b in next st. K1. [22 (21, 20, 21) sts rem]. Next row (WS): Knit. Next row (RS): Knit to last 2 sts, Kf&b in next st, K1. Next row (WS): Knit. Rep last 2 rows 2 (6, 8, 13) more times. Next row (RS): Knit to last 2 sts, Kf&b, K1 [26 (29, 31, 34) sts], Next row (WS): Knit to last 2 sts, bring yarn to front, sl 2 sts pwise. Next row (RS): Knit. Work even in patt as set for 2% (3, 3%, 4)". BO all sts

#### LEFT FRONT

SI sts from stitch holder onto ndl. With RS facing, attach MC and K24 (30, 34, 37) sts, bring yarn to front, sl 2 sts pwise. Row 2 (WS): Knit. Row 3: Knit to last 2 sts, bring varn to front, sl 2 sts pwise. Row 4: Knit. Rep Rows 3-4 until piece meas 1 (1, 1, 11/2)" from divide, end after a RSR.

Shape Neck

Row 1 (WS): K24 (30, 34, 37), Kf&b in next st, K1 [27 (33, 37, 40) sts]. Row 2: K25 (31, 35, 38), bring varn to front, sl 2 sts pwise. Row 3: Knit to last 2 sts. Kf&b in next st, K1 [1 st inc'd]. Row 4: Knit to last 2 sts, bring yarn to front, sl 2 sts pwise. Rep Rows 3-4 12 (10, 8, 8) more times [40 (44, 46, 49) sts]. Next row (WS): BO 19 (24, 27, 29) sts for Left Sleeve, knit to last 2 sts, Kf&b in next st, K1 [22 (21, 20, 21) sts rem]. Next row (RS): Knit. Next row (WS): Knit to last 2 sts, Kf&b in next st, K1. Next row (RS): Knit. Rep last 2 rows 3 (7, 9, 14) more times [26 (29, 31, 34) sts]. Next row (RS): Knit to last 2 sts, bring varn to front, SI 2 sts pwise. Next row (WS): Knit. Work even in patt as set, until piece meas for 2½ (3, 3½, 4)". BO all sts.

FINISHING

Ruffle Sleeve Edge

With CC, pick up and K24 (30, 34, 38) sts around Sleeve Cuff edge. Purl 1 WSR. Row 2: \*Kf&b; rep from \* to end [48 (60, 68, 76) sts].

Row 3: Purl. Row 4:\*Kf&b; rep from \* to end [96 (120, 136, 152) stsl. BO all sts purlwise. Join side and Sleeve seams.

Ruffle Sweater Edge

With BS facing, CC, and circular ndl; beg at Hem edge of Right Front, pick up and K24 (26, 28, 32) sts around Right Front Bottom Edge, pick up and K30 (32, 34, 38) sts around Back Bottom Edge, pick up and K24 (26, 28, 32) sts around Left front Bottom Edge, pick up and K30 (33, 35, 43) sts up Left Front Inside Edge, pick up and K16 (16, 18, 20) sts along Back Neck, and pick up and K30 (33, 35, 43) sts along Right Front Inside Edge. PM, and join for working in the round [154 (166, 178, 208) stsl. Rnd 1: Knit. Rnd 2: \*Kf&b; rep from \* to end [308 (332, 356, 416) stsl. Rnd 3; Knit, Rnd 4: \*Kf&b; rep from \* to end [616 (664, 712, 832) stsl. BO all sts.

Ribbon Closures

Attach (1) 8" length of ribbon to the Right Front edge and (1) 8" length of ribbon at the corresponding position at the opposite side seam. On the inside of the sweater, attach (1) 7" length of ribbon at the opening edge and one at the corresponding opposite interior side Weave in ends.

Designed by Regina Palosaar exclusively for Caron International.



Continued from page 70

## ---- (I

SIZES

· Bunting is sized to fit Baby (3-6 months) FINISHED MEASUREMENTS

Chest 24%

previous tier

· Length (shoulder to bottom) 32" MATERIALS

· 4, 57g (95 yd) skeins Caron International Simply Soft Baby (100%

DESIGNER NOTES Turn work to WSR.

· Entrelac is a series of knitted rectangles and half rectangles (called triangles from now on) joined by both picking up stitches and by knitting stitches together (via a psso or p2tog at the end of some rows) with ones from the

· Short rows are used in this pattern to make the rectangles and triangles. A "turn" indicates that the knitter should turn their work (as if they had just completed a row), to work the next "partial row".

· When working on this garment, try not to take a break mid-tier.

. The P&K increase is worked as foll: Purl into the front of the st, then, insert ndl through the back of the st, knitting the st through the back loop

#### BUNTING

With MC, CO 48 sts.

Tier I: Forming the Base Tier (RS)

The base tier is made up of (4) 12-st triangles Triangle 1: \*K2, Turn; P2, Turn; K3, Turn; P3, Turn; K4, Turn; P4, Turn; K5, Turn; P5, Turn; K6, Turn; P6, Turn; K7, Turn; P7, Turn; K8, Turn; P8, Turn; K9, Turn; P9, Turn; K10, Turn; P10, Turn; K11, Turn; P11; K12, do not turn. Rep from \* 3 times more (4 triangles in all),

Tier II (WS): Tier II is made up of 3 full rectangles, with 1 triangle each side

Step A (first triangle): Change to CC, P&K, pm, P2tog, Turn; K3; \*P&K, purl to marker, P2tog, Turn; Knit to end. Rep from \*, inc 1 st in the first st, purl to m, end P2tog, 7 more times. P&K, purl to marker, remove marker,

P2tog [12 sts on RH ndl]. Do not turn Step B (full rectangle): Leaving 12 sts from

first triangle on RH ndl, work first full rectangle as foll: inserting ndl from back to front, pick up and P12 sts along the side edge of first triangle from tier below. SI last picked up st back to LH ndl and P2tog (last st picked up with first st of second triangle of tier below), Turn. Next row (RS): K12, Turn; P10, P2tog (last st of row with next st from second triangle of tier below); cont in this manner until all 12 sts from second triangle of tier below have been worked. Rep Step B until 3 rectangles are formed across row.

Step C (ending triangle): Pick up and P11 sts from unworked side of last triangle, Turn: K11, Turn; \*Purl to last 2 sts, P2tog, Turn; knit to end. Rep from \* 9 times [1 st rem]. Turn. Tier III (RS): Tier III is made up of 4 whole

rectangles Step A: Counting the 1 st left on RH ndl, with

acrylic) color #0003 Sunshine (MC)

· 3, 57g (95 yd) skeins Caron International Simply Soft Baby (100% acrylic) color #0006 Cool Mint (CC)

 Size 8 US (5.0mm) needles OR SIZE TO OBTAIN GAUGE · Size H/8 US (5.0mm) crochet

hook · (1) 22" plastic zipper, stitch hold-

ers, stitch markers, varn needle, sewing needle & thread

GAUGE

 18 sts x 24 rows = 4" in St st 12 sts x 24 rows = 4" in Entrelac

· approx 2%" x 3%" rectangle TO SAVE TIME, TAKE TIME TO CHECK GAUGE

MC, pick up and K11 sts along first triangle. knit first st from first full rectangle of Tier II and sl last picked up st over it. Turn. Step B: P12, Turn; K11, sl 1, knit next st from

rectangle and PSSO; Turn. Cont in this manner until all 12 sts from rectangle have been worked and are on RH ndl. Do not Turn. Step C: Pick up and K12 sts along side edge

of next rectangle. Rep from beg of Step 3. B until all 4 rectangles are completed. Rep Tiers II and III. 5 more times. Work Tier II

once more

Tier IV:

Step A: With MC, rep Steps A and B of Tier III, once, Turn and K12, Turn, BO 12 sts and cont with Step B.

Step B: \*Pick up and purl 11 sts down side of next triangle, sI last st picked up to LH ndl and P2tog (slipped st and first st from next triangle), Turn. K12, Turn; \*P2tog, purl to last 2 sts, P2tog, Turn; knit to end, turn; rep from \* until 3 sts rem. P2tog, P1, turn; K2, Turn; P2tog. Rep from beg of Step B. 3 times more (4 triangles). Fasten off.

**BUNTING TOP** 

With RS facing, using MC, pick up and K110 sts along long edge of Bunting. Work even in St st, until piece meas 1" from pickup, end after a WSB

#### Dividing for Fronts and Back

K21 sts, BO 12 sts, K44, BO 12 sts, K21, Place sts for Right Front and Left Front on stitch holders

#### Bunting Top Back Purl 1 WSR. Work even in St st until piece

meas 6" from pick up row, end after a WSR. Shane Shoulders

## At beg of next 2 rows, BO 13 sts. BO rem 18

ete Innealu **Bunting Top Left Front** 

SI sts from stitch holder to ndl. Join varn at under arm and purl 1 WSB. Work even in St. st until piece meas 21/2" from pick up, end after a WSR. Next row (RS): K5, work Row 1 of Chart, K5. Maint 5 sts of St st on either side of Chart, cont as charted, working once through. Work even in St st until piece meas 41/2" from pick up, end after a RSR.

#### Shape Neck

Next row (WS): BO 6 sts and purl to end. Knit 1 row. Dec row (WS): P1. P2tog. purl to end [1 st dec'd]. Knit 1 row. Rep these two rows. 1 time [13 sts rem]. Work even in St st until piece meas 6" from CO, end after a WSR. BO all sts

## **Bunting Top Right Front**

Work as for Left Front, rev all shapings.

#### Sleeves

With MC CO 27 sts. Inc row (RS): K1 inc 1 knit to last st. inc 1, K1, Purl 1 row, Rep these 2 rows 9 more times [47 sts]. Work even in St st until piece meas 6" from CO, end after a WSR. BO all sts loosely.

#### Hood

With MC, CO 77 sts. Work even in St st for %", end after a WSR. Dec row (RS): K1, SSK, knit to last st. K2tog, K1. Work 5 rows even. Rep these six rows, 4 more times [67 stsl. Work even in St st until piece meas 7" from CO. BO all sts loosely.

#### FINISHING

Sew shoulder seams. Sew sleeves in place. Sew sleeve seams. Sew Back seam of bood. Sew bottom of hood to neckline, easing to fit.

#### Edging


Using CC and crochet hook, work 3 rows sc around cuff of Sleeves and along Left and Right Fronts including around hood. Fasten off.

Install Zipper Sew zipper by hand (with sewing needle and

Designed by Kathy Perry exclusively for Caron International.

thread) or machine to front edge, from bottom of Bunting to beg of bood. With BS tog. seam. bottom edge. Weave in all ends.

KEY = K on RS. P on WS = P on RS. K on WS BUNTING TOP CHART ENTRELAC BOTTOM 9 12 10 6 5 15" HOOD



Continued from page 71

## COND (5)

#### SIZES

 Poncho is sized to fit Child's 12-18 months (2T-3T, 4T-6). FINISHED MEASUREMENTS

## Length 10 (12, 15)"

- MATERIALS 2 (2, 3) 100g (104 vd) hanks The Alpaca Yarn Co Snuggle (55%)
- alpaca, 15% wool, 30% acrylic) color #6040 Snow Berries (MC)
- 1, 100g (104 vd) hanks The Alpaca Yarn Co Snuggle (55% alpaca.

#### STITCH GLOSSARY Attached I-Cord

M1 Insert LH ndl into the bar between the two ndls from back to front. Knit into the front of the stitch.

Using a dpn, pick up 1 st along edge and knit that sti. CO another st. (2 sts) \*[Switch ndl to LH, slide the sts to right end of the don. K the first st and slip the second, pick up another st



- 10-15 vards The Alpaca Yarn Co Snuggle (55% alpaca, 15% wool. 30% acrylic) color #6100 Snow White (AC)
- Size 10 US (6.0mm) 16" circular needle
- Size 11 US (8.0mm) 24" circular needles OR SIZE TO OBTAIN
- GAUGE
- Size 11 US (8.0mm) 29"
- circular needles 2. Size 10 US (6.0mm)
- double pointed needles · stitch markers

## GAUGE

 12 sts x 15 rows = 4" in St st with larger ndls TO SAVE TIME, TAKE TIME TO CHECK GAUGE.



from edge and knit it, psso]. Rep from \* to end of round.

#### PONCHO

With 16" circ ndls & MC, CO 36 (42, 48) sts.

Do not join. Work back and forth in rows, beg St st and work until piece meas 4", end after a WSB

#### Form Neck Band

Fold piece in half, bringing CO edge to the inside. K the 2 layers too by knitting 1 st from the LH ndl and 1 st from the CO edge tog. Purl 1 row. Next row (BS): \*[K1, M1] ren from\* across [54 (63, 72) stsl. Change to larger 24" circ ndls. Beg with a P row, work St st for 5 rows. Next row (RS): "[K2, M1], rep. from \* across [72 (84, 96) sts]. Purl 1 row. Leave ndls in work and beg Neck Placket

#### Neck Placket

Turn the work sideways and with RS facing, with CC and dons beg at the neck hand fold on the left side, pick up and K12 sts down to where the circ ndls are still in the work. Work 2x2 rib for 6 rows. BO all sts. On right side of the neck opening, starting at the hottom where the circ ndls are still in the work, finish the edge with a 2 st attached I-cord. When reaching the top of the neckhand turn and work another attached I-cord on top of the first I-cord. Leave a space for the buttonhole by working a regular, un-attached I-cord for the buttonhole space and then cont to the bottom of the placket with an attached I-cord. Cut CC and fasten ends. Next row (RS): Returning to sts on circ ndl join MC and K until 3 sts before the end of the row. With dons, pick up and K3 sts at the bottom of the ribbed hand. Hold the dpn behind the circ ndls, knitting 1 st from the circ ndl tog with 1 st from the dpn to join the layers. Pick up and K1 at the bottom of the Icord on the right side. Join tog to work in the rnd. PM to indicate beg of rnd [76 (88, 100) sts1 Knit 4 more rnds

Shape Poncho

Next rnd (Inc Rnd): "[K3, M1], rep from " to end of rnd [95 (110, 125) stsl. Work 5 rnds even. Cont working Inc Bnd every 6 rnds each time inc the number of K sts before the M1 by 1. Cont until 133 (198, 250) sts are reached. Change to 29" ndls when necessary. Work 5 (3, 6) more rnds, dec 1 (0, 2) sts in last md [132 (198, 252) sts]. Next rnd; With CC. K. Next rnd: With CC. P. With MC, K3 rnds. Work Fair Isle Chart for 3 rounds. K 3 rnds with MC. Join CC and work Picot 6-st Bind Off as foll: \*IBO 5 sts; in the next st without turning work, K1, CO 2 sts. BO 3 stsl: rep from \* to end of rnd

FINISHING Sew on 1 button at neck edge. Weave in all ends Block noncho

Designed by Ruth Thome exclusively for The Alpaca Yarn Company

FAIR ISI,E PATTERN (6-st repeat)



Continued from base 72

FINISHED MEASUREMENTS 10" wide x 5" deep x 4" high MATERIALS

1, (175 yd) spool BagSmith Nylon Cord (100% nylon) White (MC)



- 1, 50g (20 yd) ball ONline Linie 294 Solo Two, color #510 Black (A) 1, 50g (20 yd) ball ONline Linie 294 Solo Two, color #501 White (B) Size 7 US (4.5mm) 16" circular needles OR SIZE TO OBTAIN
- GAUGE Size 9/I US (5.5mm) crochet hook, stitch markers. (2) black handles. drawstring purse liner, large pins, (1) beaded button, base board
- NOTE: Complete kit with varn, bag liner, handles, button and base-
- board is available from The BagSmith (www.bagsmith.com), GAUGE
- 26 sts x 16 rows = 4" in Seed St.
- TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

## STITCH GLOSSARY Seed St Rnd 1: \*K1. P1: rep from \* to end

Rnd 2: "P1, K1; rep from " to end. Rep Rnds 1 & 2 for patt st.

#### DESIGNER NOTES

· For glittered edge of ribbon varn, wind each color into a new ball of varn. When working, glittered edge will appear on inside of bag.

#### BODY Body of Bag

With MC, CO 77 sts. PM and join for working in the round, being careful not to twist sts. Rnd 1: \*K1, P1; rep from \* to last st. end K1. Rnd 2: "P1. K1: rep from " to last st. end P1. Rnd 3: Join (A) by threading RH ndl through unrolled plain edge of ribbon, \*K1 with MC. P1, thread RH ndl through unrolled edge of ribbon; rep from \* to last st. K1 with MC. Rnd

4: \*P2tog with MC, securing threaded ribbon and MC together as 1 st. P1: rep from \* to last st, P1. Rnd 5: \*K1, P1: rep from \* to last st. K1. Rnd 6: Join (B) by threading RH ndl through unrolled plain edge of ribbon. \*K1 with MC. P1, thread RH ndl through unrolled edge of ribbon; rep from \* to last st. K1 with MC. Rnd 7: \*P2tog with MC, securing threaded ribbon and MC together as 1 st. P1; rep from \* to last st. P1. Rnd 8; \*K1. P1; rep from \* to last st. K1. Ben Bnds 3-8 five more times. Work Row 1 of patt once more and BO all sts loosely. Turn bag inside out.

#### Bottom of bag

With Cord, CO 24 sts. Work Row 1 of Seed St patt (RS). Cont in Seed st, until piece meas 4", from CO. BO all sts loosely.

#### Attach Handles

With Cord, CO 18 sts. Work Row 1 of Seed St patt (RS). Cont in Seed st until piece meas 3" from CO. BO all sts and weave in ends.

Whipstitch top edge of patch to BO edge of body of bag. Tuck one handle underneath patch, between patch and inner (WS) Body of Bag. Whipstitch bottom of patch to inner Body of Bag, securing handle in place

Make second patch and repeat for second handle, attaching handle opposite first handle. FINISHING

Whipstitch bottom of bag to baseboard piece. Pin bottom in place on Body of Bag and whip stitch in place. Insert drawstring liner into bag. With cord and crochet book ch 25 SI st in first ch to form ring. Fasten off. Insert one end of ring through BO edge of Body of Bag between the ends of one handle. Pull other end of ring through to attach closure to bag. Sew beaded button opposite closure. Weave in all ends

#### Designed by Becca Smith exclusively for The BagSmith.

# 2 Trio of Entrelac

Continued from page 73

## ---- (I) (I)

- FINISHED MEASUREMENTS Antique Felted Handbag: approx 7" x 8" x 2" after felting
- Felted Tote: approx 16" x 16" x 5" after felting. Mozambique Handbag: approx 8" x 8" x 2"

#### MATERIALS

### Antique Felted Handbag

- 6, 57g (58 vd) skeins Prism Yarns Loopy (74% rayon, 26% wool) color Antique (A)
- · 2, 28g (80 yd) skeins Prism Yarns Super Dazzle (100% nylon) color Antique (C)
- Trendsetter Yarns Braided Bag Handle, color Cream
- Size 10 US (6.0mm) 24" circular needle OR SIZE TO OBTAIN GAUGE

#### **Felted Tote**

 6, 57g (114 yd) skeins Prism Yarns Andee (50% wool, 50% alpaca) color Tahoe (A)

#### **DESIGNER NOTES**

· Antique Felted Bag: Hold 1 strand (A) and 1 strand (C) for first 2 and last 3 rows.

- · Mozambique Bag: Hold 3 strands (C) for first 2 and last 3 rows
- · Bottom of all bags are worked in Garter st first, and then entrelac rectangles are built onto bottom and worked seamlessly in the round. C is used at beg and end of each entrelac rectangle to define and embellish. C can be carried along side edge of each unit to
- use for next shape. When working last three rows with C, work all strands of yarn for first of these three rows (to get yarn into proper position for next unit), then drop any A & B strands and work last two rows as directed. · Garter stitch can be used throughout for a
- flatter surface. When felted, stockinette will shrink more in height than in width, bringing the blocks closely to square, so for a felted bag work stockinette
- Sizing can be altered both by choice of varn and number of stitches per rectangle. Entrelacblocks can be worked on any number of stitches. The cast on for bag bottom is three times each unit, and the number of rows worked is twice the number of rows as a unit size. For Example Tote Bag rectangles are 12 sts therefore 12 x 3 = 36 st cast on and 2 x 12 = 24 rows.

#### PROJECT 38A: ANTIQUE FELTED HANDBAG

With A, CO 30 sts. Knit 10 rows; k across, then for ease of knitting pull a loop of cable out, turn the corner, pick up and K10 sts along side edge; pull loop out, turn corner, pick up and K30 sts in CO edge; pull loop out, turn last corner, pick up and K10 sts along second side edge.

#### Work Base Triangles

Turn and \*P2, turn, K2, turn, P3, turn, K3, turn, P4, turn, K4, turn and cont to work 1 more st ea WSB until 8 sts have been used. Work next 3 rows with double strand C added: 10 sts - do not turn and K back. First triangle · 9, 57g (70 vd) skeins Prism Yarns Felt Mel (50% wool, 42% rayon, 8% nylon) color Autumn (B) 4, 57g (45 vd) skeins Prism Yarns Fem (100% nylon) color Moss (C)

Size 13 US (9mm) 24" circular needles OR SIZE TO OBTAIN GAUGE

#### Mozambique Handbag

- 3, 57g (76 yd) skeins Prism Yarns Athena (80% cotton, 20% nylon) color Mozambique (A)
  - 2. 28g (116 vd) skeins Prism Yarns Dazzle (100% nvlon) color Mozambique (C)
  - Size 9 US (5.5mm) 24" circular needles OR SIZE TO

#### **OBTAIN GAUGE** GAUGE

- · Antique Bag: 13 sts x 20
- rows = 4" before felting Tote: 10 sts x 20 rows = 4"

TO CHECK GAUGE.

(using A&B tog) before felting Mozambique Bag: 17 sts x 24 rows = 4" in Garter st

TO SAVE TIME, TAKE TIME

to LH ndl, rep from \* around - sts bound off as I-cord is worked. Attach purchased handle.

#### PROJECT 38B: FELTED TOTE

Worked on 12-st units. Work all units with A & B held together; drop B and add 2 strands of C for first 2 rows and last 3 rows of each rectangle; for last 3 rows of side triangles and for



Diagram 1 (Base construction)



Diagram 2 (Bag construction)



sure to pick up sts from RS of work toward you (WS) to avoid ridge on RS. \*Turn, K. Turn, drop C, with A P9, P2tog (last st with first st of block). Rep from \* to end of block. Rep for each rectangle around. Rep left and right slanting rectangles 1 more time-2 sets of each. Knit one extra row on last block. Top Triangles

finished. Rep from \* for each 10 sts around: 1

triangle at ea side edge and 3 triangles at ea

Work 1 extra knit row on last triangle with all

strands (this gets varn in right place for next

shape). With 2 strands C added, pick up and

K10 sts along side edge of triangle 1, \*turn,

P9, drop C, turn, with A K9, ssk last st with first st of triangle 8. Turn, P10. Turn, rep from 1

until 8 sts have been used. Work last 3 rows

with 2 strands C added. Rep for each triangle

around, remembering to add 2 strands C at the

first 2 and last 3 rows. Knit 1 extra row with 2

With WS facing and 2 strands C added, pick

up and P10 sts along next rectangle, making

Establish Right Slanting Rectangles

long edge (see diagram 1).

strands C on last block.

Establish Left Slanting Rectangles

With 2 strands C added, pick up and K11 sts along edge of next rectangle, Turn, P11, drop C. Turn. with A only K10, ssk last st with first open st of rectangle. Turn, P11; turn, \*ssk, K8, ssk: turn. P10: turn. ssk. K7. ssk: turn. P9. Rep from \*, with 1 less st every P row and 1 less st between first ssk and ssk which locks top triangle to rectangle on each successive row. When 4 sts rem, ssk, ssk. Turn, P1, turn, ssk. Rep triangles around, counting last st on ndl as first of 11 sts (pick up and K10) for each unit. Either carry C along top edge as it is decreased or cut and re-attach.

#### Top Edge

With A, pick up and K80 sts around top edge. (K 1 rnd, P 1 rnd) 3 times = 6 rnds Garter. Finishing

With 2 strands C added, K 1 rnd, then work Icord BO as foll: CO 2 sts. \*K1. ssk, sl sts back first 2 rows of top triangles (keeping B in for 1 row as needed to get it into position for next unit).

Top Edge

With A & B, pick up and K96 sts around top edge. Work evelets for strap insertion on Rnd 5 as foll: mark beg and end of triangles 2, 4, 6 & 8. Work to first mark, \*yo twice, ssk, work to 2 sts before next mark, vo twice, ssk; K to next mark, K2tog, yo twice, K to 2 sts before next mark, K2tog, yo twice; work to next mark and ren from \*. P 1 rnd (6 rnds complete). Work I cord BO method with A & B.

Handles Make 4-st I-cord handles with A & B as foll: CO 4 sts. K4, then sl 4 sts back to LH ndl and pulling varn tightly across back, K4. Rep for desired length (about 48" if felting).

Felting Instructions

Turn bag inside out and thread and tie non-felting varn through evelets to preserve the openings. Place in zippered pillow case and felt in machine on hot wash/cold rinse with laundry detergent added. Repeat as many times as needed to achieve desired stiffness of felt. Pack with paper to shape and allow to air dry. Cut ties off. Trim fuzz off surface with a razor or sharp shears.

Handles

Thread one handle through all four eyelets at one side and back through other side in same direction (see Diagram 3). Tie ends together tightly. Thread other handle through same evelets in the opposite direction tie ends tightlv. Pull tight.

PROJECT 38C: MOZAMBIQUE HANDBAG

Worked on 8-st units in garter st. Work all units in A; first 2 rows and last 2 rows are worked with 3 strands C only (remember to work A & C together for first row of last 3 rows to get A into correct position for next unit). Single yo eyelets are worked for handles in Row 5. 4 stitch I-cord handles are worked in A for 40" and threaded through in same manner as Tote

ADDITIONAL FINISHING NOTES All three variations may be lined and have

magnetic snaps inserted into the lining.

Designed by Laura Bryant exclusively for Prism Yarns.



Continued from page 74

### 

#### SIZES

· Pullover is sized to fit Child's Size 6 (8, 10). FINISHED MEASUREMENTS

LACE STITCH PATTERN (multiple of 18 sts)

K2tog, K2, vo. P1; rep from \* to last st, K1.

K2, vo. K1, P1; rep from \* to last st, K1.

K2, yo, K2, P1; rep from \* to last st, K1.

K2, yo, K4, P1; rep from \* to last st, K1.

vo, K3, P1; rep from \* to last st, K1. Row 9: K1, "P1, K1, vo, K2, skp, K3, K2tog,

Rep Rows 1-12 for Lace St pat.

Row 1 (RS): K1, \*P1, K3, yo, K2, skp, K5,

Row 2 (and all WSRs): K1, \*K1, P16, K1; rep.

Row 3: K1. \*P1. K4. vo. K2. skp. K3. K2tog.

Row 5: K1. \*P1. K5, vo. K2, skp, K1, K2toq,

Row 7: K1, \*P1, vo. K2, skp, K5, K2toq, K2,

Row 11: K1, \*P1, K2, vo, K2, skp, K1, K2tog, K2. vo. K5. P1: rep from \* to last st. K1.

- Chest 28 (30, 31½)"
- Length 16% (17%, 19%)"

from \* to last st. K1.

Upper Arm 10% (11%, 12)\*

#### MATERIALS

- 5 (6, 7) 50q (191 yd) skeins Skacel Collection Kokon (35% silk, 35% cotton, 30% microfiber) color #11
- OBTAIN GAUGE
- · Size 6 US (4.0mm) 16" circular needles (for neck)
- · stitch markers, stitch holders GAUGE

. 22 sts x 28 rows = 4" in St st TO SAVE TIME, TAKE TIME TO CHECK GAUGE.



#### Shape Back Neck

Next row (RS): K24 (26, 28) sts, attach a new ball of yarn and BO 9 (10, 11) sts, K 24 (26, 28) sts. Left Shoulder: Purl 1 row. Next row (RS): BO 5 sts and knit to end. Work 1 WSR. Dec row (RS): K1, SSK, knit to end [1 st dec'd). Purl 1 row. Rep these 2 rows once more [17 (19, 21) sts rem]. Work even until piece meas 17 (18, 19%)" from CO, end after a WSR. Place rem sts on holder. Right Shoulder. Work as for Left Shoulder, rev all

#### shaping. FRONT

SLEEVES

Work as for Back until piece meas 14% (15%, 17½)" from CO, end after a WSR. Shape Front Neck

Next row (RS): K25 (27, 29) sts, attach a new ball of varn and BO center 7 (8, 9) sts, K25 (27, 29) sts. Right Shoulder: Purl 1 row. Next row (RS): BO 2 sts and work to end. Work 1 WSR. Rep these two rows, twice more. Dec row (RS): K1, SSK, knit to end. Purl 1 row. Rep these 2 rows once more [17 (19, 21) sts]. Work even until piece meas 16% (17½, 19½)" from CO, end after a WSR. Place sts on holder. Left Shoulder: Work as for Right Shoulder rev all shapings.

CO 74 sts. Row 1 (RS): Purl 1 row. Cont in rev St st for 5 more rows. Next row (RS): K1, work Row 1 of Lace Pattern Chart, rep patt 4 times across row, end K1. Cont as charted, rep patt twice through. Dec row (RS): K10 (1, 7) sts, \*K2toq, K0 (1, 1); rep from \* 26 (23, 20) more times, end K10 (1, 6) sts [47 (50, 55) sts rem]. Next row (WS): Knit. Work 2 rows in rev St st. Inc row (RS): K1, inc 1, knit to last st. inc 1, K1 [2 sts inc'd]. Work even in St st for 5 rows. Rep these six rows, 5 more times [59 (62, 67) sts]. Work even in St st until piece meas 10 (11, 12)" from rev St st hand





#### BACK

CO 92 sts. Row 1 (RS): Knit 1 row. Work 5 rows even in St st. Work 6 rows rev St st. Next row (RS): K1, work Row 1 of Lace Stitch Chart rep patt 5 times across Row, end K1. Cont in patt as set, working Lace Stitch Chart 5 (5, 6) times through. Dec row (RS): K1, \*K4 (7, 16), K2tog; rep from \* 14 (9, 4) more times, end K1 [77 (82, 87) sts rem]. Next row (WS): Knit. Work 2 more rows in rev St st. Work even in St st until piece meas 10% (11, 12%)" from CO, end after a WSR.

Shape Armhole

At beg of next 2 rows, BO 5 sts. Dec row (RS): K1. SSK, knit to last 3 sts, K2tog, K1 [2] sts dec'd]. Purl 1 row. Rep these 2 rows, 9 more times (57 (62, 67) sts rem). Work even in St st until piece 16 (17, 18%)" from CO, end after a WSR.

#### Shape Sleeve Cap

At beg of next 2 rows, BO 5 sts. Dec row (RS): K1, SSK, knit to last 2 sts, K2tog, K1 [2 sts dec'd]. Purl 1 row. Rep these 2 rows 10 (11, 13) more times [27 (28, 29) sts rem]. At beg of next 4 rows. BO 4 sts. BO rem 11 (12,

#### 13) sts FINISHING

Block all pieces to measurements according to schematic. Join shoulders seams using 3-Ndl BO method.


## **Neck Edging**

Beg at left shoulder seam and with RS facing and circ ndl, pick up and K70 sts. Join to work in the rnd and pm. Row 1: Purl. Rep Row 1. 5 more times. BO all sts loosely. Assembly

Sew sleeves into armholes. Sew underarm sleeve seams and side seams. Fold first 6 rows of Front. Back, and Sleeves in half and sew loosely to inside of garment to form hems. Weave in all ends

Designed by Kathy Hightower exclusively for The Skacel Collection.

#### LACE STITCH PATTERN (18-st repeat)



KEY = K on RS, P on WS

P on RS. K on WS


O = yo

= K2tog

= sl 1, K1, psso


## 5 Sojabama

Continued from page 79



LACE MOTIF CHART


6



KEY = K on RS, P on WS / = K2tog = SI 1 kwise, K1, psso SI 2 sts kwise, K1, psso Y = inc 1 twisted kwise = no stitch = SI 2 sts to cn, hold at back, K1, K2 from cn


= pattern repeats


= SI 1 st to cn, hold in front, K2, K1 from cn



## 6 Elegant Cabled Wrap


Continued from page 80






# 7 Sea Flower

Continued from page 81







KEY

= BO 1 st

= K2tog

= K1, P1, K1 into the same st

= SI 2 sts, K1, psso

O = yo

All odd rows, Rows 1-31, are Knit (without increases or patt sts). Chart is repeated 6 times around.

# 12 Gypsy Shawl

Continued from page 85


KEY = knit


○ = yo

= ssk

/ = K2tog

A = sssk






Continued from page 86

#### KFY = K on RS, P on WS

. = P on RS, K on WS = pattern repeat

DIAMOND BLOCK CHART





= K on RS. P on WS with color indicated

[0] = vo


= ssk on RS

= P2tog on WS

SI I SI 2 to cn, hold in front, K2, K2 from cn


FT T K = SI 2 to cn. hold to back, K2, K2 from cn ¥ = Cable Row





## 29 Hand Painted Cable Coat with Belt

Continued from page 100






- = SI 2 to cn, hold in back, K2, K2 from cn
- SI 2 to cn, hold in front, K2, P2 from cn
- = pattern repeat

# 30 Man's Aran Pullover

Continued from page 101





= RT: SI 1 to cn, hold in back, K1, K1 from cn

P on RS, K on WS


= SI 3 to cn, hold in front, K3, K3 from cn = SI 3 to cn, hold in back, K3, K3 from cn

= SI 1 to cn, hold in back, K3, P1 from cn

= Sl 3 to cn. hold in front, P1, K3 from cn.









## 14 Center Cable Raglan Pullover









# 18 Slant on Nature KEY # K on RSRs. P on WSRs = P on RSRs, K on WSRs = Work Leaf Chart over this stitch = K2ios = St 1, K2tog, psso O = yo



#### Key on page 121





COIN CABLE RIB CHART (11 s/s + 1

				BODY MEDALLION PLACEMENT TABLE					
				Stich Numbers					
				Sm	Med	Lip	XI.	XXII.	
			Row 4	12	16	21	26	30	
			Row 22	59	63	63	73	77	
			Row 50	32	38	41	46	52	
			Row 78	48	45	53	58	61	
(edge st)			Row 86	3	4	7	10	13	
-	-	1-	Row 108 material	27	28	31	34	37	
4		6	100000000000000000000000000000000000000						
		4							
				SLEEVE MEDALLION PLACEMENT TABLE					
		12	2 Stitch Numbers						
-	-	111		Sm	Med	La	31	350.	

## Master List of Knitting & Crochet Abbreviations lp(s) m M1 adjust adj alt approx beg bet BL bo BO BP make 1 knit stitch (1 stitch increase)

	ack post tre	tale crach	et.		pc	pop
	ontrasting o	olor			pf&b	puri
	hain					sam
	efers to chal	n or space	prev mad		pm or PM	plac
e	g, ch-1				prev	prev
	hain space				psso	pass
	uster				pwise	purh
	able needle				rem	rem
CO (	ast on				rep	repe
	ontinue				rev St st	rese
	auble crack				RH	right
	ouble treble				rib	ribbi
	ecrease				md(s)	four
don c	ouble point	ed needle	5		RS .	right
	ouble croch		ther		RSR	right
	eery other a	ow		1.0	sc	sing
	stablish/ed				sc2tog	sing
flor FL 6	ont loop/s				sk	skip
	priwole				dip	skp.
FP 6	ont post				12.0	(1 st
FPdc 8	ont post do	suble croc	het	1.5	k2n	slip,
FPsc 6	ont post skr	ale croch	et			2940
	ont post tre					decr
q c	ram				d	stip
bdc f	all double o	rechet		1	slm	sko
inc is	crease				d1k	slip
	oit				dlp	sko
k2ton k	nit 2 togeth	200			d st	stp
	nit into the		back of th		sp(s)	5080
	ome stitch				400	slip :
	nitwise.				sak	skp.
DH à	ft hand					(1.9
Categories of Yam Weight	( yarn, gau	ge ranges,	and recon	mended no	edic and h	ook sizes
Sembol & Category Names	Super Fine	Fine	Light	Medium	Bulky	Super Bulky
Type of	Sook,	Sport,	DK.	Worsted	Chanks,	Bulky
. Yarrs in	Engerne.	Baby	Light	Alzhan,	Coft	RIVER
Category	Baby		Worsted	Aren	RIE	
Knit Gauge	27-32	23-26	21-24	16-20	12-15	6-10
Range* in Stocknette Stirch to 4 inches	25	28	sts	95	10	15

Metric Size Needle (15) Corchet Gazze\*

Recommended 8-1 to E-4

approximately

back post double crochet back post single crochet

BPde

M1 p-st	make 1 purl stitch (1 stitch increase)
MC	main color
meas	measures
mm	millimeter/s
ndl(s)	needle/s
oz(s)	ounce/s
p or P	puri
p2toq	purl 2 stitches together
pat(s)	pattern(s)
pc	papcom
pf&b	purl into the front and the back of the
	same stitch
pm or PM	place marker
prev	previous
psso	pass slipped stitch over
pwise	purlwise
rem	remaining
rep	repeat
rev St st	reverse stockinette stitch
RH	right hand
rib	nbbing
rnd(s)	round/3
RS .	right side
RSR	right side row
sc	single crochet
sc2tog	single crochet 2 stitches together
sk	skip
skip	slip, knit, pass slipped stitch over
	(1 stitch decrease)
sk2p	slip, knit 2 together, pass slipped stitch
	over the knit 2 together (2 stitch
	decrease)
st	slip
sim	slip marker
slik	slip 1 stitch knitwise
slip	slip 1 stitch purlwise
sil sit	slip stitch/es
sp(s)	space/s
33	slip stitch/es
ssk	slip, slip, knit these 2 stitches together

ich	turning chain
l-ch	turning chain
pot	together
lr.	treble crochet
trtr	triple treble crochet
WS	wrong side
WSR	wrong side row
wyib	with yarn in back
oryld	with yarn in front
ed(s)	yard/s
fwd	yam forward
10	yarn over
roh	yam over hook
erm	yam round the needle
eon	yam over the needle
1	work instructions within
	brackets as many times as directes
D.	work instructions within param
	theses as many times as directo
	repeat instructions following th
	asternio as directed
	repeat instructions following th
	asterisk as directed
BASIC KN	ITTING INSTRUCTIONS
Garter Sti	tribe Knit every row. If working in th

Stockinette Stitch: Knit RS rows and purl WS rows. Reverse Stockinette Stitch: Purl RS rows and knit Will

I-Ndi BO = 3 needle bind off: Place sts from each stitch holder onto separate ndls, points parallel and facfirst of from RH not over second at to BO. Rep from

tid

Beginner

Projects using basic stitches, repetitive stitch patterns

Projects with a variety of stitches, such as basic cabins and lace, simple intarsia, double-pointed needles and

Metric (mm)	us	Metric (mm)	US
2.00	0	5.00	8
2.25	1	5.50	9
2.75	2	6.00	10
3.25	3	6.50	10%
3.50	4	8.00	11

\* GUIDFLINES ONLY: The above reflect the most commonly used owers and needle or hook sizes for specific yarn categories.

# 12 Gypsy Shawl Continued from page 85



